

APPENDIX. SEDIMENT PHYSICAL PROPERTIES, LEG 85¹

WET DENSITY, GRAIN DENSITY, POROSITY, WATER CONTENT

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
572	1	1	1.08	1.26	2.25	79.4	63.2
572	1	2	2.44	1.37	2.13	67.1	48.8
572	1	3	3.69	1.41	2.19	65.2	46.1
572	1	4	5.21	1.27	1.74	64.2	50.7
572	1	5	6.85	1.42	2.33	68.1	47.9
572	1	6	7.50	1.43	2.46	70.8	49.6
572A	1	1	0.75	1.40	2.61	75.2	53.7
572A	1	2	2.24	1.27	2.30	79.3	62.4
572A	1	3	3.75	1.27	1.99	72.8	57.3
572A	1	4	5.24	1.31	1.99	69.2	53.0
572A	1	5	6.75	1.35	2.39	75.2	55.9
572A	1	6	8.25	1.39	2.25	68.9	49.7
572A	2	1	9.50	1.32	2.06	70.2	53.3
572A	2	2	11.00	1.28	1.77	63.2	49.2
572A	2	3	12.50	1.30	1.88	65.6	50.3
572A	2	4	14.00	1.31	1.90	65.3	49.7
572A	2	5	15.50	1.34	2.19	71.2	53.0
572A	2	6	17.79	1.28	1.91	69.3	54.2
572A	3	1	19.77	1.33	2.44	77.2	58.1
572A	3	2	21.25	1.29	2.32	77.6	60.0
572A	3	3	22.77	1.31	2.76	82.1	62.5
572A	3	4	24.27	1.37	2.63	77.5	56.6
572A	3	5	25.77	1.37	2.74	78.5	57.2
572A	3	6	27.24	1.38	2.69	77.3	55.9
572A	4	1	29.35	1.36	2.54	76.6	56.3
572A	4	4	33.96	1.35	2.60	78.3	58.2
572A	4	5	34.60	1.43	2.65	74.1	51.9
572A	5	1	37.08	1.33	2.38	76.2	57.3
572A	5	2	38.58	1.37	2.62	77.1	56.2
572A	5	3	40.08	1.40	2.26	68.3	48.8
572A	5	4	41.58	1.43	2.41	69.3	48.3
572A	5	5	43.08	1.43	2.52	71.9	50.4
572A	5	6	44.58	1.34	2.73	80.2	59.8
572A	6	2	48.16	1.36	2.49	75.9	55.9
572A	6	3	49.68	1.47	2.53	69.1	46.9
572A	6	4	51.18	1.45	2.68	73.2	50.4
572A	6	5	52.68	1.30	2.43	79.3	61.1
572A	6	6	54.18	1.37	2.51	75.6	55.3
572A	7	2	57.43	1.38	2.50	74.4	53.8
572A	7	3	58.98	1.31	2.62	80.7	61.5
572A	7	4	60.48	1.48	2.61	70.2	47.4
572A	7	5	61.98	1.47	2.38	66.3	45.2
572A	7	6	63.48	1.52	2.61	67.9	44.8
572A	8	1	64.88	1.51	2.56	67.6	44.8
572A	8	2	66.38	1.42	2.69	75.3	53.1
572A	8	4	69.38	1.22	1.97	77.5	63.6
572A	8	5	70.88	1.25	2.15	78.5	62.9
572A	9	1	73.06	1.45	2.61	72.0	49.7
572A	9	2	74.56	1.41	2.50	72.8	51.7
572A	9	3	76.06	1.39	2.81	78.5	56.6
572A	9	4	77.56	1.56	2.89	70.5	45.2
572A	9	5	79.07	1.61	2.82	66.6	41.5
572A	9	6	80.58	1.40	2.15	65.1	46.5
572A	10	2	84.06	1.48	2.66	70.9	47.8
572A	10	3	85.56	1.51	2.64	69.0	45.8
572A	10	4	87.09	1.58	2.79	67.8	43.0
572A	10	5	88.56	1.63	3.02	68.8	42.2
572A	11	1	92.17	1.36	2.30	72.6	53.6
572A	11	2	93.65	1.53	2.67	68.1	44.5
572A	11	3	95.16	1.44	2.56	71.8	49.9
572A	11	4	96.66	1.49	2.62	69.7	46.8
572A	11	5	98.16	1.35	2.15	69.5	51.4
572A	11	6	99.66	1.36	2.31	72.8	53.7
572A	12	1	101.46	1.45	2.67	73.0	50.4
572A	12	2	102.96	1.34	2.19	71.0	52.8
572A	12	3	104.46	1.37	2.36	73.0	53.4

¹ Mayer, L., Theyer, F., et al., *Init. Repts. DSDP*, 85: Washington (U.S. Govt. Printing Office).

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
572A	12	5	107.46	1.26	1.75	65.1	51.6
572A	12	5	107.46	1.40	2.39	71.3	51.1
572A	12	6	108.96	1.47	2.53	69.0	46.9
572A	13	1	110.64	1.26	2.22	78.5	62.2
572A	13	2	112.18	1.50	2.67	70.3	47.0
572A	13	3	113.66	1.45	2.71	73.7	50.9
572A	13	4	115.16	1.50	2.67	70.1	46.8
572A	13	5	116.68	1.42	2.45	70.7	49.6
572A	13	6	118.16	1.39	2.48	73.5	52.8
572A	14	1	119.86	1.43	2.43	70.1	49.1
572A	14	2	121.36	1.31	2.21	74.4	56.8
572A	14	3	122.86	1.44	2.40	68.5	47.6
572A	14	4	124.36	1.38	2.39	72.8	52.8
572A	14	5	125.86	1.44	2.42	68.9	47.8
572A	14	6	127.36	1.32	1.97	67.1	50.8
572A	15	1	129.06	1.55	2.53	63.8	41.0
572A	15	2	130.56	1.54	2.73	68.5	44.3
572A	15	3	132.06	1.27	1.81	65.8	51.6
572A	15	4	133.56	1.40	2.20	66.3	47.3
572A	15	5	135.06	1.35	2.38	74.4	55.0
572A	15	6	136.56	1.47	2.52	69.0	46.8
572A	16	2	139.36	1.68	3.41	71.6	42.5
572A	16	4	142.36	1.60	2.67	64.1	40.0
572A	16	5	143.88	1.61	2.82	66.6	41.4
572A	17	1	146.06	1.53	2.68	68.6	44.9
572A	17	2	147.58	1.49	2.59	69.2	46.4
572A	17	3	149.08	1.51	2.82	71.9	47.6
572A	17	4	150.58	1.44	2.37	67.8	47.0
572A	17	5	152.08	1.46	2.92	76.3	52.4
572B	1	2	156.26	1.41	2.37	70.3	50.0
572B	1	3	157.76	1.45	2.51	70.4	48.7
572B	2	1	160.08	1.47	2.66	71.9	49.0
572B	2	2	161.68	1.41	2.45	71.5	50.6
572B	2	3	163.48	1.34	2.17	70.9	53.0
572B	3	1	164.98	1.21	1.82	74.3	61.3
572B	3	2	166.48	1.33	2.19	72.0	54.0
572B	3	3	167.98	1.27	1.90	69.7	54.8
572B	4	1	169.58	1.36	2.23	70.9	52.2
572B	4	2	171.08	1.30	2.45	79.5	61.2
572C	1	1	0.78	1.34	2.74	80.7	60.4
572C	1	2	2.28	1.26	2.13	76.8	60.9
572C	1	3	3.78	1.48	2.94	75.4	51.0
572C	1	5	6.78	1.41	2.38	69.9	49.4
572C	1	6	8.28	1.48	2.88	74.2	50.0
572C	2	1	10.88	1.36	2.68	78.5	57.6
572C	2	2	12.38	1.50	2.83	72.8	48.6
572C	2	3	13.88	1.39	2.88	79.2	57.0
572C	2	4	15.38	1.41	3.43	83.1	58.9
572C	2	5	16.88	1.41	2.82	77.3	54.7
572C	2	6	18.38	1.45	3.14	78.9	54.3
572C	3	1	20.48	1.32	2.38	76.8	58.1
572C	3	2	21.98	1.34	2.86	81.7	61.0
572C	3	3	23.48	1.39	2.82	78.2	56.0
572C	3	4	24.98	1.36	2.81	79.9	58.5
572C	3	5	26.48	1.31	2.34	76.7	58.5
572C	3	6	27.98	1.36	2.83	80.2	58.8
572C	4	1	30.08	1.41	2.81	77.1	54.5
572C	4	2	31.58	1.35	2.43	75.8	56.3
572C	4	3	33.08	1.41	2.67	75.5	53.6
572C	4	4	34.58	1.38	2.67	77.4	56.2
572C	4	5	36.08	1.40	2.67	75.7	53.9
572C	4	6	37.58	1.26	2.19	78.4	62.4
572C	5	1	39.66	1.30	2.02	71.0	54.8
572C	5	2	41.20	1.26	1.82	67.8	53.7
572C	5	3	42.66	1.39	2.53	74.3	53.3
572C	5	4	44.16	1.30	2.16	74.0	56.8
572C	5	5	45.66	1.26	2.34	80.8	64.2
572C	5	6	46.99	1.20	1.88	77.1	64.1
572C	6	1	49.15	1.45	2.45	68.7	47.3
572C	6	2	50.74	1.44	2.68	74.0	51.5
572C	6	3	52.24	1.35	2.56	77.5	57.3
572C	6	4	53.76	1.33	2.15	71.3	53.6
572C	6	5	55.26	1.47	2.54	69.5	47.3
572C	6	6	56.76	1.29	2.53	80.8	62.5
572C	7	1	58.86	1.33	2.26	74.0	55.7
572C	7	2	60.36	1.33	2.23	72.9	54.7
572C	7	3	61.86	1.44	2.32	67.0	46.7
572C	7	4	63.36	1.43	2.35	68.3	47.9
572C	7	5	64.91	1.39	2.75	77.5	55.5
572C	7	6	66.36	1.43	2.26	66.0	46.2
572C	8	1	68.46	1.33	2.12	71.0	53.6
572C	8	2	69.96	1.48	2.64	70.8	47.9

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
572C	8	3	71.56	1.20	1.65	69.8	58.3
572C	8	4	72.98	1.33	2.30	74.3	55.7
572C	8	5	74.46	1.34	2.26	72.6	54.0
572C	8	6	75.93	1.25	1.82	69.8	56.0
572C	9	1	78.06	1.54	2.69	67.8	43.9
572C	9	2	79.53	1.40	2.34	70.3	50.3
572C	9	3	81.06	1.44	2.40	68.9	48.0
572C	9	4	82.56	1.39	2.27	69.4	50.0
572C	9	5	84.07	1.48	2.46	66.7	45.0
572C	9	6	85.57	1.36	2.04	65.6	48.3
572C	10	1	87.66	1.50	2.63	69.2	46.1
572C	10	2	89.16	1.41	2.23	66.5	47.1
572C	10	3	90.66	1.36	2.06	66.0	48.5
572C	10	4	92.16	1.34	2.17	70.7	52.7
572C	10	5	93.66	1.31	2.02	70.0	53.6
572C	10	6	95.16	1.41	2.29	68.4	48.6
572C	11	1	97.26	1.29	1.99	71.2	55.3
572C	11	2	98.76	1.30	2.08	71.8	55.0
572C	11	3	100.26	1.46	2.48	69.0	47.3
572C	12	1	102.26	1.26	1.92	72.1	57.3
572C	12	2	103.76	1.35	2.11	68.1	50.3
572C	12	3	105.28	1.40	2.34	70.3	50.2
572C	13	1	107.28	1.42	2.56	73.1	51.5
572C	13	2	108.78	1.36	2.33	74.2	54.7
572C	13	3	110.28	1.41	2.56	73.6	52.2
572C	14	1	112.26	1.51	2.66	69.3	45.9
572C	14	2	113.78	1.35	2.42	75.2	55.6
572C	14	3	115.28	1.41	2.39	70.8	50.3
572C	14	4	116.78	1.41	2.66	75.1	53.1
572C	14	5	118.28	1.50	2.67	70.4	47.1
572C	15	1	121.88	1.45	2.46	69.2	47.7
572C	15	2	123.38	1.46	2.56	70.7	48.6
572C	15	3	124.88	1.47	2.57	70.2	47.9
572C	15	4	126.38	1.54	2.66	67.7	44.1
572C	15	5	127.88	1.56	2.57	64.1	41.0
572C	15	6	129.38	1.56	2.69	66.7	42.7
572C	16	1	131.48	1.47	2.61	70.5	47.8
572C	16	3	134.48	1.46	2.49	69.2	47.4
572C	16	3	134.48	1.46	2.49	69.2	47.4
572C	16	4	135.98	1.58	2.63	64.8	41.1
572C	16	5	137.48	1.57	2.61	64.7	41.3
572C	16	6	138.98	1.58	2.73	66.7	42.4
572C	17	1	141.08	1.55	2.63	66.2	42.7
572C	17	2	142.58	1.59	2.67	64.6	40.6
572C	17	3	144.08	1.61	2.67	63.6	39.6
572C	17	4	145.58	1.48	2.64	70.5	47.6
572C	18	2	152.18	1.52	2.63	67.9	44.7
572C	18	3	153.68	1.50	2.64	69.8	46.6
572C	18	4	155.18	1.50	2.56	68.2	45.6
572C	18	5	156.68	1.39	2.31	69.7	50.0
572C	18	6	158.18	1.49	2.52	67.5	45.2
572C	20	1	165.28	1.35	2.43	75.4	55.8
572C	20	2	166.78	1.33	2.19	72.5	54.5
572C	20	3	168.28	1.39	2.41	72.0	51.6
573	1	1	0.78	1.43	2.66	74.2	51.9
573	2	1	2.76	1.33	2.59	79.1	59.4
573	2	2	4.26	1.38	2.69	77.3	55.9
573	2	3	5.76	1.42	2.72	75.5	53.2
573	2	4	7.26	1.53	2.78	70.4	46.1
573	2	5	8.76	1.44	2.68	73.6	51.0
573	2	6	10.26	1.50	2.66	69.6	46.2
573	3	1	12.26	1.57	2.74	67.0	42.6
573	3	2	13.76	1.49	2.73	71.7	48.1
573	3	3	15.26	1.41	2.61	74.7	53.0
573	3	4	16.76	1.53	2.67	68.5	44.9
573	3	5	18.26	1.22	2.10	80.2	65.9
573	3	6	19.76	1.45	2.59	71.5	49.2
573	4	1	22.04	1.28	2.53	81.8	64.0
573	4	2	23.33	1.44	2.51	70.6	49.0
573	4	3	24.76	1.48	2.61	70.2	47.4
573	4	4	26.26	1.53	2.78	69.9	45.5
573	4	5	27.76	1.33	2.47	77.4	58.1
573	4	6	29.27	1.36	2.74	79.5	58.7
573	5	1	31.26	1.47	2.80	74.1	50.5
573	5	2	32.76	1.31	2.32	76.2	58.0
573	5	3	34.26	1.52	2.65	68.2	44.8
573	5	4	35.76	1.34	2.51	77.7	58.1
573	5	5	37.26	1.49	2.67	70.4	47.2
573	5	6	38.76	1.56	2.73	67.4	43.1
573	6	1	40.56	1.40	2.54	74.4	53.3
573	6	2	41.56	1.43	2.82	76.3	53.3
573	6	3	43.06	1.32	2.43	77.8	59.0
573	6	4	44.56	1.36	2.59	77.3	56.9

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
573	6	5	46.06	1.32	2.40	76.8	58.0
573	6	6	47.56	1.44	2.84	76.2	53.1
573	7	2	50.26	1.39	3.03	80.8	58.2
573	7	3	51.76	1.29	2.29	77.4	59.9
573	7	4	53.26	1.26	2.59	83.8	66.7
573	7	5	54.76	1.24	2.44	83.2	66.9
573	7	6	56.26	1.47	2.70	72.3	49.2
573	8	1	57.76	1.39	2.52	74.0	53.1
573	8	2	59.26	1.32	2.78	82.1	62.3
573	8	3	60.76	1.46	2.78	74.1	50.7
573	8	4	62.26	1.36	2.67	78.7	58.0
573	8	5	63.76	1.50	2.50	66.8	44.6
573	8	6	65.26	1.39	2.51	73.8	52.9
573	9	1	67.46	1.49	2.54	68.3	45.9
573	9	2	68.96	1.57	2.61	64.2	40.8
573	9	3	70.46	1.52	2.68	69.2	45.6
573	9	4	71.96	1.56	2.64	66.0	42.3
573	9	5	73.46	1.61	2.69	64.0	39.8
573	9	6	74.96	1.57	2.64	65.2	41.5
573	10	1	76.96	1.47	2.62	70.7	48.0
573	10	2	78.46	1.40	2.58	74.5	53.1
573	10	3	79.96	1.44	2.55	71.3	49.4
573	10	4	81.46	1.53	2.64	67.9	44.5
573	10	5	82.96	1.49	2.62	70.1	47.2
573	10	6	84.46	1.35	2.53	77.2	57.3
573	11	1	86.46	1.43	2.47	70.5	49.1
573	11	2	87.96	1.41	2.55	73.7	52.4
573	11	3	89.46	1.67	2.98	66.3	39.8
573	11	4	90.96	1.61	2.59	61.6	38.3
573	11	5	92.46	1.62	2.64	62.2	38.5
573	11	6	93.96	1.65	2.66	60.6	36.7
573	12	1	95.96	1.60	2.71	65.0	40.6
573	12	2	97.46	1.80	2.74	54.0	30.0
573	12	3	98.96	1.60	2.70	65.0	40.8
573	12	4	100.46	1.57	2.74	67.3	42.9
573	12	5	101.96	1.53	2.64	67.7	44.3
573	12	6	103.46	1.55	2.66	67.1	43.4
573	13	1	105.16	1.53	2.56	65.7	42.8
573	13	2	106.26	1.51	2.65	68.9	45.5
573	13	3	107.76	1.47	2.64	71.2	48.4
573	13	4	109.26	1.52	2.71	69.5	45.7
573	13	5	110.76	1.54	2.68	67.8	44.0
573	13	6	112.26	1.60	2.63	63.4	39.7
573	14	1	113.36	1.65	2.69	61.3	37.1
573	14	2	114.86	1.63	2.72	63.3	38.8
573	14	3	116.36	1.64	2.69	62.4	38.1
573	14	4	117.86	1.57	2.57	63.5	40.3
573	14	5	119.36	1.64	2.66	61.7	37.7
573	14	6	120.86	1.62	2.67	63.1	39.1
573	15	1	122.86	1.53	2.63	67.2	43.9
573	15	2	124.36	1.52	2.51	65.8	43.4
573	15	3	125.86	1.55	2.66	66.7	42.9
573	15	4	127.36	1.61	2.68	63.7	39.6
573	15	5	128.86	1.55	2.64	66.6	43.0
573	15	6	130.36	1.66	2.74	62.0	37.3
573	16	1	132.06	1.61	2.63	62.5	38.8
573	16	2	133.56	1.65	2.68	61.3	37.2
573	16	3	135.06	1.50	2.60	68.7	45.8
573	16	4	136.56	1.56	2.62	65.6	42.2
573	16	5	138.06	1.51	2.60	68.1	45.1
573	16	6	139.56	1.49	2.60	69.3	46.5
573	17	1	140.86	1.51	2.44	64.7	42.9
573	17	1	140.86	1.51	2.52	66.5	44.1
573	17	2	142.36	1.54	2.52	64.7	42.1
573	17	3	143.86	1.63	2.61	61.2	37.7
573	17	5	146.86	1.60	2.59	62.2	38.9
573	17	6	148.36	1.49	2.43	65.6	44.0
573	18	1	149.76	1.59	2.67	65.0	41.0
573	18	2	151.26	1.69	2.70	59.4	35.2
573	18	3	152.77	1.34	2.23	72.4	54.1
573	19	1	154.76	1.56	2.71	67.5	43.3
573	19	2	156.26	1.54	2.60	66.3	43.1
573	19	3	157.76	1.34	2.23	72.2	53.8
573A	1	1	5.26	1.36	2.54	76.8	56.7
573A	1	2	6.76	1.42	2.72	75.8	53.5
573A	1	3	8.26	1.36	2.54	76.3	56.0
573A	1	4	9.76	1.48	2.69	71.6	48.5
573A	1	5	11.26	1.53	2.73	69.2	45.1
573A	1	6	12.76	1.54	2.77	69.5	45.2
573A	2	1	14.76	1.53	2.70	68.5	44.6
573A	2	2	16.26	1.53	2.74	69.4	45.3
573A	2	3	17.76	1.29	2.65	82.2	63.5
573A	2	4	19.26	1.48	2.27	61.8	41.7

HOLE	CORE	SECTION	DEPTH	WET DENS.	GRAIN DENS.	POROSITY	WATER CONT.
			(METERS)	(GM/CC)	(GM/CC)	(%)	(%)
573A	2	5	20.76	1.42	2.63	74.1	52.0
573A	3	1	22.86	1.53	2.71	69.3	45.4
573A	3	2	24.36	1.44	2.73	74.5	51.6
573A	3	3	25.86	1.42	2.69	75.2	53.0
573A	3	4	27.36	1.36	2.59	77.4	56.9
573A	3	5	28.86	1.32	2.59	79.8	60.4
573A	3	6	30.36	1.43	2.64	73.5	51.3
573A	4	1	32.06	1.41	2.66	75.4	53.6
573A	4	2	33.56	1.52	2.67	68.8	45.3
573A	4	3	35.06	1.42	2.68	74.8	52.6
573A	4	4	36.56	1.43	2.71	74.9	52.4
573A	4	5	38.06	1.48	2.80	73.2	49.4
573A	4	6	39.56	1.42	2.59	73.7	51.9
573A	5	1	40.66	1.41	2.61	74.4	52.8
573A	5	2	42.06	1.39	2.65	76.3	54.9
573A	5	3	43.56	1.34	2.69	79.7	59.3
573A	5	4	45.06	1.32	2.75	81.9	62.3
573A	5	5	46.56	1.45	2.78	74.9	51.8
573A	5	6	48.06	1.31	2.65	81.0	61.7
573A	6	1	49.96	1.36	2.57	77.2	56.9
573A	6	2	51.46	1.27	2.65	83.5	65.6
573A	6	3	52.96	1.31	2.82	83.2	63.7
573A	6	4	54.46	1.44	2.96	77.5	53.7
573A	6	5	55.96	1.43	2.77	75.8	53.0
573A	6	6	57.46	1.31	2.50	79.3	60.5
573B	1	1	139.26	1.54	2.63	67.0	43.5
573B	1	2	140.76	1.61	2.66	63.4	39.4
573B	1	3	142.26	1.66	2.71	61.5	37.1
573B	1	4	143.76	1.53	2.63	67.2	43.8
573B	1	5	145.26	1.71	2.70	58.3	34.2
573B	1	6	146.59	1.59	2.66	64.6	40.7
573B	2	1	148.76	1.53	2.65	67.6	44.1
573B	2	2	150.31	1.61	2.66	62.9	39.0
573B	2	3	151.61	1.53	2.58	66.7	43.7
573B	2	5	154.76	1.58	2.62	64.3	40.8
573B	2	5	155.24	1.55	2.61	66.0	42.7
573B	2	6	156.26	1.58	2.62	64.0	40.5
573B	3	1	158.26	1.50	2.64	69.3	46.1
573B	3	2	159.56	1.47	2.59	70.8	48.3
573B	3	3	161.26	1.49	2.60	69.1	46.3
573B	3	4	162.76	1.47	2.60	70.8	48.3
573B	3	5	164.26	1.47	2.50	68.5	46.5
573B	3	6	165.76	1.52	2.65	68.6	45.1
573B	4	1	167.76	1.51	2.67	69.1	45.6
573B	4	2	169.26	1.57	2.68	66.2	42.2
573B	4	3	170.76	1.51	2.64	68.7	45.5
573B	4	4	172.26	1.49	2.65	70.2	47.0
573B	4	5	173.76	1.53	2.70	68.7	44.8
573B	4	6	175.26	1.48	2.67	71.1	47.9
573B	5	2	178.76	1.62	2.71	64.1	39.7
573B	5	3	180.26	1.65	2.61	59.2	35.8
573B	5	4	181.76	1.65	2.51	56.8	34.5
573B	5	5	183.26	1.70	2.68	58.7	34.6
573B	5	6	184.76	1.70	2.70	59.1	34.8
573B	6	2	188.26	1.63	2.68	62.2	38.0
573B	6	3	189.76	1.69	2.70	59.3	35.1
573B	6	4	191.26	1.65	2.69	61.2	37.0
573B	6	5	192.76	1.67	2.73	61.2	36.7
573B	6	6	194.26	1.66	2.68	60.6	36.5
573B	7	1	195.71	1.69	2.68	58.7	34.7
573B	7	2	197.41	1.82	2.74	52.8	28.9
573B	7	3	199.26	1.73	2.69	56.5	32.6
573B	7	4	200.76	1.78	2.74	54.8	30.7
573B	7	5	202.26	1.75	2.62	53.4	30.4
573B	8	1	205.76	1.61	2.63	62.6	38.8
573B	8	2	207.26	1.65	2.60	59.6	36.2
573B	8	3	208.76	1.63	2.77	64.6	39.7
573B	8	4	210.26	1.65	2.59	58.9	35.6
573B	8	5	211.76	1.64	2.64	61.0	37.3
573B	8	6	213.26	1.66	2.59	58.5	35.2
573B	9	2	216.76	1.68	2.82	62.8	37.5
573B	9	2	216.76	1.66	2.94	66.0	39.8
573B	9	3	218.26	1.78	2.98	60.5	33.9
573B	9	4	219.76	1.77	3.04	62.2	35.1
573B	9	5	221.26	1.76	3.00	61.9	35.2
573B	9	6	222.76	1.73	2.84	60.1	34.7
573B	10	1	224.76	1.63	2.65	62.0	38.0
573B	10	2	226.36	1.74	2.79	58.7	33.7
573B	10	3	227.76	1.75	2.79	58.0	33.1
573B	10	4	229.26	1.77	2.86	58.3	32.9
573B	10	5	230.76	1.73	2.68	56.5	32.7
573B	10	6	232.26	1.58	2.62	63.8	40.3
573B	11	1	234.26	1.74	2.67	55.7	32.0

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
573B	11	2	235.76	1.79	2.70	53.2	29.6
573B	11	3	237.26	1.76	2.75	56.2	31.9
573B	11	4	238.76	1.71	2.65	57.0	33.3
573B	11	5	240.26	1.66	2.67	60.4	36.3
573B	11	6	241.76	1.71	2.62	56.2	32.9
573B	12	1	243.76	1.72	2.73	58.7	34.2
573B	12	2	245.26	1.63	2.62	61.4	37.8
573B	12	3	246.76	1.75	2.77	57.6	32.9
573B	12	4	248.21	1.67	2.86	63.8	38.1
573B	12	5	249.51	1.72	2.71	57.8	33.6
573B	13	1	253.26	1.67	2.68	60.0	35.9
573B	13	2	254.76	1.74	2.75	57.6	33.1
573B	13	3	256.26	1.72	2.76	59.3	34.5
573B	13	4	257.76	1.63	2.62	61.2	37.5
573B	13	5	259.26	1.67	2.64	59.3	35.5
573B	13	6	260.76	1.56	2.59	64.7	41.3
573B	14	1	262.76	1.68	2.68	59.6	35.5
573B	14	2	264.26	1.60	2.47	59.0	36.8
573B	14	3	265.76	1.65	2.66	61.0	37.0
573B	14	4	267.26	1.69	2.64	57.9	34.3
573B	14	5	268.76	1.68	2.60	57.6	34.3
573B	14	6	270.26	1.67	2.58	57.7	34.6
573B	15	1	272.26	1.70	2.59	55.8	32.8
573B	15	2	273.76	1.81	2.74	53.5	29.5
573B	15	2	273.76	1.80	2.81	55.8	31.0
573B	15	3	275.26	1.79	2.73	54.3	30.4
573B	15	5	278.26	1.83	2.74	52.6	28.8
573B	16	1	281.76	1.64	2.66	61.3	37.2
573B	16	2	283.26	1.75	2.71	56.4	32.3
573B	16	3	284.76	1.78	2.71	54.5	30.6
573B	16	4	286.26	1.78	2.71	54.2	30.4
573B	16	5	287.76	1.72	2.67	57.2	33.3
573B	17	1	291.26	1.85	2.80	53.0	28.7
573B	17	2	292.76	1.80	2.71	53.3	29.6
573B	17	3	294.26	1.80	2.65	51.3	28.5
573B	17	4	295.76	1.82	2.69	51.6	28.4
573B	17	5	297.26	1.80	2.74	54.0	30.0
573B	18	1	300.76	1.81	2.69	51.8	28.6
573B	18	2	302.26	1.84	2.69	50.2	27.2
573B	18	3	303.76	1.77	2.66	53.8	30.5
573B	19	1	310.26	1.76	2.71	55.4	31.4
573B	19	2	311.76	1.77	2.71	55.0	31.1
573B	20	1	319.79	1.89	3.08	57.0	30.1
573B	20	2	321.26	1.80	2.69	52.6	29.2
573B	20	3	322.66	1.83	2.70	51.4	28.1
573B	20	4	324.26	1.83	2.72	51.7	28.2
573B	20	5	325.76	1.80	2.70	52.7	29.2
573B	20	6	327.46	1.79	2.74	54.5	30.4
573B	21	1	329.51	1.75	2.70	56.2	32.2
573B	21	2	330.86	1.77	2.69	54.5	30.8
573B	21	3	332.39	1.80	2.70	53.3	29.7
573B	21	4	333.76	1.81	2.71	52.8	29.2
573B	22	1	338.71	1.76	2.67	54.3	30.8
573B	22	2	340.46	1.81	2.76	53.8	29.7
573B	22	3	341.86	1.78	2.67	53.1	29.8
573B	22	4	343.16	1.81	2.71	52.7	29.1
573B	23	1	348.41	1.83	2.72	51.5	28.1
573B	23	2	349.74	1.81	2.72	52.6	29.0
573B	23	3	351.61	1.81	2.69	52.2	28.9
573B	23	4	352.81	1.82	2.69	51.3	28.1
573B	24	1	357.53	1.85	2.73	51.0	27.6
573B	24	2	359.02	1.85	2.70	49.8	26.9
573B	24	3	360.67	1.81	2.70	52.6	29.1
573B	25	1	367.22	1.83	2.74	52.2	28.5
573B	26	2	378.40	1.80	2.68	52.8	29.4
573B	26	3	379.75	1.77	2.72	55.2	31.1
573B	26	4	381.20	1.80	2.75	54.3	30.1
573B	26	5	382.33	1.80	2.70	52.6	29.2
573B	27	1	386.09	1.84	2.72	51.5	28.1
573B	27	2	387.61	1.85	2.72	50.7	27.4
573B	27	3	388.94	1.83	2.71	51.5	28.2
573B	27	4	390.63	1.78	2.71	54.1	30.3
573B	28	1	395.71	1.82	2.72	52.3	28.7
573B	28	2	397.47	1.83	2.71	51.5	28.2
573B	28	3	398.61	1.83	2.71	51.2	27.9
573B	29	1	405.40	1.84	2.68	50.1	27.3
573B	29	2	407.11	1.80	2.71	53.0	29.3
573B	29	3	408.07	1.83	2.72	51.6	28.1
573B	29	4	409.91	1.80	2.70	52.7	29.2
573B	29	5	411.03	1.80	2.68	52.2	28.9
573B	30	1	414.97	1.80	2.71	53.3	29.6
573B	30	3	418.27	1.80	2.70	53.1	29.5
573B	30	4	418.93	1.79	2.70	53.3	29.8
573B	31	1	424.21	1.83	2.71	51.2	27.9

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
573B	32	1	434.17	1.86	2.72	50.1	26.9
573B	32	2	436.11	1.84	2.70	51.0	27.8
573B	33	5	449.15	1.83	2.76	53.2	29.1
573B	34	1	452.71	1.81	2.68	51.7	28.5
573B	35	1	462.16	1.68	2.59	57.0	33.9
573B	35	2	463.36	1.67	2.58	57.7	34.5
573B	35	3	465.21	1.69	2.59	56.6	33.5
573B	35	4	467.06	1.76	2.61	52.5	29.8
573B	35	5	468.31	1.77	2.64	52.8	29.7
573B	36	1	471.76	1.78	2.64	52.1	29.2
573B	36	2	473.74	1.81	2.66	51.6	28.6
573B	36	3	474.14	1.82	2.69	51.5	28.3
573B	37	1	481.04	1.78	2.67	53.0	29.7
573B	38	1	490.71	1.84	2.68	50.1	27.3
573B	38	2	492.79	1.68	2.49	54.0	32.1
573B	38	3	494.29	1.79	2.64	51.6	28.8
573B	39	1	499.76	1.79	2.59	50.5	28.2
573B	39	2	501.66	2.08	2.65	34.6	16.6
573B	39	3	503.26	1.83	2.45	42.7	23.3
573B	40	1	509.81	1.63	2.44	56.5	34.8
573B	42	1	520.94	1.81	2.68	51.7	28.5
573B	42	1	520.94	1.81	2.67	51.7	28.6
573B	42	2	523.31	1.62	3.06	70.0	43.3
573B	42	3	523.69	1.65	3.13	69.4	42.1
573B	42	4	526.43	1.97	2.75	44.5	22.6
574	1	1	0.65	1.41	2.54	73.2	51.7
574	1	2	2.26	1.18	2.70	89.3	75.7
574	1	3	3.75	1.38	2.57	75.5	54.6
574	2	1	5.26	1.31	2.69	81.5	62.0
574	2	2	6.76	1.30	2.71	82.2	63.0
574	2	3	8.47	1.22	2.44	84.8	69.5
574	2	4	9.76	1.34	2.63	79.3	59.2
574	2	5	11.26	1.42	2.59	73.2	51.4
574	2	6	12.76	1.37	2.62	77.1	56.2
574	3	2	16.26	1.19	2.45	86.8	73.0
574	3	3	17.76	1.24	2.47	83.4	67.1
574	3	4	19.26	1.25	2.66	85.0	67.9
574	3	5	20.76	1.17	2.45	87.9	74.9
574	3	6	22.26	1.19	2.54	87.8	73.8
574	4	1	24.26	1.14	2.22	88.4	77.5
574	4	2	25.76	1.22	2.52	85.8	70.6
574	4	3	27.26	1.23	2.69	86.2	69.9
574	4	4	28.76	1.25	2.49	83.2	66.6
574	4	5	30.26	1.19	2.42	86.4	72.5
574	4	6	31.76	1.25	2.58	84.1	67.3
574	5	2	35.11	1.21	2.41	85.3	70.7
574	5	3	36.76	1.22	2.36	83.6	68.4
574	5	4	38.26	1.22	2.85	88.3	72.6
574	5	5	39.76	1.21	2.56	86.3	71.2
574	5	6	41.26	1.28	2.48	81.0	63.3
574	6	1	43.26	1.35	2.62	78.5	58.3
574	6	2	44.76	1.29	2.58	81.4	62.9
574	6	3	46.26	1.28	2.63	82.9	64.8
574	6	4	47.76	1.27	2.69	84.2	66.5
574	6	5	49.26	1.49	2.98	75.3	50.6
574	6	6	50.76	1.53	2.68	68.6	44.9
574	7	1	52.76	1.52	2.70	69.1	45.3
574	7	2	54.26	1.39	2.68	76.8	55.2
574	7	3	55.76	1.42	2.57	73.0	51.3
574	7	4	57.26	1.61	2.71	64.5	40.1
574	7	5	58.76	1.35	2.62	78.4	58.1
574	7	6	60.26	1.40	2.65	75.7	54.0
574	8	1	61.76	1.54	2.63	66.7	43.2
574	8	2	63.26	1.50	2.66	69.6	46.3
574	8	3	64.76	1.49	2.66	70.2	47.0
574	8	4	66.26	1.47	2.63	71.0	48.2
574	8	5	67.76	1.37	2.58	76.8	56.3
574	8	6	69.26	1.32	2.59	80.1	60.8
574	9	1	71.26	1.21	2.30	83.9	69.3
574	9	2	72.76	1.34	2.44	76.6	57.2
574	9	3	74.26	1.43	2.68	74.5	52.1
574	9	4	75.76	1.23	2.64	86.2	70.3
574	9	5	77.26	1.22	2.76	87.8	72.3
574	9	6	78.76	1.30	2.53	80.5	62.0
574	10	1	80.76	1.43	2.68	74.6	52.3
574	10	2	82.26	1.46	2.74	73.6	50.5
574	10	3	83.76	1.25	2.64	84.7	67.7
574	10	4	85.26	1.48	2.75	72.7	49.2
574	10	5	86.76	1.49	2.76	72.1	48.4
574	10	6	88.26	1.45	2.74	74.2	51.2
574	11	1	90.26	1.48	2.74	72.4	48.9
574	11	2	91.76	1.48	2.69	71.5	48.2
574	11	3	93.26	1.48	2.68	71.5	48.3

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
574	11	4	94.76	1.66	2.71	61.3	36.9
574	11	5	96.26	1.61	2.70	64.0	39.7
574	11	6	97.76	1.66	2.72	61.6	37.1
574	12	1	99.36	1.61	2.72	64.7	40.3
574	12	2	100.86	1.66	2.73	61.9	37.3
574	12	3	102.36	1.60	2.68	63.9	39.8
574	12	4	103.86	1.65	2.72	62.0	37.5
574	12	5	105.36	1.64	2.68	62.0	37.8
574	12	6	106.86	1.66	2.70	61.2	36.8
574	13	1	108.86	1.59	2.77	66.4	41.6
574	13	2	110.36	1.57	2.64	65.5	41.8
574	13	3	111.86	1.60	2.70	64.9	40.6
574	13	4	113.36	1.59	2.67	65.0	41.0
574	13	5	114.86	1.58	2.59	63.7	40.4
574	13	6	116.36	1.55	2.59	65.2	42.0
574	14	1	118.36	1.67	2.67	59.6	35.6
574	14	2	119.86	1.76	2.71	55.4	31.4
574	14	3	121.36	1.75	2.69	55.6	31.7
574	15	3	126.36	1.76	2.72	55.7	31.6
574	15	4	127.86	1.70	2.72	59.4	35.0
574	16	1	128.36	1.67	2.69	60.5	36.3
574	16	2	129.86	1.64	2.71	62.2	37.8
574	16	3	131.36	1.67	2.69	60.5	36.3
574	17	1	133.36	1.61	2.58	61.3	38.1
574	17	2	134.86	1.60	2.65	63.5	39.7
574	17	3	136.36	1.63	2.70	62.8	38.5
574	18	1	138.36	1.62	2.64	62.4	38.6
574	18	2	139.86	1.56	2.61	65.1	41.8
574	18	3	141.36	1.63	2.63	61.6	37.9
574	19	2	144.86	1.61	2.63	62.9	39.2
574	19	3	146.36	1.53	2.62	67.0	43.6
574	20	2	149.86	1.67	2.66	59.7	35.7
574	20	3	151.36	1.65	2.72	62.1	37.6
574	21	1	153.26	1.59	2.65	64.0	40.1
574	21	2	154.76	1.75	2.70	56.0	32.0
574	21	3	156.26	1.48	2.63	70.6	47.7
574	22	1	158.26	1.64	2.66	61.6	37.6
574	22	2	159.76	1.70	2.70	58.8	34.6
574	22	3	161.26	1.68	2.68	59.4	35.3
574	23	2	164.76	1.72	2.73	58.3	33.9
574	23	3	166.26	1.68	2.72	60.2	35.7
574	24	1	168.26	1.62	2.66	62.8	38.9
574	24	2	169.76	1.68	2.68	59.7	35.6
574	24	3	171.26	1.66	2.62	58.8	35.3
574	25	1	173.26	1.58	2.65	65.1	41.3
574	25	2	174.76	1.72	2.70	57.5	33.4
574	25	3	176.26	1.63	2.66	62.3	38.3
574	26	1	178.26	1.63	2.67	59.2	35.2
574	26	2	179.76	1.61	2.65	63.0	39.0
574	26	3	181.26	1.65	2.64	60.2	36.4
574	27	1	182.96	1.71	2.69	58.2	34.1
574	27	2	184.46	1.53	2.60	66.9	43.7
574	27	3	185.96	1.60	2.64	63.2	39.4
574	28	1	187.96	1.65	2.68	61.3	37.2
574	28	2	189.46	1.63	2.65	62.2	38.3
574	28	3	190.96	1.72	2.86	61.5	35.9
574	29	1	192.96	1.64	2.77	63.6	38.8
574	29	2	194.46	1.66	2.71	61.2	36.8
574	29	3	195.96	1.65	2.73	62.2	37.6
574	30	2	199.46	1.62	2.78	65.2	40.2
574	30	3	200.96	1.71	2.73	59.3	34.8
574	31	1	202.96	1.62	2.82	66.2	41.0
574A	2	2	8.56	1.39	2.69	76.7	55.1
574A	2	4	11.56	1.45	2.65	72.9	50.3
574A	2	6	14.56	1.28	2.61	82.6	64.6
574A	3	2	17.76	1.18	2.53	87.9	74.1
574A	3	4	20.76	1.23	2.55	85.4	69.7
574A	4	2	26.16	1.28	2.57	82.1	64.1
574A	4	4	29.16	1.25	2.74	85.8	68.8
574A	7	2	54.16	1.35	2.53	77.0	56.9
574A	7	6	60.16	1.47	2.63	70.9	48.1
574A	8	2	63.66	1.55	2.68	66.9	43.0
574A	8	4	66.66	1.56	2.77	68.6	44.0
574A	8	6	69.66	1.30	2.63	81.7	63.0
574A	9	4	75.76	1.22	2.64	86.4	70.6
574A	9	5	77.26	1.20	2.54	87.0	72.5
574A	9	6	78.66	1.29	2.61	81.8	63.2
574A	10	2	82.16	1.41	2.57	74.1	52.7
574A	10	4	85.16	1.39	2.72	77.2	55.5
574A	10	6	88.16	1.51	2.62	68.4	45.3
574A	11	2	91.46	1.31	2.54	79.8	60.8
574A	11	4	94.46	1.40	2.56	74.4	53.2
574A	11	6	97.46	1.66	2.69	60.7	36.5

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
574A	12	4	103.96	1.61	2.65	62.7	38.9
574A	12	6	106.96	1.61	2.71	64.5	40.1
574A	13	2	110.46	1.57	2.68	66.3	42.4
574A	14	2	115.36	1.55	2.60	65.7	42.5
574A	17	2	130.06	1.66	2.71	61.6	37.2
574A	18	2	134.16	1.61	2.73	65.1	40.5
574A	18	4	137.16	1.68	2.69	59.5	35.3
574A	18	6	140.16	1.72	2.77	59.7	34.8
574A	19	2	143.66	1.65	2.69	61.6	37.3
574A	19	4	146.66	1.55	2.65	66.6	42.9
574A	19	6	149.66	1.71	2.68	58.0	34.0
574A	22	2	170.66	1.69	2.64	57.9	34.2
574A	22	4	173.66	1.63	2.65	61.7	37.8
574A	22	6	176.66	1.70	2.64	57.5	33.9
574A	23	1	178.66	1.65	2.63	60.3	36.7
574A	23	2	180.16	1.67	2.67	59.8	35.8
574A	23	5	184.66	1.55	2.61	65.7	42.3
574B	1	1	185.76	1.54	2.52	64.5	41.9
574B	1	2	187.26	1.56	2.65	66.3	42.5
574B	1	3	188.76	1.61	2.64	62.9	39.2
574B	1	4	190.26	1.61	2.65	62.9	39.0
574B	1	5	191.76	1.59	2.63	63.7	40.0
574B	1	6	193.26	1.53	2.61	67.2	44.0
574C	1	1	195.41	1.61	2.67	63.4	39.3
574C	1	2	196.76	1.64	2.72	63.0	38.5
574C	1	3	198.26	1.47	2.66	71.5	48.6
574C	1	4	199.76	1.44	2.68	73.9	51.4
574C	1	5	201.26	1.58	2.68	65.7	41.7
574C	2	1	204.71	1.59	2.74	66.0	41.4
574C	2	2	206.26	1.51	2.91	73.1	48.2
574C	2	3	207.76	1.61	2.61	62.3	38.8
574C	2	4	209.26	1.66	2.73	61.8	37.3
574C	2	5	210.76	1.62	2.65	62.4	38.5
574C	2	6	212.26	1.31	2.41	78.2	59.8
574C	3	2	215.76	1.63	2.71	63.0	38.7
574C	3	3	217.26	1.58	2.89	69.3	43.8
574C	4	1	223.76	1.65	2.68	61.5	37.3
574C	4	2	225.26	1.64	2.86	65.6	40.0
574C	5	1	233.26	1.67	2.64	58.8	35.1
574C	5	2	234.76	1.69	2.81	62.0	36.8
574C	5	3	236.26	1.74	2.73	57.3	33.0
574C	5	4	237.76	1.73	2.75	58.0	33.4
574C	6	1	242.66	1.80	2.70	53.1	29.5
574C	6	3	245.76	1.80	2.71	53.3	29.6
574C	6	4	247.26	1.72	2.66	56.6	32.9
574C	7	1	252.26	1.75	2.67	55.2	31.5
574C	7	2	253.76	1.75	2.66	54.8	31.3
574C	7	3	255.26	1.69	2.65	58.2	34.4
574C	7	4	256.76	1.73	2.69	56.8	32.8
574C	7	5	258.16	1.75	2.71	56.0	31.9
574C	7	6	259.76	1.71	2.65	56.8	33.1
574C	8	1	261.76	1.77	3.14	63.8	36.0
574C	8	2	263.26	1.73	2.89	61.2	35.3
574C	8	3	264.76	1.71	2.70	58.0	33.8
574C	9	1	271.26	1.73	2.69	56.6	32.7
574C	9	2	272.76	1.64	2.59	59.9	36.6
574C	9	3	274.03	1.76	2.96	61.1	34.6
574C	10	2	282.26	1.70	2.77	60.6	35.7
574C	10	3	283.76	1.76	2.81	58.1	33.1
574C	10	4	285.26	1.76	2.70	55.0	31.2
574C	10	5	286.78	1.75	2.76	57.5	32.9
574C	10	6	288.26	1.83	2.82	54.6	29.9
574C	11	1	290.26	1.72	2.63	55.8	32.4
574C	11	2	291.76	1.83	2.76	52.8	28.9
574C	11	3	293.26	1.83	2.71	51.6	28.3
574C	12	1	299.76	1.80	2.71	53.1	29.5
574C	12	2	301.26	1.81	2.75	53.8	29.8
574C	12	3	302.76	1.81	2.71	52.8	29.2
574C	12	4	304.26	1.74	2.61	54.2	31.2
574C	12	5	305.76	1.77	2.64	53.0	29.9
574C	12	6	307.26	1.81	2.66	51.1	28.2
574C	13	1	309.26	1.79	2.66	52.5	29.3
574C	13	2	310.76	1.78	2.69	53.8	30.3
574C	13	3	312.26	1.78	2.64	52.5	29.4
574C	13	4	313.76	1.85	2.70	50.1	27.1
574C	14	1	318.91	1.76	2.64	53.8	30.6
574C	14	2	320.35	1.75	2.70	56.0	32.0
574C	15	1	328.26	1.87	2.89	53.7	28.6
574C	15	4	332.76	1.82	2.85	55.7	30.6
574C	16	1	337.81	1.79	2.85	57.5	32.2
574C	16	2	339.26	1.78	2.74	55.4	31.2
574C	16	3	340.76	1.79	2.75	55.0	30.8

APPENDIX

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
574C	17	1	347.01	1.78	2.70	54.5	30.7
574C	17	1	347.26	1.78	2.70	53.8	30.2
574C	17	2	348.76	1.78	2.67	53.3	29.9
574C	17	3	350.06	1.77	2.69	54.3	30.7
574C	17	4	351.76	1.75	2.70	55.8	31.9
574C	18	1	356.76	1.80	2.71	53.3	29.7
574C	18	2	358.26	1.74	2.67	55.4	31.8
574C	19	1	366.16	1.74	2.65	55.3	31.8
574C	19	2	367.71	1.75	2.66	54.5	31.1
574C	20	1	375.76	1.80	2.69	52.5	29.1
574C	20	2	377.36	1.79	2.69	53.4	29.9
574C	20	3	378.56	1.74	2.61	53.9	31.0
574C	20	4	380.26	1.78	2.70	54.0	30.3
574C	20	5	381.81	1.80	2.66	51.7	28.6
574C	20	6	383.31	1.80	2.70	52.7	29.2
574C	21	1	385.17	1.83	2.70	51.0	27.8
574C	21	2	386.86	1.77	2.74	56.0	31.6
574C	21	3	388.26	1.79	2.72	54.4	30.5
574C	22	1	394.16	1.84	2.69	50.6	27.5
574C	22	2	395.86	1.85	2.66	48.9	26.5
574C	23	1	404.45	1.82	2.69	51.4	28.2
574C	23	2	405.91	1.81	2.68	51.9	28.7
574C	23	3	407.16	1.80	2.66	51.7	28.6
574C	23	4	408.64	1.83	2.64	49.2	26.9
574C	23	5	410.72	1.85	2.64	48.6	26.4
574C	24	1	414.21	1.76	2.62	53.3	30.3
574C	24	2	415.85	1.77	2.65	53.2	30.0
574C	24	3	416.49	1.78	2.64	52.6	29.6
574C	24	4	418.28	1.82	2.68	51.3	28.2
574C	25	1	423.03	1.85	2.66	48.9	26.4
574C	26	1	432.67	1.86	2.66	48.0	25.8
574C	26	2	434.31	1.86	2.68	49.0	26.4
574C	26	3	435.72	1.83	2.55	46.2	25.2
574C	27	1	442.25	1.90	2.68	46.5	24.5
574C	27	2	443.71	1.84	2.69	50.6	27.5
574C	27	3	445.09	1.83	2.71	51.6	28.3
574C	29	1	461.82	1.75	2.60	52.9	30.2
574C	29	2	462.65	1.75	2.61	53.5	30.6
574C	29	3	464.21	1.79	2.61	51.1	28.6
574C	30	1	471.49	1.73	2.57	53.7	31.1
574C	30	2	472.13	1.74	2.58	53.0	30.5
574C	30	3	473.71	1.73	2.58	54.1	31.4
574C	31	1	480.21	1.66	2.49	55.8	33.6
574C	31	2	482.06	1.74	2.60	54.0	31.1
574C	32	1	490.11	1.70	2.61	56.5	33.2
574C	32	2	491.26	1.63	2.53	55.6	33.1
574C	33	1	499.16	1.74	2.64	54.7	31.4
574C	33	2	500.81	1.73	2.61	54.6	31.6
574C	33	4	503.46	1.76	2.65	54.0	30.7
574C	33	5	505.01	1.62	2.59	61.3	38.0
574C	34	1	508.44	1.65	2.62	59.8	36.3
574C	35	1	518.23	1.68	2.76	61.2	36.4
575	1	1	0.76	1.25	2.55	84.2	67.6
575	1	2	2.26	1.36	2.63	78.0	57.4
575	1	3	3.76	1.23	2.38	83.2	67.6
575	1	4	5.26	1.28	2.61	82.4	64.3
575	1	5	6.76	1.20	2.34	84.8	70.5
575	2	1	8.06	1.25	2.50	83.4	66.9
575	2	2	9.56	1.26	2.51	83.0	66.0
575	2	3	11.06	1.35	2.58	78.0	57.9
575	2	4	12.56	1.29	2.53	80.9	62.6
575	2	5	14.06	1.37	2.63	77.6	56.8
575	2	6	15.56	1.64	2.69	62.1	37.8
575	3	2	18.66	1.33	2.59	79.2	59.5
575	3	3	20.56	1.39	2.58	75.2	54.0
575	3	4	22.06	1.52	2.64	68.4	45.1
575	3	5	23.56	1.55	2.61	65.6	42.2
575	3	6	25.06	1.62	2.66	62.5	38.6
575	4	1	27.06	1.26	2.86	86.0	68.2
575	4	2	28.56	1.35	2.64	78.5	58.1
575	4	3	30.06	1.44	2.65	73.2	50.7
575	4	4	31.56	1.52	2.69	69.0	45.2
575	4	5	33.06	1.65	2.67	61.1	37.1
575	4	6	34.56	1.63	2.69	63.1	38.8
575	5	1	35.76	1.62	2.66	62.7	38.8
575	5	2	37.26	1.65	2.68	61.3	37.2
575	5	3	38.76	1.63	2.63	61.7	38.0
575	5	4	40.47	1.63	2.80	64.7	39.6
575	5	5	41.76	1.50	2.57	68.3	45.5
575	5	6	43.26	1.58	2.57	62.8	39.7
575	6	1	45.26	1.76	2.74	56.4	32.1
575	6	2	46.76	1.72	2.67	56.7	32.9
575	6	3	48.26	1.70	2.65	57.8	34.1

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
575	6	4	49.76	1.71	2.72	59.0	34.6
575	6	5	51.26	1.65	2.72	62.5	38.0
575	6	6	52.76	1.59	2.64	63.8	40.0
575	7	1	54.76	1.62	2.73	63.9	39.4
575	7	2	56.26	1.62	3.14	71.2	44.0
575	7	3	57.76	1.57	2.62	64.6	41.1
575	7	4	59.26	1.57	2.77	67.6	43.0
575	7	5	60.76	1.62	2.66	62.9	38.9
575	7	6	62.26	1.61	2.67	63.8	39.7
575	8	1	64.26	1.61	2.63	62.7	39.0
575	8	2	65.76	1.63	2.70	63.3	39.0
575	8	3	67.26	1.65	2.65	60.4	36.5
575	8	4	68.76	1.62	2.65	62.3	38.4
575	8	5	70.26	1.61	2.78	65.4	40.5
575	8	6	71.76	1.58	2.66	65.4	41.5
575	9	1	73.76	1.66	2.71	61.5	37.0
575	9	2	75.26	1.62	2.63	61.9	38.2
575	9	3	76.76	1.41	2.28	67.9	48.2
575	9	4	78.26	1.62	2.65	62.6	38.7
575	9	5	79.76	1.60	2.84	67.6	42.4
575	10	2	82.46	1.66	2.73	61.6	37.0
575	10	3	83.96	1.68	2.64	58.3	34.6
575	10	4	85.46	1.56	2.65	66.0	42.3
575	10	5	86.96	1.58	2.65	64.8	41.0
575	10	6	88.46	1.62	2.68	63.0	38.8
575	11	1	89.81	1.52	2.90	72.4	47.5
575	11	2	91.36	1.60	2.64	63.6	39.8
575	11	3	92.86	1.57	2.53	63.0	40.3
575	11	4	94.36	1.57	2.64	65.0	41.3
575	11	5	95.86	1.68	2.59	57.0	33.8
575	11	6	97.36	1.60	2.66	64.0	40.1
575A	1	1	94.56	1.61	2.73	64.7	40.1
575A	1	2	96.06	1.61	2.67	63.7	39.7
575A	1	3	97.56	1.53	2.60	66.8	43.7
575A	2	2	99.46	1.54	2.72	68.7	44.7
575A	2	3	100.96	1.43	2.63	73.6	51.4
575A	3	2	103.36	1.39	2.61	75.8	54.5
575A	3	3	104.86	1.46	2.63	71.8	49.3
575A	4	1	105.96	1.51	2.64	68.8	45.5
575A	4	2	107.46	1.59	2.65	64.3	40.4
575A	4	3	108.96	1.62	2.66	62.6	38.6
575A	5	2	111.26	1.66	2.71	61.5	37.1
575A	5	3	112.76	1.52	2.77	70.4	46.2
575A	6	1	114.86	1.55	2.73	68.2	44.1
575A	6	2	116.36	1.57	2.67	65.9	42.0
575A	6	3	117.86	1.60	2.66	64.1	40.1
575A	7	2	120.66	1.55	2.77	68.9	44.4
575A	7	3	122.16	1.61	2.65	63.3	39.4
575A	8	1	123.86	1.59	2.66	64.6	40.7
575A	8	2	125.36	1.55	2.72	68.1	43.9
575A	9	2	127.56	1.58	2.66	65.0	41.1
575A	10	2	129.56	1.71	2.77	59.7	34.9
575A	10	3	131.06	1.67	2.92	65.3	39.2
575A	11	2	132.86	1.64	2.65	61.1	37.2
575A	11	3	134.36	1.54	2.58	65.6	42.5
575A	12	2	137.36	1.69	2.65	58.0	34.2
575A	12	3	138.86	1.67	2.62	58.8	35.2
575A	13	2	141.06	1.69	2.64	58.3	34.6
575A	13	3	142.56	1.86	2.70	49.1	26.3
575A	14	2	144.16	1.72	2.71	58.2	33.9
575A	14	3	145.66	1.68	2.65	58.5	34.7
575A	15	2	146.96	1.73	2.77	59.0	34.2
575A	15	3	148.46	1.71	2.70	58.0	33.8
575A	16	2	150.26	1.73	2.74	58.1	33.7
575A	16	3	151.51	1.69	2.69	59.1	35.0
575A	17	2	152.26	1.71	2.70	58.6	34.4
575A	17	3	153.38	1.70	2.71	59.1	34.8
575A	18	2	154.76	1.67	2.63	58.7	35.1
575A	18	3	156.26	1.63	2.71	63.0	38.6
575A	19	2	159.06	1.69	2.69	59.0	34.8
575A	19	3	160.31	1.67	2.67	59.9	35.9
575A	20	2	163.06	1.69	2.71	59.7	35.4
575A	20	3	164.16	1.68	2.68	59.6	35.5
575A	21	1	165.46	1.66	2.79	63.0	37.9
575A	21	2	166.96	1.66	2.71	61.5	37.1
575A	21	3	168.46	1.75	2.71	56.3	32.2
575A	22	2	170.44	1.56	2.57	64.3	41.2
575A	22	3	171.86	1.74	2.77	58.5	33.7
575A	23	1	172.86	1.68	2.72	60.5	35.9
575A	23	2	174.36	1.70	2.69	58.7	34.6
575A	24	2	176.46	1.73	2.77	58.7	33.9
575A	24	3	177.96	1.67	2.68	60.1	36.0
575A	25	3	180.96	1.72	2.56	53.7	31.2

HOLE	CORE	SECTION	DEPTH (METERS)	WET DENS. (GM/CC)	GRAIN DENS. (GM/CC)	POROSITY (%)	WATER CONT. (%)
575A	26	2	182.36	1.69	2.81	61.8	36.5
575A	26	3	183.86	1.70	2.63	57.1	33.5
575A	28	2	189.46	1.94	2.76	46.4	23.9
575A	29	2	191.96	1.82	2.72	52.1	28.6
575A	29	3	193.16	1.80	2.77	54.6	30.3
575A	30	1	194.36	1.87	2.80	52.0	27.9
575A	30	2	195.36	1.68	2.71	60.0	35.7
575A	30	3	197.36	1.75	2.71	56.5	32.4
575A	31	2	199.66	1.77	2.63	53.1	30.1
575A	31	3	201.14	1.75	2.70	55.7	31.8
575A	32	2	203.56	1.77	2.67	54.1	30.6
575A	32	3	204.88	1.81	2.69	52.1	28.8
575A	33	2	206.56	1.74	2.65	55.3	31.8
575A	33	3	208.06	1.74	2.69	56.0	32.2
575B	1	1	4.06	1.43	2.66	74.3	52.1
575B	1	2	5.53	1.28	2.52	81.7	64.0
575B	1	3	7.06	1.32	2.63	80.4	60.9
575B	1	4	8.56	1.25	2.59	84.3	67.5
575B	1	5	10.06	1.20	2.33	85.0	70.9
575B	1	6	11.56	1.26	2.58	83.3	65.9
575B	2	1	12.76	1.23	2.45	84.5	69.0
575B	2	2	14.26	1.25	2.51	83.2	66.3
575B	2	3	15.73	1.41	2.67	75.4	53.5
575B	2	4	17.26	1.27	2.70	83.8	63.7
575B	2	5	18.76	1.36	2.51	76.3	56.2
575B	2	6	20.26	1.50	2.61	69.2	46.3
575B	3	1	21.76	1.59	2.61	63.7	40.2
575B	3	2	23.26	1.36	2.60	77.7	57.2
575B	3	3	24.76	1.52	2.57	66.8	43.9
575B	3	4	26.26	1.35	2.56	77.4	57.2
575B	3	5	27.76	1.47	2.56	69.6	47.2
575B	3	6	29.26	1.56	2.66	66.1	42.3
575B	4	2	31.76	1.59	2.73	66.1	41.7
575B	4	3	33.26	1.61	2.69	64.3	40.1
575B	4	4	34.76	1.34	2.64	79.3	59.1
575B	4	5	36.26	1.29	2.42	79.3	61.4
575B	4	6	37.76	1.25	2.65	85.2	68.3
575B	5	2	41.26	1.30	2.50	79.8	61.2
575B	5	3	42.76	1.34	2.50	77.5	58.0
575B	5	4	44.26	1.54	2.68	67.9	44.2
575B	5	5	45.76	1.66	2.73	61.9	37.3
575B	5	6	47.26	1.63	2.67	62.0	37.9
575B	6	2	50.26	1.66	2.70	61.2	36.8
575B	6	3	51.76	1.61	2.63	62.6	38.9
575B	6	4	53.26	1.57	2.67	66.1	42.2
575B	6	5	54.76	1.59	2.66	64.2	40.3
575B	7	2	57.66	1.78	2.65	53.0	29.8
575B	7	3	59.16	1.73	2.73	58.0	33.5
575B	7	4	60.66	1.74	2.70	56.6	32.6
575B	7	5	62.16	1.66	2.63	59.6	36.0
575B	7	6	63.66	1.69	2.69	59.1	35.0
575B	8	2	66.96	1.60	2.72	65.2	40.8
575B	8	3	68.46	1.51	2.78	71.5	47.4
575B	8	4	69.96	1.57	2.68	66.2	42.2
575B	8	5	71.46	1.65	2.77	63.3	38.4
575B	8	6	72.96	1.56	2.71	67.3	43.1
575B	9	2	76.06	1.55	2.66	67.1	43.4
575B	9	3	77.56	1.62	2.68	63.1	39.0
575B	9	4	79.06	1.68	2.71	60.2	35.8
575B	9	5	80.56	1.68	2.77	61.4	36.5
575B	10	2	83.66	1.62	2.76	64.8	40.0
575B	10	3	85.16	1.66	2.66	60.3	36.3
575B	10	4	86.66	1.44	3.00	77.9	54.0
575B	10	5	88.16	1.68	2.74	60.6	36.0
575B	10	6	89.66	1.69	2.84	62.5	37.0
575B	11	2	93.16	1.62	2.85	66.5	41.1
575B	11	3	94.66	1.71	2.80	60.6	35.5
575B	11	4	96.16	1.66	3.09	68.6	41.4
575B	11	5	97.66	1.71	2.74	59.3	34.7
575B	11	6	99.16	1.59	2.64	64.1	40.3
575B	12	2	101.86	1.73	2.84	60.5	35.1
575B	12	3	103.36	1.58	2.61	63.8	40.4
575B	12	4	104.86	1.53	2.54	65.4	42.7
575B	12	5	106.36	1.58	2.69	66.1	42.0
575B	13	2	111.46	1.50	2.71	70.5	46.9
575B	13	3	112.96	1.59	2.75	66.1	41.5
575B	14	2	116.36	1.63	2.68	62.8	38.7
575B	14	3	117.86	1.58	2.63	64.3	40.6

VELOCITY

HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)
572	1	1	1.08	1.51	572	1	4	5.20	1.53
572	1	2	2.43	1.50	572	1	5	6.85	1.55
572	1	3	3.67	1.53	572	1	6	8.24	1.51
572A	1	1	0.74	1.54	572A	9	6	80.55	1.53
572A	1	2	2.23	1.53	572A	10	2	84.07	1.53
572A	1	3	3.74	1.53	572A	10	3	85.57	1.54
572A	1	4	5.25	1.53	572A	10	5	88.55	1.52
572A	1	5	6.75	1.51	572A	10	6	90.05	1.53
572A	1	6	8.25	1.52	572A	11	1	92.16	1.53
572A	2	1	10.24	1.60	572A	11	2	93.65	1.53
572A	2	2	11.74	1.53	572A	11	3	95.15	1.52
572A	2	3	13.24	1.52	572A	11	4	96.65	1.53
572A	2	4	14.74	1.52	572A	11	5	98.15	1.53
572A	2	5	16.24	1.53	572A	11	6	99.65	1.54
572A	3	1	19.74	1.53	572A	12	1	101.45	1.53
572A	3	2	21.24	1.54	572A	12	2	102.95	1.53
572A	3	3	22.74	1.52	572A	12	3	104.45	1.51
572A	3	4	24.24	1.53	572A	12	4	105.95	1.53
572A	3	5	25.74	1.47	572A	12	5	107.45	1.53
572A	3	6	27.24	1.54	572A	12	6	108.95	1.53
572A	4	1	29.35	1.53	572A	13	1	110.65	1.54
572A	4	4	33.95	1.52	572A	13	2	112.15	1.52
572A	4	5	35.37	1.52	572A	13	3	113.65	1.54
572A	5	1	37.07	1.52	572A	13	4	115.15	1.54
572A	5	2	38.57	1.53	572A	13	5	116.65	1.54
572A	5	3	40.07	1.53	572A	13	6	118.15	1.54
572A	5	4	41.57	1.52	572A	14	1	119.85	1.53
572A	5	5	43.07	1.53	572A	14	2	121.35	1.56
572A	5	6	44.57	1.53	572A	14	3	122.85	1.54
572A	6	2	48.17	1.54	572A	14	4	124.35	1.54
572A	6	3	49.67	1.53	572A	14	5	125.85	1.53
572A	6	4	51.17	1.53	572A	14	6	127.35	1.53
572A	6	5	52.67	1.53	572A	15	1	129.05	1.53
572A	6	6	54.17	1.53	572A	15	2	130.55	1.53
572A	7	2	57.47	1.57	572A	15	3	132.05	1.55
572A	7	3	58.97	1.54	572A	15	4	133.55	1.54
572A	7	4	60.47	1.53	572A	15	5	135.05	1.56
572A	7	5	61.97	1.52	572A	15	6	136.35	1.55
572A	7	6	63.45	1.54	572A	16	2	139.35	1.51
572A	8	1	64.85	1.53	572A	16	3	140.85	1.52
572A	8	3	67.85	1.53	572A	16	5	143.85	1.53
572A	8	4	69.35	1.55	572A	17	1	146.05	1.54
572A	8	5	70.85	1.55	572A	17	2	147.55	1.54
572A	9	1	73.05	1.54	572A	17	3	149.05	1.53
572A	9	2	74.55	1.54	572A	17	4	150.55	1.52
572A	9	3	76.05	1.51	572A	17	5	152.05	1.53
572A	9	4	77.55	1.54	572A	17	6	153.55	1.53
572A	9	5	79.05	1.54					
572B	1	2	156.25	1.63	572B	3	1	164.95	1.55
572B	1	3	157.75	1.54	572B	3	2	166.45	1.54
572B	2	1	160.05	1.52	572B	3	3	167.95	1.57
572B	2	2	161.55	1.54	572B	4	1	169.55	1.54
572B	2	3	163.45	1.55	572B	4	2	171.05	1.57
572C	1	1	0.75	1.54	572C	5	6	47.15	1.54
572C	1	2	2.25	1.53	572C	6	1	49.14	1.53
572C	1	3	3.75	1.53	572C	6	2	50.75	1.53
572C	1	5	6.75	1.53	572C	6	3	52.25	1.53
572C	1	6	8.25	1.53	572C	6	4	53.75	1.60
572C	2	1	10.85	1.53	572C	6	5	55.25	1.53
572C	2	2	12.35	1.53	572C	6	6	56.75	1.53
572C	2	3	13.85	1.53	572C	7	1	58.85	1.52
572C	2	4	15.35	1.54	572C	7	2	60.35	1.53
572C	2	5	16.85	1.53	572C	7	3	61.85	1.53
572C	2	6	18.35	1.54	572C	7	4	63.35	1.53
572C	3	1	20.45	1.53	572C	7	5	64.90	1.52
572C	3	2	21.95	1.54	572C	7	6	66.35	1.52
572C	3	3	23.45	1.52	572C	8	1	68.45	1.52
572C	3	4	24.95	1.52	572C	8	2	69.95	1.52
572C	3	5	26.45	1.53	572C	8	3	71.55	1.53
572C	3	6	27.95	1.60	572C	8	4	72.97	1.52
572C	4	1	30.05	1.53	572C	8	5	74.45	1.53
572C	4	2	31.55	1.53	572C	8	6	75.97	1.53
572C	4	3	33.05	1.53	572C	9	1	78.05	1.53
572C	4	4	34.55	1.53	572C	9	2	79.57	1.51
572C	4	5	36.05	1.52	572C	9	3	81.05	1.53
572C	4	6	37.55	1.53	572C	9	4	82.55	1.52
572C	5	1	39.65	1.52	572C	9	5	84.06	1.52
572C	5	2	41.15	1.52	572C	9	6	85.55	1.53
572C	5	3	42.65	1.52	572C	10	1	87.65	1.53
572C	5	4	44.15	1.54	572C	10	2	89.15	1.52
572C	5	5	45.65	1.53	572C	10	3	90.65	1.53

APPENDIX

HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)
572C	10	4	92.15	1.53	572C	15	5	127.85	1.55
572C	10	5	93.65	1.48	572C	15	6	129.35	1.55
572C	10	6	95.15	1.54	572C	16	1	131.45	1.54
572C	11	1	97.25	1.53	572C	16	2	132.95	1.53
572C	11	2	98.75	1.54	572C	16	3	134.45	1.54
572C	11	3	100.25	1.54	572C	16	4	135.95	1.55
572C	12	1	102.25	1.53	572C	16	5	137.45	1.55
572C	12	2	103.75	1.53	572C	16	6	138.95	1.55
572C	12	3	105.25	1.68	572C	17	1	141.05	1.54
572C	13	1	107.25	1.54	572C	17	2	142.55	1.55
572C	13	2	108.75	1.54	572C	17	3	144.05	1.55
572C	13	3	110.25	1.54	572C	17	4	145.55	1.56
572C	14	1	112.25	1.54	572C	18	2	152.15	1.53
572C	14	2	113.75	1.53	572C	18	3	153.65	1.54
572C	14	3	115.25	1.53	572C	18	4	155.15	1.55
572C	14	4	116.75	1.54	572C	18	5	156.65	1.54
572C	14	5	118.25	1.54	572C	18	6	158.15	1.55
572C	15	1	121.85	1.53	572C	20	1	165.25	1.55
572C	15	2	123.35	1.53	572C	20	2	166.75	1.56
572C	15	3	124.85	1.52	572C	20	3	168.25	1.56
572C	15	4	126.35	1.54					
573	2	2	4.25	1.51	573	10	4	81.45	1.52
573	2	3	5.75	1.54	573	10	5	82.95	1.53
573	2	4	7.25	1.51	573	10	6	84.45	1.51
573	2	5	8.75	1.48	573	11	2	87.95	1.51
573	2	6	10.25	1.51	573	11	3	89.45	1.54
573	3	1	12.25	1.54	573	11	4	90.95	1.54
573	3	2	13.75	1.53	573	11	5	92.45	1.54
573	3	3	15.25	1.53	573	11	6	93.95	1.54
573	3	4	16.75	1.54	573	12	1	95.95	1.54
573	3	5	18.25	1.53	573	12	2	97.45	1.60
573	3	6	19.75	1.52	573	12	3	98.95	1.54
573	4	1	22.05	1.52	573	12	4	100.45	1.54
573	4	2	23.55	1.53	573	12	5	101.95	1.53
573	4	3	25.05	1.53	573	12	6	103.45	1.53
573	4	4	26.55	1.54	573	13	2	106.25	1.53
573	4	5	28.05	1.52	573	13	3	107.75	1.52
573	4	6	29.55	1.52	573	13	4	109.25	1.55
573	5	1	31.55	1.51	573	13	5	110.75	1.60
573	5	2	33.05	1.52	573	13	6	112.25	1.54
573	5	3	34.25	1.53	573	14	1	113.35	1.56
573	5	4	35.75	1.51	573	14	2	114.85	1.55
573	5	5	37.25	1.52	573	14	3	116.35	1.56
573	5	6	38.75	1.53	573	14	4	117.85	1.55
573	6	1	40.05	1.53	573	14	5	119.35	1.57
573	6	2	41.55	1.53	573	14	6	120.85	1.55
573	6	3	43.05	1.53	573	15	1	122.85	1.54
573	6	4	44.55	1.53	573	15	2	124.35	1.54
573	6	5	46.05	1.53	573	15	3	125.85	1.53
573	6	6	47.55	1.53	573	15	4	127.35	1.49
573	7	2	50.25	1.53	573	15	5	128.85	1.55
573	7	3	51.75	1.54	573	15	6	130.35	1.56
573	7	4	53.25	1.54	573	16	1	132.05	1.54
573	7	5	54.75	1.54	573	16	2	133.55	1.55
573	7	6	56.25	1.53	573	16	3	135.05	1.54
573	8	1	57.75	1.53	573	16	4	136.55	1.55
573	8	2	59.25	1.53	573	16	5	138.05	1.54
573	8	3	60.75	1.53	573	16	6	139.55	1.54
573	8	4	62.25	1.53	573	17	1	140.85	1.52
573	8	5	63.75	1.53	573	17	2	142.35	1.53
573	8	6	65.25	1.53	573	17	3	143.85	1.48
573	9	1	67.45	1.52	573	17	4	145.35	1.53
573	9	2	68.95	1.52	573	17	5	146.85	1.53
573	9	3	70.45	1.52	573	17	6	148.35	1.48
573	9	4	71.95	1.53	573	18	1	149.75	1.53
573	9	5	73.45	1.54	573	18	2	151.25	1.59
573	9	6	74.95	1.54	573	18	3	152.75	1.53
573	10	1	76.95	1.53	573	19	1	154.75	1.53
573	10	2	78.45	1.52	573	19	2	156.25	1.51
573	10	3	79.95	1.52	573	19	3	158.10	1.52
573A	1	1	5.25	1.51	573A	3	6	30.35	1.54
573A	1	2	6.75	1.53	573A	4	2	33.55	1.54
573A	1	3	8.25	1.52	573A	4	4	36.55	1.53
573A	1	4	9.75	1.53	573A	4	6	39.55	1.54
573A	1	5	11.25	1.56	573A	5	2	42.05	1.53
573A	1	6	12.75	1.56	573A	5	4	45.05	1.48
573A	2	2	16.25	1.55	573A	5	6	48.05	1.54
573A	2	4	19.25	1.56	573A	6	2	51.45	1.54
573A	3	2	24.35	1.54	573A	6	4	54.45	1.54
573A	3	4	27.35	1.54					
573B	1	3	142.25	1.56	573B	1	4	143.75	1.56

HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)
573B	1	5	145.92	1.58	573B	17	4	295.75	1.58
573B	2	2	150.30	1.55	573B	18	2	302.25	1.59
573B	2	3	151.60	1.56	573B	18	3	303.75	1.56
573B	2	4	153.73	1.56	573B	19	2	311.85	1.60
573B	2	5	154.75	1.56	573B	20	1	319.76	1.63
573B	2	6	156.25	1.56	573B	20	2	321.25	1.68
573B	3	1	158.25	1.55	573B	20	3	322.65	1.65
573B	3	3	161.25	1.55	573B	20	5	325.75	1.66
573B	3	4	162.75	1.60	573B	20	6	327.43	1.63
573B	3	5	164.25	1.55	573B	21	1	329.50	1.67
573B	3	6	165.75	1.56	573B	21	2	330.85	1.63
573B	4	2	169.25	1.54	573B	21	3	332.38	1.66
573B	4	3	170.75	1.54	573B	22	1	338.70	1.66
573B	4	4	172.25	1.54	573B	22	2	340.45	1.66
573B	5	3	180.25	1.58	573B	22	4	343.20	1.69
573B	6	4	191.25	1.55	573B	23	1	348.40	1.67
573B	6	6	194.25	1.55	573B	24	1	357.52	1.61
573B	8	3	208.75	1.55	573B	24	2	359.00	1.65
573B	8	5	211.75	1.54	573B	24	3	360.66	1.63
573B	9	2	216.75	1.56	573B	25	1	367.21	1.66
573B	9	3	218.25	1.57	573B	26	2	378.39	1.61
573B	9	4	219.75	1.56	573B	26	4	381.19	1.63
573B	9	5	221.25	1.83	573B	26	5	382.32	1.62
573B	10	2	226.35	1.56	573B	27	1	386.08	1.67
573B	10	3	227.75	1.57	573B	27	2	387.60	1.66
573B	10	4	229.25	1.58	573B	27	3	388.93	1.67
573B	10	5	230.75	1.56	573B	27	4	390.62	1.65
573B	10	6	232.25	1.56	573B	28	1	395.70	1.65
573B	11	2	235.75	1.59	573B	28	2	397.46	1.66
573B	11	3	237.25	1.58	573B	28	3	398.60	1.61
573B	11	4	239.75	1.57	573B	29	1	405.39	1.59
573B	11	5	240.25	1.57	573B	29	2	407.10	1.61
573B	11	6	241.75	1.57	573B	29	3	408.06	1.65
573B	12	2	245.25	1.55	573B	29	4	409.90	1.61
573B	12	3	246.75	1.57	573B	29	5	411.02	1.61
573B	12	4	248.25	1.56	573B	30	1	414.96	1.60
573B	12	5	249.50	1.56	573B	30	3	418.26	1.63
573B	13	2	254.75	1.58	573B	30	4	418.92	1.64
573B	13	3	256.25	1.57	573B	31	1	424.20	1.62
573B	13	4	257.75	1.57	573B	32	1	434.16	1.62
573B	13	5	259.25	1.56	573B	32	2	436.10	1.67
573B	13	6	260.75	1.56	573B	34	1	452.70	1.64
573B	14	1	262.75	1.55	573B	35	1	462.15	1.65
573B	14	2	264.25	1.58	573B	35	2	463.35	1.64
573B	14	3	265.75	1.57	573B	35	3	465.20	1.64
573B	14	4	267.25	1.57	573B	35	4	467.05	1.71
573B	14	5	268.75	1.58	573B	36	1	471.75	1.69
573B	14	6	270.25	1.58	573B	37	1	481.03	1.63
573B	15	2	273.75	1.60	573B	38	1	490.70	1.69
573B	15	3	275.25	1.60	573B	38	2	492.15	1.86
573B	15	4	276.75	1.59	573B	38	2	492.78	1.68
573B	15	5	278.25	1.61	573B	39	1	499.75	1.78
573B	16	2	283.25	1.60	573B	39	3	503.25	1.77
573B	16	3	284.75	1.59	573B	42	1	520.93	1.87
573B	16	4	286.25	1.60	573B	42	2	523.30	1.63
573B	16	5	287.75	1.59	573B	42	3	523.68	1.55
573B	17	1	291.25	1.67	573B	42	4	526.42	1.70
573B	17	2	292.75	1.62	573B	42	4	526.42	1.74
573B	17	3	294.25	1.61					
574	1	1	0.66	1.55	574	5	6	41.25	1.53
574	1	2	2.25	1.53	574	6	1	43.25	1.52
574	1	3	3.75	1.53	574	6	2	44.75	1.53
574	2	1	5.25	1.53	574	6	3	46.25	1.53
574	2	2	6.75	1.53	574	6	4	47.75	1.53
574	2	3	8.46	1.54	574	6	5	49.25	1.53
574	2	4	9.75	1.53	574	6	6	50.75	1.55
574	2	5	11.25	1.53	574	7	1	52.75	1.55
574	2	6	12.75	1.54	574	7	2	54.25	1.56
574	3	2	16.25	1.54	574	7	3	55.75	1.55
574	3	3	17.75	1.53	574	7	4	57.25	1.51
574	3	4	19.25	1.54	574	7	5	58.75	1.55
574	3	5	20.75	1.55	574	7	6	60.25	1.56
574	3	6	22.25	1.55	574	8	1	61.75	1.54
574	4	1	24.25	1.56	574	8	2	63.25	1.54
574	4	2	25.75	1.54	574	8	3	64.75	1.59
574	4	3	27.25	1.53	574	8	4	66.25	1.59
574	4	4	28.75	1.54	574	8	5	67.75	1.54
574	4	5	30.25	1.54	574	8	6	69.25	1.55
574	4	6	31.75	1.53	574	9	1	71.25	1.56
574	5	2	35.10	1.54	574	9	2	72.75	1.55
574	5	3	36.75	1.53	574	9	3	74.25	1.54
574	5	4	38.25	1.54	574	9	4	75.75	1.56
574	5	5	39.75	1.54	574	9	5	77.25	1.56

HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)
574	9	6	78.75	1.54	574	18	3	141.35	1.54
574	10	1	80.75	1.54	574	19	2	144.85	1.54
574	10	2	82.25	1.53	574	19	3	146.35	1.54
574	10	3	83.75	1.55	574	20	2	149.85	1.55
574	10	4	85.25	1.53	574	20	3	151.35	1.55
574	10	5	86.75	1.54	574	21	1	153.25	1.55
574	10	6	88.25	1.54	574	21	2	154.75	1.57
574	11	1	90.25	1.53	574	21	3	156.25	1.54
574	11	2	91.75	1.53	574	22	1	158.25	1.55
574	11	3	93.25	1.54	574	22	2	159.75	1.56
574	11	4	94.75	1.56	574	22	3	161.25	1.56
574	11	5	96.25	1.56	574	23	2	164.75	1.55
574	11	6	97.75	1.55	574	23	3	166.25	1.55
574	12	1	99.35	1.55	574	24	1	168.25	1.54
574	12	2	100.85	1.56	574	24	2	169.75	1.55
574	12	3	102.35	1.55	574	24	3	171.25	1.55
574	12	4	103.85	1.51	574	25	1	173.25	1.54
574	12	5	105.35	1.56	574	25	2	174.75	1.56
574	12	6	106.85	1.56	574	25	3	176.25	1.56
574	13	1	108.85	1.54	574	26	1	178.25	1.56
574	13	2	110.35	1.55	574	26	2	179.75	1.55
574	13	3	111.85	1.55	574	26	3	181.25	1.57
574	13	4	113.35	1.57	574	27	1	182.95	1.58
574	13	5	114.85	1.57	574	27	2	184.45	1.54
574	13	6	116.35	1.56	574	27	3	185.95	1.56
574	14	1	118.35	1.55	574	28	1	187.95	1.57
574	14	2	119.85	1.59	574	28	3	190.95	1.57
574	16	1	128.35	1.58	574	29	1	192.95	1.54
574	16	2	129.85	1.56	574	29	2	194.45	1.57
574	16	3	131.35	1.57	574	29	3	195.95	1.57
574	17	1	133.35	1.54	574	30	2	199.45	1.54
574	17	2	134.85	1.55	574	30	3	200.95	1.56
574	17	3	136.35	1.54	574	31	2	204.45	1.52
574	18	1	138.35	1.54	574	31	3	205.95	1.56
574	18	2	139.85	1.54					
574A	2	2	8.55	1.54	574A	8	6	69.65	1.55
574A	2	4	11.55	1.54	574A	9	4	75.65	1.55
574A	2	6	14.55	1.54	574A	9	5	77.15	1.56
574A	3	2	17.75	1.54	574A	9	6	78.65	1.54
574A	3	4	20.75	1.55	574A	10	2	82.15	1.53
574A	4	2	26.15	1.54	574A	10	4	85.15	1.53
574A	4	4	29.15	1.53	574A	10	6	88.15	1.54
574A	4	6	32.15	1.53	574A	11	4	94.45	1.53
574A	5	2	35.35	1.54	574A	11	6	97.45	1.57
574A	5	4	38.35	1.50	574A	12	4	103.95	1.54
574A	5	6	41.35	1.53	574A	13	2	110.45	1.56
574A	6	2	44.65	1.53	574A	15	2	120.25	1.61
574A	6	4	47.65	1.54	574A	22	2	170.65	1.55
574A	6	6	50.65	1.54	574A	22	4	173.65	1.56
574A	7	2	54.15	1.53	574A	22	6	176.65	1.57
574A	7	4	57.15	1.54	574A	23	1	178.65	1.56
574A	7	6	60.15	1.54	574A	23	2	180.15	1.56
574A	8	2	63.65	1.53	574A	23	5	184.65	1.56
574A	8	4	66.65	1.53					
574B	1	1	185.75	1.57	574B	1	4	190.25	1.56
574B	1	2	187.25	1.55	574B	1	5	191.75	1.55
574B	1	3	188.75	1.56	574B	1	6	193.25	1.54
574C	1	1	195.40	1.58	574C	9	3	274.02	1.57
574C	1	2	196.75	1.58	574C	10	2	282.25	1.56
574C	1	3	198.25	1.55	574C	10	3	283.75	1.57
574C	1	4	199.75	1.57	574C	10	4	285.25	1.58
574C	1	5	201.25	1.57	574C	10	5	286.77	1.58
574C	2	1	204.70	1.56	574C	10	6	288.27	1.59
574C	2	2	206.25	1.56	574C	11	1	290.25	1.59
574C	2	3	207.75	1.57	574C	11	2	291.75	1.60
574C	2	4	209.25	1.57	574C	12	2	301.25	1.60
574C	2	5	210.75	1.57	574C	12	3	302.75	1.60
574C	2	6	212.25	1.59	574C	12	4	304.25	1.61
574C	3	3	217.25	1.56	574C	12	5	305.75	1.60
574C	4	1	223.75	1.56	574C	12	6	307.25	1.61
574C	4	2	225.25	1.56	574C	13	1	309.25	1.59
574C	5	1	233.25	1.58	574C	13	2	310.75	1.60
574C	5	2	234.75	1.58	574C	13	3	312.25	1.60
574C	6	3	245.75	1.62	574C	13	4	313.75	1.62
574C	6	4	247.25	1.61	574C	14	1	318.90	1.61
574C	7	2	253.75	1.63	574C	14	2	320.34	1.58
574C	7	5	258.25	1.61	574C	16	1	337.80	1.63
574C	8	2	263.25	1.58	574C	16	2	339.25	1.60
574C	8	3	264.75	1.59	574C	16	3	340.75	1.60
574C	9	1	271.25	1.57	574C	17	1	347.00	1.64
574C	9	2	272.75	1.58	574C	17	4	351.75	1.60

HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)
574C	17	5	353.25	1.61	574C	26	3	435.71	1.72
574C	18	2	358.25	1.61	574C	27	1	442.24	1.91
574C	19	2	367.50	1.62	574C	27	2	443.70	1.75
574C	20	3	378.55	1.66	574C	27	3	445.08	1.70
574C	21	1	385.16	1.77	574C	29	1	461.80	1.72
574C	21	3	388.25	1.62	574C	29	2	462.64	1.71
574C	22	1	394.15	1.81	574C	29	3	464.20	1.78
574C	22	2	395.85	1.85	574C	30	1	471.48	1.72
574C	23	1	404.44	1.67	574C	30	2	472.10	1.73
574C	23	2	405.90	1.73	574C	30	3	473.70	1.71
574C	23	3	407.15	1.69	574C	31	1	480.20	1.81
574C	23	4	408.63	1.74	574C	31	2	482.05	1.75
574C	23	5	410.71	1.88	574C	32	1	490.10	1.77
574C	24	1	414.20	1.73	574C	32	2	491.25	1.73
574C	24	2	415.84	1.75	574C	33	1	499.15	1.74
574C	24	3	416.48	1.76	574C	33	2	500.80	1.87
574C	24	4	418.27	1.73	574C	33	4	503.45	1.75
574C	25	1	423.02	1.76	574C	33	5	505.00	1.72
574C	26	1	432.66	1.80	574C	34	1	508.40	1.74
574C	26	2	434.30	1.74					
575	1	1	0.75	1.52	575	6	3	48.25	1.57
575	1	2	2.25	1.51	575	6	4	49.75	1.57
575	1	3	3.75	1.52	575	6	5	51.25	1.56
575	1	4	5.25	1.52	575	6	6	52.75	1.54
575	1	5	6.75	1.53	575	7	1	54.75	1.54
575	2	1	8.05	1.52	575	7	2	56.25	1.59
575	2	2	9.55	1.52	575	7	3	57.75	1.54
575	2	3	11.05	1.51	575	7	4	59.25	1.53
575	2	5	14.05	1.52	575	7	5	60.75	1.55
575	2	6	15.55	1.55	575	7	6	62.40	1.55
575	3	2	18.65	1.53	575	8	1	64.25	1.54
575	3	3	20.55	1.53	575	8	2	65.75	1.55
575	3	4	22.05	1.53	575	8	3	67.25	1.56
575	3	5	23.55	1.54	575	8	4	68.75	1.55
575	3	6	25.05	1.54	575	8	5	70.25	1.54
575	4	1	27.05	1.54	575	8	6	71.75	1.54
575	4	2	28.55	1.53	575	9	1	73.75	1.54
575	4	3	30.05	1.53	575	9	2	75.25	1.55
575	4	4	31.55	1.53	575	9	3	76.75	1.54
575	4	5	33.05	1.54	575	9	4	78.25	1.56
575	4	6	34.55	1.54	575	9	5	79.75	1.55
575	5	1	35.75	1.55	575	10	2	82.45	1.56
575	5	2	37.25	1.56	575	10	3	83.95	1.58
575	5	2	37.41	1.63	575	10	4	85.45	1.59
575	5	3	38.75	1.56	575	10	5	86.95	1.56
575	5	4	40.25	1.59	575	10	6	88.45	1.55
575	5	4	40.25	1.55	575	11	1	89.80	1.53
575	5	5	41.75	1.53	575	11	2	91.35	1.55
575	5	5	42.05	1.62	575	11	3	92.85	1.55
575	5	5	42.25	1.62	575	11	4	94.35	1.56
575	5	6	43.25	1.55	575	11	5	95.85	1.59
575	6	1	45.25	1.58	575	11	6	97.35	1.55
575	6	2	46.75	1.58					
575A	1	1	94.55	1.55	575A	14	3	145.65	1.58
575A	1	2	96.05	1.50	575A	15	2	146.95	1.57
575A	1	3	97.55	1.58	575A	15	3	148.45	1.52
575A	2	2	99.45	1.55	575A	16	2	150.25	1.57
575A	2	3	100.95	1.54	575A	16	3	151.50	1.58
575A	3	2	103.35	1.55	575A	17	2	152.25	1.61
575A	3	3	104.85	1.55	575A	17	3	153.37	1.56
575A	4	1	105.95	1.54	575A	18	2	154.75	1.57
575A	4	2	107.45	1.55	575A	18	3	156.25	1.56
575A	4	3	108.95	1.56	575A	19	2	159.05	1.58
575A	5	2	111.25	1.56	575A	19	3	160.30	1.57
575A	5	3	112.75	1.56	575A	20	2	163.05	1.57
575A	6	1	114.85	1.56	575A	20	3	164.15	1.57
575A	6	2	116.35	1.56	575A	21	1	165.45	1.56
575A	6	3	117.85	1.56	575A	21	2	166.95	1.58
575A	7	2	120.65	1.55	575A	21	3	168.45	1.61
575A	7	3	122.15	1.58	575A	22	2	170.43	1.69
575A	8	1	123.85	1.56	575A	22	3	171.85	1.57
575A	8	2	125.35	1.54	575A	23	1	172.85	1.56
575A	9	2	127.55	1.55	575A	23	2	174.35	1.58
575A	10	2	129.55	1.57	575A	24	2	176.45	1.56
575A	10	3	131.05	1.56	575A	24	3	177.95	1.58
575A	11	2	132.85	1.54	575A	25	3	180.95	1.60
575A	11	3	134.35	1.60	575A	26	2	182.35	1.55
575A	12	2	137.35	1.55	575A	26	3	183.85	1.57
575A	12	3	138.85	1.56	575A	27	2	187.15	1.60
575A	13	2	141.05	1.58	575A	28	2	189.45	1.69
575A	13	3	142.55	1.61	575A	29	3	193.15	1.61
575A	14	2	144.15	1.56	575A	30	1	194.35	1.63

APPENDIX

HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	VELOCITY (KM/SEC)
575A	30	3	197.35	1.58	575A	32	3	204.87	1.63
575A	31	2	199.65	1.60	575A	33	2	206.57	1.58
575A	31	3	201.12	1.59	575A	33	3	208.05	1.59
575A	32	2	203.55	1.58					
575B	1	1	4.05	1.53	575B	6	5	54.75	1.54
575B	1	2	5.55	1.53	575B	7	2	57.65	1.58
575B	1	3	7.05	1.53	575B	7	3	59.15	1.57
575B	1	4	8.55	1.54	575B	7	4	60.65	1.58
575B	1	5	10.05	1.54	575B	7	5	62.15	1.56
575B	1	6	11.55	1.52	575B	7	6	63.65	1.56
575B	2	1	12.75	1.53	575B	8	2	66.95	1.55
575B	2	2	14.25	1.52	575B	8	3	68.45	1.53
575B	2	3	15.75	1.51	575B	8	4	69.95	1.53
575B	2	4	17.25	1.52	575B	8	5	71.45	1.54
575B	2	5	18.75	1.53	575B	8	6	72.95	1.54
575B	2	6	20.25	1.53	575B	9	2	76.05	1.53
575B	3	1	21.75	1.52	575B	9	3	77.55	1.55
575B	3	2	23.25	1.52	575B	9	4	79.05	1.55
575B	3	3	24.75	1.51	575B	9	5	80.55	1.56
575B	3	4	26.25	1.52	575B	10	2	83.65	1.54
575B	3	5	27.75	1.52	575B	10	3	85.15	1.57
575B	3	6	29.25	1.53	575B	10	4	86.65	1.53
575B	4	2	31.71	1.53	575B	10	5	88.15	1.56
575B	4	3	33.25	1.54	575B	10	6	89.65	1.55
575B	4	4	34.75	1.54	575B	11	2	93.15	1.53
575B	4	5	36.25	1.54	575B	11	3	94.65	1.55
575B	4	6	37.75	1.54	575B	11	4	96.15	1.55
575B	5	2	41.25	1.52	575B	11	5	97.65	1.58
575B	5	3	42.75	1.53	575B	11	6	99.15	1.55
575B	5	4	44.25	1.53	575B	12	2	101.85	1.57
575B	5	5	45.75	1.55	575B	13	2	111.45	1.54
575B	5	6	47.25	1.54	575B	13	3	112.95	1.54
575B	6	2	50.25	1.55	575B	14	2	116.35	1.57
575B	6	3	51.75	1.54	575B	14	3	117.85	1.54
575B	6	4	53.25	1.53					

THERMAL CONDUCTIVITY

HOLE	CORE	SECTION	DEPTH (METERS)	THERMAL COND. (MCAL/CM-C-SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	THERMAL COND. (MCAL/CM-C-SEC)
572	1	2	2.44	2.90	572	1	5	6.85	3.20
572	1	3	3.69	3.04	572	1	6	8.25	2.76
572	1	4	5.22	2.64					
572A	1	1	0.75	2.64	572A	7	3	58.95	2.43
572A	1	2	2.25	2.38	572A	7	4	60.45	2.83
572A	1	3	3.75	2.53	572A	7	5	61.95	2.90
572A	1	4	5.25	2.64	572A	7	6	63.45	2.90
572A	1	5	6.75	2.43	572A	9	2	74.55	2.38
572A	1	6	8.25	2.76	572A	9	3	76.05	2.29
572A	2	1	10.25	2.90	572A	9	4	77.55	2.76
572A	2	2	11.75	2.90	572A	9	5	79.05	3.04
572A	2	3	13.25	2.64	572A	9	6	80.55	2.90
572A	2	4	14.75	2.76	572A	10	2	84.05	2.76
572A	2	5	16.25	2.64	572A	10	3	85.55	2.90
572A	2	6	17.75	2.64	572A	10	4	87.05	3.12
572A	3	1	19.75	2.34	572A	10	5	88.55	3.04
572A	3	2	21.25	2.29	572A	10	6	90.05	2.64
572A	3	3	22.75	2.25	572A	11	1	92.15	2.53
572A	3	5	24.09	2.53	572A	11	2	93.65	2.03
572A	3	6	25.75	2.53	572A	11	3	95.15	2.64
572A	4	1	29.35	2.53	572A	11	4	96.65	2.90
572A	4	2	30.85	2.70	572A	11	5	98.15	2.64
572A	4	4	33.85	2.43	572A	11	6	99.65	2.48
572A	4	5	35.35	2.64	572A	12	3	104.45	2.34
572A	5	2	38.57	2.34	572A	12	4	105.95	2.53
572A	5	3	40.05	2.76	572A	12	5	107.45	2.53
572A	5	4	41.55	2.34	572A	12	6	108.95	2.90
572A	5	5	43.05	3.12	572A	14	1	119.85	2.90
572A	5	6	44.55	2.25	572A	14	2	121.35	2.25
572A	6	2	48.15	2.64	572A	14	3	122.85	2.90
572A	6	3	49.65	2.97	572A	14	4	124.35	2.43
572A	6	4	51.15	2.76	572A	14	5	125.85	2.64
572A	6	5	52.65	2.25	572A	14	6	127.35	2.64
572A	6	6	54.15	2.48	572A	15	1	129.05	2.76
572A	7	2	57.45	2.64	572A	15	2	130.55	3.20

HOLE	CORE	SECTION	DEPTH	THERMAL COND.	HOLE	CORE	SECTION	DEPTH	THERMAL COND.
			(METERS)	(MCAL/CM-C-SEC)				(METERS)	(MCAL/CM-C-SEC)
572A	15	3	132.05	2.64	572A	17	1	146.05	2.64
572A	15	4	133.55	2.53	572A	17	2	147.55	2.64
572A	15	5	135.05	2.53	572A	17	3	149.05	2.76
572A	15	6	136.35	2.53	572A	17	4	150.55	2.64
572A	16	2	139.35	2.90	572A	17	5	152.05	2.34
572A	16	3	140.85	3.20	572A	17	6	153.30	2.76
572B	2	1	160.05	2.53	572B	3	2	166.45	2.48
572B	2	2	161.55	2.70	572B	3	3	167.95	2.10
572B	2	3	163.05	2.21	572B	4	1	169.55	3.04
572B	3	1	164.95	2.29	572B	4	2	171.05	1.90
572C	1	1	0.75	2.43	572C	9	3	81.05	2.64
572C	1	2	2.25	2.64	572C	9	4	82.55	2.64
572C	1	3	3.75	2.70	572C	9	5	84.05	2.90
572C	1	4	5.25	2.25	572C	9	6	85.55	2.64
572C	1	5	6.75	3.04	572C	10	1	87.65	2.90
572C	1	6	8.25	2.70	572C	10	2	89.15	2.76
572C	2	1	10.85	2.43	572C	10	3	90.65	2.90
572C	2	2	12.35	2.90	572C	10	4	92.15	2.53
572C	2	3	13.85	2.43	572C	10	5	93.65	2.53
572C	2	4	15.35	2.34	572C	10	6	95.15	2.64
572C	2	5	16.85	2.64	572C	11	1	97.25	2.34
572C	2	6	18.35	2.43	572C	11	2	98.75	2.53
572C	3	1	20.45	3.04	572C	11	3	100.25	2.90
572C	3	2	21.95	1.90	572C	12	1	102.25	2.43
572C	3	3	23.45	2.53	572C	12	2	103.75	2.76
572C	3	4	24.95	2.25	572C	12	3	105.25	2.76
572C	3	5	26.45	2.34	572C	13	1	107.25	2.43
572C	3	6	27.95	2.34	572C	13	2	108.75	2.43
572C	4	1	30.05	2.64	572C	13	3	110.25	2.43
572C	4	2	31.55	2.43	572C	14	1	112.25	2.76
572C	4	3	33.05	2.53	572C	14	2	113.75	2.53
572C	4	4	34.55	2.34	572C	14	3	115.25	2.53
572C	4	5	36.05	3.04	572C	14	4	116.75	2.43
572C	4	6	37.55	2.25	572C	14	5	118.25	2.64
572C	5	1	39.65	2.53	572C	15	1	121.85	2.76
572C	5	2	41.15	2.53	572C	15	2	123.35	2.64
572C	5	3	42.65	2.64	572C	15	3	124.85	2.90
572C	5	4	44.15	2.53	572C	15	4	126.35	2.76
572C	5	5	45.65	2.17	572C	15	5	127.85	3.04
572C	5	6	47.15	2.25	572C	15	6	129.35	2.76
572C	6	1	49.25	2.90	572C	16	1	131.45	2.43
572C	6	2	50.75	2.53	572C	16	2	132.95	2.34
572C	6	3	52.25	2.34	572C	16	3	134.45	2.90
572C	6	4	53.75	2.43	572C	16	4	135.95	3.38
572C	6	5	55.25	2.64	572C	16	5	137.45	3.04
572C	6	6	56.75	2.10	572C	16	6	138.95	3.38
572C	7	1	58.85	2.34	572C	17	1	141.05	3.04
572C	7	2	60.35	2.64	572C	17	2	142.55	3.04
572C	7	3	61.85	2.90	572C	17	3	144.05	3.04
572C	7	4	63.35	2.64	572C	17	4	145.55	2.76
572C	7	5	64.85	2.64	572C	18	2	152.15	2.83
572C	7	6	66.35	2.76	572C	18	3	153.65	2.83
572C	8	1	68.45	2.90	572C	18	4	155.15	2.70
572C	8	2	69.95	2.76	572C	18	5	156.65	2.70
572C	8	3	71.45	2.53	572C	18	6	158.15	2.70
572C	8	4	72.95	2.64	572C	19	2	161.75	3.04
572C	8	5	74.45	2.64	572C	19	3	163.25	2.53
572C	8	6	75.95	2.43	572C	20	1	165.26	2.53
572C	9	1	78.05	3.04	572C	20	2	166.75	2.17
572C	9	2	79.55	2.76					
573	2	2	4.25	2.06	573	7	2	50.25	2.05
573	2	3	5.75	2.17	573	7	3	51.75	1.92
573	2	4	7.25	2.41	573	7	4	53.25	1.82
573	2	5	8.75	2.22	573	7	5	54.75	1.83
573	2	6	10.25	2.43	573	7	6	56.25	2.29
573	3	2	13.75	2.51	573	8	2	59.45	2.02
573	3	3	15.25	2.36	573	8	3	60.95	2.29
573	3	4	16.75	2.62	573	8	4	62.45	2.06
573	3	5	18.25	2.29	573	8	5	63.95	2.24
573	3	6	19.75	2.53	573	8	6	65.45	2.16
573	4	2	23.25	2.39	573	9	2	68.95	2.56
573	4	3	24.75	2.32	573	9	3	70.45	2.44
573	4	4	26.25	2.38	573	9	4	71.95	2.50
573	4	5	27.75	2.09	573	9	5	73.45	2.64
573	4	6	29.25	1.89	573	9	6	74.95	2.56
573	5	5	37.25	1.87	573	10	2	78.45	2.17
573	6	2	41.55	2.16	573	10	3	79.95	2.21
573	6	3	43.05	2.08	573	10	4	81.45	2.45
573	6	4	44.55	2.08	573	10	5	82.95	2.41
573	6	5	46.05	2.22	573	10	6	84.45	2.00
573	6	6	47.55	2.15	573	11	2	87.95	2.14

APPENDIX

HOLE	CORE	SECTION	DEPTH (METERS)	THERMAL COND. (MCAL/CM-C-SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	THERMAL COND. (MCAL/CM-C-SEC)
573	11	3	89.45	2.70	573	15	3	125.85	2.43
573	11	4	90.95	2.73	573	15	4	127.35	2.56
573	11	5	92.45	2.55	573	15	5	128.85	2.57
573	11	6	93.95	2.74	573	15	6	130.35	2.76
573	12	2	97.45	3.17	573	16	2	133.55	2.70
573	12	3	98.95	2.62	573	16	3	135.05	2.36
573	12	4	100.45	2.44	573	16	4	136.55	2.52
573	12	5	101.95	2.47	573	16	5	138.05	2.53
573	12	6	103.45	2.46	573	16	6	139.55	2.32
573	13	2	106.25	2.18	573	17	2	142.35	2.60
573	13	3	107.75	2.34	573	17	3	143.85	2.78
573	13	4	109.25	2.41	573	17	4	145.35	2.47
573	13	5	110.75	2.53	573	17	5	146.85	2.72
573	13	6	112.25	2.64	573	17	6	148.35	2.36
573	14	2	114.85	2.69	573	18	1	149.65	2.58
573	14	3	116.35	2.73	573	18	2	150.15	2.86
573	14	4	117.85	2.56	573	18	3	152.65	2.04
573	14	5	119.35	2.63	573	19	1	154.65	2.38
573	14	6	120.85	2.59	573	19	3	157.65	2.39
573	15	2	124.35	2.42					
573A	1	2	6.75	1.78	573A	4	3	35.05	2.21
573A	1	3	8.25	1.86	573A	4	4	36.55	2.03
573A	1	4	9.75	2.33	573A	4	5	38.05	2.31
573A	1	5	11.25	2.57	573A	4	6	39.55	2.35
573A	1	6	12.75	2.55	573A	5	2	42.05	2.05
573A	2	2	16.25	2.38	573A	5	3	43.55	1.99
573A	2	3	17.75	1.74	573A	5	4	45.05	1.92
573A	2	4	19.25	2.28	573A	5	5	46.55	2.28
573A	2	5	20.75	2.18	573A	5	6	48.05	1.93
573A	3	2	24.35	2.26	573A	6	2	51.45	2.00
573A	3	3	25.85	2.12	573A	6	3	52.95	1.93
573A	3	4	27.35	2.06	573A	6	4	54.45	2.15
573A	3	5	28.85	1.89	573A	6	5	55.95	2.18
573A	3	6	30.35	2.17	573A	6	6	57.45	1.98
573A	4	2	33.55	2.48					
573B	1	2	140.75	2.57	573B	11	3	237.45	3.21
573B	1	3	142.25	2.66	573B	11	4	238.95	3.00
573B	1	4	143.75	2.45	573B	11	5	240.45	2.70
573B	1	5	145.25	2.74	573B	11	6	241.95	2.89
573B	2	2	150.25	2.59	573B	12	2	245.25	2.63
573B	2	3	151.75	2.38	573B	12	3	246.75	2.95
573B	2	4	152.25	2.52	573B	12	4	248.25	2.70
573B	2	5	154.75	2.47	573B	12	5	249.75	2.90
573B	2	6	156.25	2.57	573B	13	2	254.95	2.75
573B	3	3	161.25	2.30	573B	13	3	256.45	2.72
573B	3	4	162.75	2.22	573B	13	4	257.95	2.64
573B	3	5	164.25	2.30	573B	13	5	259.45	2.77
573B	3	6	165.75	2.32	573B	13	6	260.95	2.32
573B	4	2	169.75	2.76	573B	14	2	264.25	2.72
573B	4	3	170.75	2.52	573B	14	3	265.75	2.65
573B	4	4	172.25	2.44	573B	14	4	267.25	2.89
573B	4	5	173.75	2.61	573B	14	5	268.75	2.87
573B	4	6	175.25	2.39	573B	14	6	270.25	2.76
573B	5	2	178.75	2.71	573B	15	2	273.75	2.65
573B	5	3	180.25	2.83	573B	15	3	275.25	2.48
573B	5	4	181.75	2.79	573B	15	4	276.75	2.65
573B	5	5	183.25	2.92	573B	15	5	278.25	2.66
573B	5	6	184.75	2.84	573B	16	2	283.25	3.12
573B	6	2	188.25	2.77	573B	16	3	284.75	3.10
573B	6	3	189.75	2.78	573B	16	4	286.25	3.14
573B	6	4	191.25	2.70	573B	16	5	287.75	2.93
573B	6	5	192.75	2.83	573B	17	2	292.75	3.33
573B	6	6	194.25	2.67	573B	17	3	294.25	3.28
573B	7	2	197.75	2.95	573B	17	4	295.75	3.22
573B	7	3	199.25	3.03	573B	17	5	297.25	3.25
573B	7	4	200.75	3.06	573B	18	1	300.75	3.21
573B	7	5	202.75	3.03	573B	18	2	302.25	3.36
573B	8	2	207.25	2.66	573B	18	3	303.75	3.00
573B	8	3	208.75	2.29	573B	19	1	310.25	3.12
573B	2	4	210.25	2.80	573B	19	2	311.75	3.32
573B	8	5	211.75	2.80	573B	20	2	321.25	3.59
573B	8	6	213.25	2.83	573B	20	3	322.75	3.24
573B	9	2	216.75	3.02	573B	20	4	324.25	3.39
573B	9	3	218.25	3.00	573B	20	5	325.75	3.74
573B	9	4	219.75	3.00	573B	20	6	327.25	3.56
573B	9	5	221.25	2.70	573B	21	1	329.75	3.24
573B	10	2	226.25	2.93	573B	21	2	330.75	2.93
573B	10	3	227.75	2.92	573B	21	3	332.25	3.07
573B	10	4	229.25	2.91	573B	21	4	333.75	3.10
573B	10	5	230.75	2.94	573B	22	1	338.75	3.07
573B	10	6	232.25	2.62	573B	22	2	340.25	3.40
573B	11	2	235.95	3.20	573B	22	3	341.75	3.32

HOLE	CORE	SECTION	DEPTH	THERMAL COND.	HOLE	CORE	SECTION	DEPTH	THERMAL COND.
			(METERS)	(MCAL/CM-C-SEC)				(METERS)	(MCAL/CM-C-SEC)
573B	22	4	343.25	3.31	573B	33	2	444.75	3.46
573B	23	1	348.25	3.38	573B	33	3	446.25	3.52
573B	23	2	349.75	3.30	573B	33	4	447.75	3.30
573B	23	3	351.25	2.90	573B	33	5	449.25	3.37
573B	24	1	357.75	3.47	573B	36	1	471.75	3.08
573B	24	2	359.25	3.36	573B	36	2	473.25	3.07
573B	27	2	387.55	3.45	573B	36	3	474.75	3.12
573B	27	3	389.35	3.28	573B	37	1	481.25	3.22
573B	27	4	390.55	3.16	573B	38	1	490.75	3.50
573B	28	2	397.25	2.59	573B	38	2	492.20	2.56
573B	29	2	406.65	3.89	573B	38	2	492.58	2.73
573B	29	3	408.25	3.35	573B	38	3	493.75	2.59
573B	29	5	411.00	3.64					
574	1	1	0.75	2.07	574	15	3	126.35	2.92
574	1	2	2.24	1.68	574	17	1	133.35	2.71
574	2	2	6.75	1.85	574	17	1	133.55	2.64
574	2	3	8.25	1.74	574	17	2	134.85	2.68
574	2	4	9.75	2.01	574	17	2	135.05	2.65
574	2	5	11.25	2.17	574	17	3	136.35	2.58
574	2	6	12.75	1.96	574	18	1	138.35	2.61
574	3	2	16.25	1.73	574	18	2	139.85	2.63
574	3	3	17.75	1.81	574	18	2	140.05	2.60
574	3	4	19.25	1.74	574	18	3	141.35	2.69
574	3	5	20.75	1.66	574	18	3	141.55	2.73
574	3	6	22.25	1.70	574	19	1	143.35	2.80
574	4	2	25.75	1.75	574	19	1	143.55	2.77
574	4	3	27.25	1.75	574	19	2	144.85	2.70
574	4	4	28.75	1.81	574	19	2	145.05	2.73
574	4	5	30.25	1.70	574	19	3	146.35	2.34
574	4	6	31.75	1.80	574	20	1	148.35	1.76
574	5	2	35.25	1.78	574	20	2	149.85	2.91
574	5	3	36.75	1.75	574	20	2	150.05	2.92
574	5	4	38.25	1.68	574	20	3	151.35	2.75
574	5	5	39.75	1.72	574	20	3	151.55	2.85
574	5	6	41.25	1.87	574	21	1	153.25	2.60
574	6	2	44.75	1.93	574	21	2	154.75	2.99
574	6	3	46.25	1.91	574	21	2	154.95	2.84
574	6	4	47.75	1.82	574	21	3	156.25	2.22
574	6	5	49.25	2.25	574	21	3	156.45	2.66
574	6	6	50.75	2.38	574	22	1	158.25	2.77
574	7	2	54.25	2.04	574	22	1	158.45	2.82
574	7	5	58.75	2.01	574	22	2	159.75	2.91
574	7	6	60.25	2.01	574	22	2	159.95	2.98
574	8	1	61.75	2.57	574	22	3	161.25	2.80
574	8	2	63.25	2.60	574	23	1	163.25	2.15
574	8	3	64.75	2.37	574	23	2	164.75	2.88
574	8	5	67.75	2.20	574	23	2	164.95	2.96
574	8	6	69.25	2.00	574	23	3	166.25	2.91
574	9	2	72.75	2.02	574	23	3	166.45	2.92
574	9	3	74.25	2.15	574	24	1	168.25	2.62
574	9	4	75.75	1.66	574	24	2	169.75	2.92
574	9	5	77.25	1.67	574	24	2	169.95	2.86
574	9	6	78.75	1.87	574	24	3	171.25	2.81
574	10	2	82.25	2.28	574	24	3	171.45	3.16
574	10	3	83.75	1.89	574	25	1	173.25	2.66
574	10	4	85.25	2.27	574	25	2	174.75	3.05
574	10	5	86.75	2.39	574	25	2	174.95	3.10
574	10	6	88.25	2.28	574	25	3	176.25	2.62
574	11	2	91.75	2.37	574	25	3	176.45	2.75
574	11	3	93.25	2.26	574	26	1	178.25	2.83
574	11	4	94.75	2.81	574	26	2	179.75	2.57
574	11	5	96.25	2.49	574	26	2	179.95	2.89
574	12	2	100.85	2.79	574	26	3	181.25	2.83
574	12	3	102.35	2.67	574	26	3	181.45	2.83
574	12	4	103.85	2.79	574	27	1	182.95	2.92
574	12	5	105.35	2.46	574	27	2	184.45	2.47
574	12	6	106.85	2.80	574	27	3	185.95	2.60
574	13	2	110.35	2.62	574	28	2	189.45	2.69
574	13	3	111.85	2.67	574	28	3	190.95	2.84
574	13	4	113.35	2.58	574	29	1	192.95	2.67
574	13	5	114.85	2.56	574	29	2	194.45	2.83
574	13	6	116.35	2.75	574	29	3	195.95	2.71
574	14	1	118.35	2.84	574	30	2	199.45	2.55
574	14	2	119.45	2.96	574	30	3	200.95	2.96
574	14	2	119.85	2.97	574	31	1	202.95	2.50
574	14	3	121.35	2.96	574	31	2	204.10	2.30
574	15	1	123.35	2.87	574	31	2	204.45	2.18
574	15	2	124.45	2.60	574	31	3	205.95	2.63
574	15	2	124.85	2.80					
574A	2	2	8.55	2.00	574A	2	5	13.05	2.09
574A	2	3	10.05	1.87	574A	2	6	14.55	1.89
574A	2	4	11.55	2.29	574A	3	1	16.25	1.96

APPENDIX

HOLE	CORE	SECTION	DEPTH (METERS)	THERMAL COND. (MCAL/CM-C-SEC)	HOLE	CORE	SECTION	DEPTH (METERS)	THERMAL COND. (MCAL/CM-C-SEC)
574A	3	2	17.75	1.93	574A	10	3	83.65	2.13
574A	3	3	19.25	1.85	574A	10	4	85.15	2.11
574A	3	4	20.75	1.99	574A	10	5	86.65	2.13
574A	3	5	22.25	1.92	574A	10	6	88.15	2.48
574A	5	1	33.85	1.80	574A	11	2	91.45	2.26
574A	5	2	35.35	1.67	574A	11	3	92.95	2.20
574A	5	3	36.85	1.87	574A	11	4	94.45	2.15
574A	5	4	38.35	2.26	574A	11	5	95.95	2.78
574A	5	5	41.35	2.08	574A	11	6	97.45	2.71
574A	6	2	44.65	1.82	574A	12	2	100.95	2.66
574A	6	3	46.15	2.05	574A	12	3	102.45	2.61
574A	6	4	47.65	2.58	574A	12	4	103.95	2.57
574A	6	5	49.15	2.59	574A	12	5	105.45	2.44
574A	6	6	50.65	2.54	574A	13	1	108.95	2.85
574A	7	2	54.15	2.06	574A	13	2	110.05	2.66
574A	7	3	55.65	2.17	574A	13	2	110.45	2.49
574A	7	4	57.15	2.03	574A	13	3	111.95	2.52
574A	7	5	58.65	2.46	574A	15	1	118.75	2.98
574A	7	6	60.15	2.30	574A	15	2	119.85	2.83
574A	8	2	63.65	2.47	574A	15	2	120.25	3.09
574A	8	3	65.15	2.35	574A	15	3	121.75	3.11
574A	8	4	66.65	2.43	574A	22	2	170.65	2.81
574A	8	5	68.15	1.91	574A	22	3	172.15	3.02
574A	8	6	69.65	2.04	574A	22	4	173.65	2.74
574A	9	2	72.65	1.89	574A	22	5	175.15	3.02
574A	9	3	74.15	1.92	574A	22	6	176.65	2.86
574A	9	4	75.65	1.73	574A	23	1	178.65	2.68
574A	9	5	77.15	1.71	574A	23	2	180.15	2.77
574A	9	6	78.65	1.94	574A	23	5	181.65	2.49
574A	10	2	82.15	2.18					
574B	1	2	187.25	2.54	574B	1	5	191.75	2.64
574B	1	3	188.75	2.77	574B	1	6	193.25	2.51
574B	1	4	190.25	2.63					
574C	1	2	196.75	2.66	574C	14	1	318.75	3.10
574C	1	3	198.25	2.28	574C	14	2	320.25	3.06
574C	1	4	199.75	2.13	574C	15	2	329.75	3.13
574C	1	5	201.25	2.48	574C	15	3	331.25	3.05
574C	2	2	206.25	2.31	574C	15	4	332.75	3.02
574C	2	3	207.75	2.62	574C	15	5	334.25	3.19
574C	2	4	209.25	2.60	574C	15	6	335.75	2.58
574C	2	5	210.75	2.68	574C	16	1	337.75	3.23
574C	2	6	212.25	1.89	574C	16	2	338.85	3.00
574C	3	1	214.25	2.47	574C	16	2	339.25	2.90
574C	3	2	215.75	2.61	574C	16	3	340.75	3.09
574C	3	3	217.25	2.45	574C	17	2	348.75	3.14
574C	4	1	223.75	2.65	574C	17	3	350.25	3.22
574C	4	2	225.25	2.71	574C	17	4	351.75	3.09
574C	5	2	234.75	2.76	574C	17	5	353.25	3.01
574C	5	3	236.25	2.96	574C	17	6	354.75	3.20
574C	5	4	237.75	2.81	574C	18	1	356.75	3.06
574C	6	3	245.75	3.14	574C	18	2	358.25	3.13
574C	6	4	247.25	2.81	574C	19	1	366.25	2.90
574C	7	2	253.75	3.05	574C	19	2	367.75	3.02
574C	7	3	255.25	2.67	574C	20	2	377.25	3.21
574C	7	4	256.75	2.38	574C	20	3	378.75	3.25
574C	8	1	261.75	2.91	574C	20	4	380.25	3.10
574C	8	2	263.25	2.82	574C	20	5	381.75	3.33
574C	8	3	264.40	2.86	574C	20	6	383.80	3.35
574C	8	3	264.75	2.95	574C	21	1	385.25	3.37
574C	9	1	271.25	3.00	574C	21	2	386.75	3.18
574C	9	1	271.45	2.93	574C	21	3	388.25	3.25
574C	9	2	272.75	2.78	574C	21	4	389.75	3.13
574C	9	2	272.95	2.81	574C	22	2	395.90	3.40
574C	9	3	274.00	2.90	574C	22	2	396.25	3.16
574C	10	2	282.25	2.86	574C	22	3	397.40	3.31
574C	10	3	283.75	2.92	574C	22	3	397.75	3.28
574C	10	4	285.25	2.91	574C	23	2	405.75	3.26
574C	10	5	286.75	3.06	574C	23	3	407.25	3.32
574C	10	3	288.25	3.15	574C	23	4	408.75	3.07
574C	11	1	290.25	3.15	574C	23	5	410.25	3.46
574C	11	1	290.45	3.22	574C	23	6	411.75	3.30
574C	11	2	291.75	3.28	574C	24	1	413.75	2.87
574C	11	2	291.95	3.25	574C	24	2	415.25	3.09
574C	11	3	293.25	3.44	574C	24	3	416.75	3.23
574C	12	1	301.25	3.26	574C	24	4	418.25	3.35
574C	12	2	302.75	3.16	574C	25	1	423.25	3.27
574C	12	4	304.25	3.09	574C	26	1	432.75	3.55
574C	12	5	305.75	3.07	574C	26	2	434.25	3.17
574C	12	6	307.25	3.21	574C	27	1	442.25	3.22
574C	13	2	310.75	3.21	574C	27	2	443.75	3.45
574C	13	3	312.25	3.14	574C	27	3	445.25	3.45
574C	13	4	313.75	3.24					

HOLE	CORE	SECTION	DEPTH	THERMAL COND.	HOLE	CORE	SECTION	DEPTH	THERMAL COND.
			(METERS)	(MCAL/CM-C-SEC)				(METERS)	(MCAL/CM-C-SEC)
575	1	1	0.75	1.61	575	6	5	51.25	2.70
575	1	2	2.25	1.65	575	6	6	52.75	2.69
575	1	3	3.75	1.51	575	7	2	56.25	2.79
575	1	4	5.25	1.50	575	7	3	57.75	2.99
575	1	5	6.75	1.38	575	7	4	59.25	2.87
575	2	2	9.55	1.83	575	7	5	60.75	3.10
575	2	3	11.05	1.53	575	7	6	62.25	2.94
575	2	4	12.55	1.41	575	8	2	62.75	2.69
575	2	5	14.05	1.51	575	8	3	67.25	2.83
575	2	6	15.55	1.82	575	8	4	68.75	2.79
575	3	2	17.55	1.95	575	8	5	70.25	2.65
575	3	3	19.05	2.13	575	8	6	71.75	2.57
575	3	4	20.55	2.32	575	9	1	73.75	2.82
575	3	5	22.05	2.47	575	9	2	75.25	2.80
575	3	6	23.55	2.66	575	9	3	76.75	2.46
575	4	2	28.55	2.03	575	9	4	78.25	2.72
575	4	3	30.05	2.20	575	9	5	79.75	2.56
575	4	4	31.55	2.55	575	10	2	82.45	2.76
575	4	5	33.05	2.86	575	10	3	83.95	2.53
575	4	6	34.55	2.76	575	10	4	85.45	2.49
575	5	2	37.25	2.83	575	10	5	86.95	2.63
575	5	3	38.75	2.79	575	10	6	88.45	2.68
575	5	4	40.25	2.56	575	11	2	91.35	2.69
575	5	5	41.75	2.39	575	11	3	92.85	2.73
575	5	6	43.25	2.62	575	11	4	94.35	2.54
575	6	2	46.75	3.11	575	11	5	95.85	2.81
575	6	3	48.25	2.98	575	11	6	97.35	2.66
575	6	4	49.75	2.89					
575A	1	1	94.55	2.60	575A	15	2	146.95	2.74
575A	1	2	96.05	2.61	575A	15	3	148.45	2.88
575A	1	2	96.55	2.64	575A	16	2	150.25	2.96
575A	1	3	97.55	2.36	575A	16	3	151.75	2.95
575A	2	1	97.95	2.43	575A	17	2	152.25	2.82
575A	2	2	99.45	2.48	575A	17	3	153.50	2.80
575A	2	2	99.95	2.35	575A	18	2	154.75	2.85
575A	2	3	100.95	2.15	575A	18	3	156.25	2.66
575A	3	2	103.35	2.04	575A	19	2	159.05	2.89
575A	3	3	104.85	2.18	575A	19	3	160.55	2.86
575A	4	2	107.45	2.57	575A	20	2	162.80	2.97
575A	4	3	108.95	2.69	575A	20	2	163.05	2.84
575A	5	2	111.25	2.67	575A	20	2	163.40	2.69
575A	5	2	111.75	2.63	575A	20	3	164.30	2.89
575A	5	3	112.75	2.31	575A	21	2	166.95	2.87
575A	5	3	113.25	2.79	575A	21	3	168.45	3.12
575A	6	1	114.85	2.40	575A	22	2	170.35	2.71
575A	6	2	116.35	2.53	575A	22	3	171.85	2.96
575A	6	3	117.85	2.61	575A	23	1	172.85	3.30
575A	7	2	120.65	2.50	575A	23	2	174.35	3.67
575A	7	3	122.15	2.72	575A	24	2	176.45	3.82
575A	8	2	125.35	2.54	575A	24	3	177.95	3.49
575A	8	2	125.85	2.72	575A	25	2	179.45	2.97
575A	9	1	126.55	2.62	575A	25	3	180.95	3.03
575A	8	3	126.85	2.49	575A	26	2	182.35	2.88
575A	8	3	127.35	2.69	575A	26	3	183.85	2.92
575A	9	2	127.55	2.44	575A	27	2	187.15	3.13
575A	9	2	127.85	2.95	575A	28	1	187.95	2.88
575A	10	2	129.55	2.89	575A	29	2	191.95	3.10
575A	10	3	131.05	2.69	575A	29	3	193.15	3.01
575A	11	2	132.85	2.73	575A	30	2	195.85	2.86
575A	11	3	134.35	2.48	575A	30	3	197.35	2.97
575A	12	2	137.35	2.97	575A	31	2	199.65	3.06
575A	12	3	138.85	2.95	575A	31	3	201.15	3.05
575A	13	2	141.05	2.85	575A	32	2	203.55	3.03
575A	13	3	142.55	3.15	575A	32	3	205.05	3.32
575A	14	2	144.15	2.94	575A	33	2	206.55	3.07
575A	14	3	145.65	2.94	575A	33	3	208.05	3.06

FORMATION FACTOR

HOLE	CORE	SECTION	DEPTH	FORMATION FACT.		HOLE	CORE	SECTION	DEPTH	FORMATION FACT.	
			(METERS)	VERT.	HORIZ.				(METERS)	VERT.	HORIZ.
572	1	1	1.00	1.52	1.52	572	1	4	5.20	1.52	1.67
572	1	2	1.63	1.37	1.46	572	1	4	5.70	1.71	1.77
572	1	2	2.23	1.55	1.61	572	1	5	6.17	1.48	1.52
572	1	2	2.74	1.09	1.09	572	1	5	6.70	1.69	1.78
572	1	3	3.18	1.78	1.59	572	1	5	7.20	1.45	1.73
572	1	3	3.79	1.62	1.73	572	1	6	7.60	1.42	1.47
572	1	3	4.23	1.16	1.30	572	1	6	8.20	1.56	1.78
572	1	4	4.63	1.63	1.78	572	1	6	8.75	1.70	1.75
572A	1	1	0.05	1.61	1.70	572A	7	6	63.45	1.76	1.84
572A	1	1	0.60	1.71	1.73	572A	8	1	64.85	2.09	2.19
572A	1	1	1.17	1.39	1.59	572A	8	2	66.35	1.67	1.80
572A	1	2	1.60	1.23	1.13	572A	8	3	67.85	1.83	1.87
572A	1	2	2.12	1.31	1.38	572A	8	4	69.35	1.72	1.72
572A	1	2	2.70	1.32	1.46	572A	8	5	70.85	1.68	1.68
572A	1	3	3.07	1.35	1.48	572A	9	1	73.05	1.69	1.78
572A	1	3	3.74	1.35	1.47	572A	9	2	74.55	1.69	1.82
572A	1	3	4.26	1.41	1.63	572A	9	3	76.05	1.50	1.56
572A	1	4	4.58	1.27	1.52	572A	9	4	77.55	1.89	2.00
572A	1	4	5.20	1.54	1.70	572A	9	5	79.05	2.09	2.16
572A	1	4	5.80	1.39	1.52	572A	9	6	80.55	1.87	1.91
572A	1	5	6.07	1.48	1.62	572A	10	2	84.05	1.79	1.88
572A	1	5	6.68	1.61	1.57	572A	10	3	85.55	1.62	1.82
572A	1	5	7.27	1.54	1.51	572A	10	4	87.05	1.98	1.87
572A	1	6	7.57	1.58	1.75	572A	10	5	88.48	2.00	2.09
572A	1	6	8.17	1.45	1.55	572A	10	6	89.96	1.91	2.04
572A	1	6	8.77	1.54	1.70	572A	11	1	91.96	1.65	1.83
572A	2	1	9.57	1.33	1.50	572A	11	2	92.99	1.74	1.91
572A	2	1	10.17	1.50	1.67	572A	11	3	94.31	1.73	1.82
572A	2	1	10.77	1.62	1.25	572A	11	4	95.76	1.73	1.78
572A	2	2	11.07	1.77	1.83	572A	11	5	97.15	1.67	1.82
572A	2	2	11.70	1.55	1.55	572A	11	6	98.75	1.60	1.69
572A	2	2	12.29	1.64	1.70	572A	12	1	101.37	1.65	1.83
572A	2	3	12.57	1.45	1.60	572A	12	2	102.87	1.78	1.82
572A	2	3	13.27	1.27	1.27	572A	12	3	104.37	1.69	1.78
572A	2	3	13.77	1.50	1.53	572A	12	4	105.87	1.87	1.96
572A	2	4	14.07	1.53	1.64	572A	12	5	107.37	1.78	1.87
572A	2	4	14.70	1.62	1.19	572A	12	6	108.87	1.87	2.00
572A	2	4	15.20	1.19	1.34	572A	13	1	110.65	1.91	1.98
572A	2	5	15.57	1.45	1.56	572A	13	2	112.15	2.19	2.19
572A	2	5	16.20	1.45	1.53	572A	13	3	113.65	2.02	2.07
572A	2	5	16.71	1.32	1.55	572A	13	4	115.15	2.26	2.31
572A	2	6	17.78	1.54	1.71	572A	13	5	116.65	2.07	2.12
572A	3	1	19.76	1.55	1.70	572A	13	6	118.15	1.93	2.05
572A	3	2	21.25	1.57	1.67	572A	14	1	119.90	1.58	1.67
572A	3	3	22.75	1.45	1.50	572A	14	2	121.27	1.54	1.67
572A	3	4	24.25	1.60	1.76	572A	14	3	122.77	1.74	1.91
572A	3	5	25.58	1.57	1.70	572A	14	4	124.27	1.68	1.77
572A	3	6	27.25	2.70	2.88	572A	14	5	125.77	1.91	2.05
572A	4	1	29.35	1.52	1.68	572A	14	6	127.27	1.65	1.78
572A	4	4	33.95	1.51	1.56	572A	15	1	128.97	2.27	2.27
572A	4	5	35.35	1.72	1.77	572A	15	2	130.47	2.04	2.13
572A	5	1	37.05	1.52	1.63	572A	15	3	131.97	1.91	2.00
572A	5	2	38.55	1.48	1.61	572A	15	4	133.47	1.91	2.13
572A	5	3	40.05	1.63	1.75	572A	15	5	134.97	1.87	2.04
572A	5	4	41.55	1.89	2.00	572A	15	6	136.27	2.00	2.11
572A	5	5	43.05	1.91	2.00	572A	16	2	139.35	2.11	2.22
572A	5	6	44.55	1.41	1.52	572A	16	3	140.85	2.17	2.26
572A	6	2	48.15	1.53	1.42	572A	16	4	142.35	2.15	2.26
572A	6	3	49.65	1.67	1.80	572A	16	5	144.20	2.15	2.30
572A	6	4	51.15	1.61	1.74	572A	17	1	146.05	1.98	2.06
572A	6	5	52.65	1.38	1.38	572A	17	2	147.55	1.96	2.00
572A	6	6	54.15	1.43	1.51	572A	17	3	149.05	1.91	2.04
572A	7	2	57.45	1.73	1.82	572A	17	4	150.55	2.02	2.07
572A	7	3	58.95	1.56	1.60	572A	17	5	152.05	1.82	1.87
572A	7	4	60.45	1.89	1.96	572A	17	6	153.55	1.91	2.00
572A	7	5	61.95	1.91	2.00						
572B	1	2	156.13	2.04	2.09	572B	3	1	164.95	1.53	1.67
572B	1	3	157.67	1.84	1.88	572B	3	2	166.45	1.78	1.39
572B	2	1	160.05	1.84	1.87	572B	3	3	167.95	1.78	1.87
572B	2	2	161.65	1.87	1.89	572B	4	1	169.55	1.74	1.80
572B	2	3	163.45	1.73	1.87	572B	4	2	171.05	1.51	1.64
572C	1	1	0.75	1.53	1.60	572C	2	6	18.35	1.69	1.78
572C	1	2	2.25	1.67	1.76	572C	3	1	20.45	1.58	1.64
572C	1	3	3.75	1.71	1.84	572C	3	2	21.95	1.60	1.64
572C	1	5	6.75	1.84	2.09	572C	3	3	23.45	1.67	1.78
572C	1	6	8.25	1.84	1.89	572C	3	4	24.95	1.47	1.56
572C	2	1	10.85	1.51	1.58	572C	3	5	26.45	1.64	1.76
572C	2	2	12.35	1.82	1.87	572C	3	6	27.95	1.56	1.60
572C	2	3	13.85	1.58	1.67	572C	4	1	30.05	1.67	1.78
572C	2	4	15.35	1.56	1.64	572C	4	2	31.55	1.64	1.60
572C	2	5	16.85	1.78	1.82	572C	4	3	33.05	1.58	1.62

HOLE	CORE	SECTION	DEPTH	FORMATION FACT.		HOLE	CORE	SECTION	DEPTH	FORMATION FACT.	
				(METERS)	VERT. HORIZ.					(METERS)	VERT. HORIZ.
572C	4	4	34.55	1.58	1.62	572C	11	1	97.10	1.40	1.48
572C	4	5	36.05	1.78	1.82	572C	11	2	198.69	1.40	1.56
572C	4	6	37.55	1.42	1.56	572C	11	3	100.17	1.76	1.80
572C	5	1	39.47	1.60	1.73	572C	12	1	102.17	1.50	1.60
572C	5	2	40.67	1.56	1.56	572C	12	2	103.67	1.60	1.76
572C	5	3	42.47	1.64	1.73	572C	12	3	105.17	1.60	1.70
572C	5	4	43.97	1.42	1.56	572C	13	1	107.25	1.58	1.64
572C	5	5	45.47	1.38	1.64	572C	13	2	108.72	1.50	1.60
572C	5	6	46.97	1.38	1.33	572C	13	3	110.25	1.60	1.70
572C	6	1	49.10	1.78	1.78	572C	14	1	112.25	1.82	1.88
572C	6	2	50.60	1.64	1.69	572C	14	2	113.75	1.56	1.62
572C	6	3	52.17	1.47	1.56	572C	14	3	115.25	1.80	1.80
572C	6	4	53.67	1.64	1.73	572C	14	4	116.75	1.64	1.68
572C	6	5	55.17	1.64	1.78	572C	14	5	118.25	1.72	1.84
572C	6	6	56.67	1.64	1.56	572C	15	1	121.85	1.68	1.74
572C	7	1	58.67	1.42	1.47	572C	15	2	123.35	1.82	1.82
572C	7	2	60.17	1.56	1.64	572C	15	3	124.85	1.90	1.90
572C	7	3	61.67	1.78	1.91	572C	15	4	126.35	1.90	1.96
572C	7	4	63.17	1.64	1.82	572C	15	5	127.85	1.96	2.04
572C	7	5	64.67	1.69	1.82	572C	15	6	129.35	1.88	1.96
572C	7	6	66.17	1.87	1.91	572C	16	1	131.45	1.90	1.80
572C	8	1	68.27	1.60	1.78	572C	16	2	132.95	1.64	1.72
572C	8	2	69.77	1.78	1.89	572C	16	3	134.45	1.76	1.88
572C	8	3	71.27	1.60	1.64	572C	16	4	135.95	2.00	2.04
572C	8	4	72.87	1.53	1.73	572C	16	5	137.45	2.00	2.00
572C	8	5	74.19	1.64	1.78	572C	16	6	138.95	1.92	2.00
572C	8	6	75.77	1.51	1.64	572C	17	1	141.05	1.98	2.00
572C	9	1	77.87	1.87	2.04	572C	17	2	142.55	1.96	2.00
572C	9	2	79.47	1.73	1.82	572C	17	3	144.05	2.04	2.12
572C	9	3	80.97	1.82	1.96	572C	17	4	145.55	1.86	1.94
572C	9	4	82.47	1.78	1.91	572C	18	2	152.15	2.04	2.07
572C	9	5	83.97	1.73	1.91	572C	18	3	153.65	2.07	2.24
572C	9	6	85.47	1.69	1.87	572C	18	4	155.15	1.96	2.02
572C	10	1	87.57	2.09	2.13	572C	18	5	156.65	1.87	1.91
572C	10	2	89.07	2.09	2.00	572C	18	6	158.15	1.87	2.07
572C	10	3	90.57	1.73	1.87	572C	20	1	160.25	1.65	1.76
572C	10	4	92.07	1.69	1.82	572C	20	2	161.75	1.85	2.07
572C	10	5	93.57	1.56	1.68	572C	20	3	163.25	1.85	2.02
572C	10	6	95.07	1.60	1.68						
573	2	2	4.25	1.87	1.93	573	9	5	73.45	2.36	2.56
573	2	3	5.75	1.87	1.89	573	9	6	74.95	2.33	2.44
573	2	4	7.25	2.11	2.13	573	10	1	76.95	2.27	2.44
573	2	5	8.75	1.89	2.07	573	10	2	78.45	1.89	2.00
573	2	6	10.25	2.13	2.22	573	10	3	79.95	1.93	2.02
573	3	1	12.25	2.36	2.44	573	10	4	81.45	2.22	2.31
573	3	2	13.75	1.96	2.09	573	10	5	82.95	2.22	2.27
573	3	3	15.25	1.64	1.91	573	10	6	84.45	1.93	2.04
573	3	4	16.75	2.11	2.27	573	11	2	87.95	2.00	2.04
573	3	5	18.25	1.64	1.87	573	11	3	89.45	2.47	2.67
573	3	6	19.75	2.00	2.09	573	11	4	90.95	2.44	2.60
573	4	1	21.75	1.56	1.64	573	11	5	92.45	2.40	2.53
573	4	2	23.25	1.98	2.04	573	11	6	93.95	2.67	2.78
573	4	3	24.75	1.82	2.00	573	12	1	95.95	2.67	2.76
573	4	4	26.25	2.09	2.09	573	12	2	97.45	3.11	3.47
573	4	5	27.75	1.60	1.69	573	12	3	98.95	2.38	2.53
573	4	6	29.25	1.56	1.60	573	12	4	100.45	2.29	2.40
573	5	1	31.25	1.87	2.00	573	12	5	101.95	2.31	2.40
573	5	2	32.75	1.60	1.69	573	12	6	103.45	2.31	2.40
573	5	3	34.25	2.18	2.27	573	13	2	106.25	2.18	2.33
573	5	4	35.75	1.64	1.78	573	13	3	107.75	2.13	2.31
573	5	5	37.25	2.00	2.18	573	13	4	109.25	2.27	2.42
573	5	6	38.75	2.09	2.22	573	13	5	110.75	2.44	2.47
573	6	1	40.05	1.91	2.09	573	13	6	112.25	2.44	2.62
573	6	2	41.35	1.82	1.91	573	14	1	113.35	2.71	2.80
573	6	3	43.05	1.69	1.82	573	14	2	114.85	2.58	2.71
573	6	4	44.35	1.60	1.78	573	14	3	116.35	2.58	2.67
573	6	5	46.05	1.73	1.91	573	14	4	117.85	2.44	2.56
573	6	6	47.55	1.87	2.09	573	14	5	119.35	2.58	2.69
573	7	2	50.25	1.69	1.82	573	14	6	120.85	2.56	2.67
573	7	3	51.75	1.60	1.82	573	15	1	122.85	2.47	2.67
573	7	4	53.25	1.51	1.60	573	15	2	124.35	2.33	2.47
573	7	5	54.75	1.42	1.69	573	15	3	125.85	2.31	2.44
573	7	6	56.25	1.87	2.09	573	15	4	127.35	2.44	2.60
573	8	1	57.95	1.91	2.04	573	15	5	128.85	2.49	2.58
573	8	2	59.45	1.64	1.69	573	15	6	130.35	2.53	2.67
573	8	3	60.95	1.96	2.09	573	16	1	132.05	2.60	2.78
573	8	4	62.45	1.78	1.87	573	16	2	133.55	2.56	2.71
573	8	5	63.95	2.00	2.13	573	16	3	135.05	2.27	2.36
573	8	6	65.45	1.87	1.96	573	16	4	136.55	2.38	2.51
573	9	1	67.45	2.11	2.22	573	16	5	138.05	2.36	2.56
573	9	2	68.95	2.36	2.56	573	16	6	139.55	2.33	2.49
573	9	3	70.45	2.13	2.31	573	17	1	140.85	2.40	2.56
573	9	4	71.95	2.31	2.42	573	17	2	142.35	2.36	2.56

APPENDIX

HOLE	CORE	SECTION	DEPTH	FORMATION FACT.		HOLE	CORE	SECTION	DEPTH	FORMATION FACT.	
			(METERS)	VERT.	HORIZ.				(METERS)	VERT.	HORIZ.
573	17	3	143.85	2.53	2.67	573	18	2	150.15	2.58	2.71
573	17	4	145.35	2.22	2.36	573	18	3	152.65	1.96	2.09
573	17	5	146.85	2.53	2.62	573	19	1	154.65	2.27	2.40
573	17	6	148.35	2.27	2.36	573	19	2	155.15	2.44	2.44
573	18	1	149.65	2.44	2.58	573	19	3	157.65	2.00	2.11
573A	1	1	5.25	1.91	2.00	573A	3	6	30.35	2.02	2.09
573A	1	2	6.75	1.82	2.00	573A	4	2	32.05	2.20	2.36
573A	1	3	8.25	1.69	1.89	573A	4	4	35.05	1.89	2.06
573A	1	4	9.75	2.09	2.22	573A	4	6	38.05	2.07	2.31
573A	1	5	11.25	2.22	2.31	573A	5	2	42.05	1.89	1.98
573A	1	6	12.75	2.22	2.33	573A	5	4	45.05	1.87	2.00
573A	2	2	16.25	2.33	2.49	573A	5	6	48.05	1.73	1.96
573A	2	4	19.25	2.31	2.36	573A	6	2	51.45	1.67	1.84
573A	3	2	24.35	2.00	2.18	573A	6	4	54.45	2.00	2.04
573A	3	4	27.35	1.67	1.89						
573B	1	3	142.25	2.58	2.67	573B	11	5	240.25	2.31	2.53
573B	1	4	143.75	2.42	2.53	573B	11	6	241.75	2.49	2.76
573B	1	5	145.95	2.78	2.89	573B	12	2	245.25	2.33	2.44
573B	2	2	150.30	2.56	2.73	573B	12	3	246.75	2.56	2.62
573B	2	3	151.60	2.27	2.44	573B	12	4	248.25	2.40	2.53
573B	2	4	152.73	2.40	2.51	573B	12	5	249.75	2.58	2.58
573B	2	5	154.75	2.44	2.53	573B	13	2	254.75	2.53	2.56
573B	2	6	156.25	2.42	2.56	573B	13	3	256.25	2.56	2.58
573B	3	1	158.35	2.31	2.42	573B	13	4	257.75	2.33	2.36
573B	3	3	161.25	2.22	2.38	573B	13	5	259.25	2.31	2.40
573B	3	4	162.75	2.13	2.33	573B	13	6	260.75	2.04	2.22
573B	3	5	164.25	2.20	2.31	573B	14	1	262.75	2.33	2.49
573B	3	6	165.75	2.24	2.44	573B	14	2	264.25	2.49	2.56
573B	4	2	169.25	2.47	2.53	573B	14	3	265.75	2.40	2.49
573B	4	3	170.75	2.22	2.38	573B	14	4	267.25	2.36	2.53
573B	4	4	172.25	2.22	2.11	573B	14	5	268.75	2.44	2.71
573B	5	3	180.25	2.58	2.78	573B	14	6	270.25	2.27	2.40
573B	6	4	191.25	2.58	2.73	573B	15	2	273.75	2.89	3.02
573B	6	6	194.25	2.58	2.76	573B	15	3	275.25	2.89	3.02
573B	7	2	197.40	3.33	3.22	573B	15	4	276.75	3.20	3.20
573B	8	3	208.75	2.76	2.67	573B	15	5	278.25	2.78	2.98
573B	8	5	211.75	2.60	2.71	573B	16	1	281.75	2.80	3.07
573B	9	2	216.75	2.31	2.44	573B	16	2	283.25	2.69	2.98
573B	9	3	218.25	2.27	2.47	573B	16	3	284.75	2.87	3.16
573B	9	4	219.75	2.58	2.98	573B	16	4	286.25	2.78	2.89
573B	9	5	221.25	2.53	2.67	573B	16	5	287.75	2.67	2.78
573B	9	6	222.75	2.58	2.71	573B	17	1	291.25	4.11	3.51
573B	10	2	226.25	2.53	2.76	573B	17	2	292.75	2.93	3.24
573B	10	3	227.75	2.58	2.80	573B	17	3	294.25	2.78	2.93
573B	10	4	229.25	2.71	2.84	573B	17	4	295.75	2.84	2.96
573B	10	5	230.75	2.49	2.62	573B	17	5	297.25	3.20	3.29
573B	10	6	232.25	2.58	2.67	573B	18	2	302.25	3.31	3.33
573B	11	2	235.75	2.58	2.93	573B	18	3	303.75	2.80	2.93
573B	11	3	237.25	2.62	2.84	573B	19	2	311.75	3.22	3.29
573B	11	4	238.75	2.53	2.67	573B	20	1	319.78	3.27	3.42
574	1	1	0.66	2.63	2.50	574	7	2	54.25	1.88	1.95
574	1	2	2.24	1.35	1.50	574	7	3	55.75	1.93	2.10
574	1	3	3.74	1.75	1.65	574	7	4	57.25	2.40	2.60
574	2	1	5.25	1.88	2.05	574	7	5	58.75	1.93	2.00
574	2	2	6.75	1.45	1.85	574	7	6	60.25	1.98	1.98
574	2	3	8.46	1.35	1.38	574	8	1	61.75	2.20	2.38
574	2	4	9.75	1.50	1.70	574	8	2	63.25	2.13	2.30
574	2	5	11.25	1.75	1.85	574	8	3	64.75	2.13	2.15
574	2	6	12.75	1.65	1.85	574	8	4	66.25	2.15	2.20
574	3	2	16.25	1.45	1.60	574	8	5	67.75	1.88	2.03
574	3	3	17.75	1.60	1.65	574	8	6	69.25	1.88	1.85
574	3	4	19.25	1.50	1.65	574	9	1	71.25	1.75	1.85
574	3	5	20.75	1.45	1.60	574	9	2	72.75	1.88	2.00
574	3	6	22.25	1.50	1.55	574	9	3	74.25	2.05	2.13
574	4	1	24.25	1.45	1.55	574	9	4	75.75	1.73	1.80
574	4	2	25.75	1.90	1.50	574	9	5	77.25	1.73	1.75
574	4	3	27.25	1.45	1.55	574	9	6	78.75	1.88	1.98
574	4	4	28.75	1.50	1.60	574	10	1	80.75	2.10	2.15
574	4	5	30.25	1.45	1.50	574	10	2	82.25	2.13	2.25
574	4	6	31.75	1.55	1.63	574	10	3	83.75	1.88	1.95
574	5	3	36.75	1.75	1.75	574	10	4	85.25	2.25	2.35
574	5	4	38.25	1.45	1.58	574	10	5	86.75	2.15	2.35
574	5	5	39.75	1.40	1.50	574	10	6	88.25	2.15	2.25
574	5	6	41.25	1.60	1.70	574	11	1	90.25	2.25	2.30
574	6	1	43.25	1.65	1.85	574	11	2	91.75	2.23	2.38
574	6	2	44.75	1.70	1.75	574	11	3	93.25	2.13	2.28
574	6	3	46.25	1.60	1.70	574	11	4	94.75	2.75	2.88
574	6	4	47.75	1.70	1.65	574	11	5	96.25	2.75	2.88
574	6	5	49.25	2.00	2.10	574	11	6	97.75	2.78	2.88
574	6	6	50.75	2.20	2.35	574	12	1	99.35	2.55	2.85
574	7	1	52.75	2.35	2.45	574	12	2	100.85	2.73	2.88

HOLE	CORE	SECTION	DEPTH	FORMATION FACT.		HOLE	CORE	SECTION	DEPTH	FORMATION FACT.	
			(METERS)	VERT.	HORIZ.				(METERS)	VERT.	HORIZ.
574	12	3	102.35	2.65	2.75	574	22	1	158.25	2.93	2.60
574	12	4	103.85	2.75	2.80	574	22	2	159.75	2.75	2.88
574	12	5	105.35	2.64	2.83	574	22	3	161.25	2.85	2.95
574	12	6	106.85	2.88	2.98	574	23	1	163.25	2.63	2.75
574	13	1	108.85	2.60	2.63	574	23	2	164.75	2.63	2.75
574	13	2	110.35	2.50	2.63	574	23	3	166.25	2.60	2.75
574	13	3	111.85	2.55	2.70	574	24	1	168.25	2.50	2.60
574	13	4	113.35	2.60	2.75	574	24	2	169.75	2.63	2.85
574	13	5	114.85	2.50	2.78	574	24	3	171.25	2.63	2.75
574	13	6	116.35	2.70	2.80	574	25	1	173.25	2.50	2.55
574	14	1	118.35	2.90	3.08	574	25	2	174.75	2.70	2.95
574	14	2	119.85	3.35	3.50	574	25	3	176.25	2.55	2.65
574	16	1	128.35	2.75	3.00	574	26	1	178.25	2.88	2.90
574	16	2	129.85	2.75	2.88	574	26	2	179.75	2.65	2.68
574	16	3	131.35	2.88	3.00	574	26	3	181.25	2.75	2.88
574	17	1	133.35	2.65	2.75	574	27	1	182.95	2.80	2.98
574	17	2	134.85	2.63	2.70	574	27	2	184.45	2.38	2.50
574	17	3	136.35	2.38	2.65	574	27	3	185.95	2.60	2.63
574	18	1	138.35	2.40	2.50	574	28	1	187.95	2.60	2.78
574	18	2	139.85	2.40	2.60	574	28	3	190.95	2.85	2.90
574	18	3	141.35	2.55	2.70	574	29	1	192.95	2.50	2.63
574	19	2	144.85	2.35	2.45	574	29	2	194.45	2.63	2.75
574	19	3	146.35	2.25	2.38	574	29	3	195.95	2.63	2.70
574	20	2	149.85	2.55	2.63	574	30	2	199.45	2.63	2.73
574	20	3	151.35	2.50	2.70	574	30	3	200.95	2.85	2.90
574	21	1	153.25	2.50	2.55	574	31	2	204.45	2.08	2.25
574	21	2	154.75	2.95	2.95	574	31	3	205.95	2.70	2.68
574	21	3	156.25	2.00	2.10						
574A	2	2	8.55	2.07	2.47	574A	9	5	77.15	1.60	1.73
574A	2	4	11.55	2.47	2.67	574A	9	6	78.65	1.60	1.73
574A	2	6	14.55	2.03	2.20	574A	10	2	82.15	1.83	2.00
574A	3	2	17.55	1.93	2.13	574A	10	4	85.15	1.73	2.47
574A	3	4	20.75	2.10	2.17	574A	10	6	88.15	2.13	2.13
574A	4	2	26.15	2.00	2.17	574A	11	4	94.45	1.83	1.93
574A	4	4	29.15	2.00	2.13	574A	11	6	97.45	2.50	2.67
574A	4	6	32.15	2.00	2.27	574A	12	4	103.95	2.33	2.40
574A	5	2	35.35	1.40	1.50	574A	12	6	106.95	2.20	2.33
574A	5	4	38.35	1.47	1.60	574A	13	2	110.45	2.17	2.27
574A	5	6	41.35	1.50	1.87	574A	15	2	120.25	3.00	3.33
574A	6	2	44.65	1.47	1.60	574A	17	2	130.05	2.50	2.67
574A	6	4	47.65	1.83	2.07	574A	18	2	134.15	2.47	2.67
574A	6	6	50.65	2.20	2.27	574A	18	4	137.15	2.50	2.83
574A	7	2	54.15	1.60	1.80	574A	18	6	140.15	2.50	2.83
574A	7	4	57.15	1.60	1.80	574A	22	2	170.65	2.40	2.60
574A	7	6	60.15	1.83	2.07	574A	22	4	173.65	2.17	2.33
574A	8	2	63.65	2.13	2.33	574A	22	6	176.65	2.47	2.53
574A	8	4	66.65	2.07	2.27	574A	23	1	178.65	2.33	3.20
574A	8	6	69.65	1.50	1.73	574A	23	2	180.15	2.33	2.40
574A	9	4	75.65	1.50	1.73	574A	23	5	184.65	2.13	2.27
574B	1	1	185.75	2.50	2.53	574B	1	4	190.25	2.33	2.67
574B	1	2	187.25	2.40	2.33	574B	1	5	191.75	2.27	2.53
574B	1	3	188.75	2.47	2.67	574B	1	6	193.25	2.13	2.33
574C	1	1	195.25	2.33	2.67	574C	9	1	271.25	2.73	3.40
574C	1	2	196.75	2.47	3.07	574C	9	2	272.75	2.47	2.83
574C	1	3	198.25	2.00	2.67	574C	9	3	274.02	2.40	2.50
574C	1	4	199.75	2.17	2.33	574C	10	2	282.25	2.00	2.40
574C	1	5	201.25	2.27	2.83	574C	10	3	283.75	2.67	2.97
574C	2	1	204.75	2.33	2.50	574C	10	4	285.25	2.67	2.87
574C	2	2	206.25	2.13	2.57	574C	10	5	286.62	2.60	2.67
574C	2	3	207.75	2.37	2.53	574C	10	6	288.25	2.60	2.87
574C	2	4	209.25	2.33	2.50	574C	11	1	290.20	3.00	3.17
574C	2	5	210.75	2.33	2.40	574C	11	2	291.75	3.07	3.50
574C	2	6	212.25	1.60	2.60	574C	12	2	301.25	3.35	3.00
574C	3	3	217.25	2.17	2.33	574C	12	3	302.75	2.83	3.33
574C	4	1	223.75	3.17	2.83	574C	12	4	304.25	2.80	3.17
574C	4	2	225.25	2.33	3.17	574C	12	5	305.75	2.87	3.13
574C	5	1	233.25	2.73	3.00	574C	12	6	307.25	3.20	3.60
574C	5	2	234.75	2.47	2.60	574C	13	1	309.25	3.13	3.13
574C	5	3	236.25	2.67	2.93	574C	13	2	310.75	2.83	3.17
574C	5	4	237.75	3.00	3.27	574C	13	3	312.25	2.73	3.33
574C	6	3	245.75	2.87	2.97	574C	13	4	313.75	3.00	3.27
574C	7	2	253.75	3.10	3.27	574C	14	1	319.09	2.73	3.47
574C	7	5	258.15	3.60	3.27	574C	14	2	320.25	2.67	3.13
574C	8	1	261.75	2.80	2.83	574C	16	1	337.20	2.83	3.00
574C	8	2	263.25	2.50	2.97	574C	16	2	339.25	2.83	3.00
574C	8	3	264.75	2.50	3.13	574C	16	3	340.75	2.93	3.00
575	1	1	0.75	1.83	2.50	575	1	5	6.75	1.53	2.00
575	1	2	2.25	1.83	1.83	575	2	1	8.05	1.67	1.67
575	1	3	3.75	1.50	1.67	575	2	2	9.55	1.57	1.67
575	1	4	5.25	1.67	2.00	575	2	3	11.05	1.83	1.83

APPENDIX

HOLE	CORE	SECTION	DEPTH	FORMATION FACT.		HOLE	CORE	SECTION	DEPTH	FORMATION FACT.	
			(METERS)	VERT.	HORIZ.				(METERS)	VERT.	HORIZ.
575	2	5	14.05	0.67	1.73	575	8	1	64.25	2.33	2.50
575	2	6	15.55	2.53	2.53	575	8	2	65.75	2.50	2.67
575	3	2	17.15	1.60	1.73	575	8	3	67.25	2.53	2.80
575	3	3	19.05	1.80	1.87	575	8	4	68.75	2.50	2.67
575	3	4	20.55	2.00	2.13	575	8	5	70.25	2.33	2.40
575	3	5	22.05	2.17	2.27	575	8	6	71.75	2.27	2.40
575	3	6	23.55	2.27	2.47	575	9	1	73.75	2.40	2.67
575	4	1	27.05	1.53	1.60	575	9	2	75.25	2.40	2.50
575	4	2	28.55	1.60	1.67	575	9	3	76.75	2.33	2.17
575	4	3	30.05	1.60	1.50	575	9	4	78.25	2.33	2.67
575	4	4	31.55	1.93	2.00	575	9	5	79.75	2.20	2.67
575	4	5	33.05	2.40	2.83	575	10	2	82.45	2.13	2.50
575	4	6	34.55	2.40	2.60	575	10	3	83.95	2.67	2.80
575	6	1	45.25	3.20	3.27	575	10	4	85.45	2.47	2.47
575	6	2	46.75	3.17	3.27	575	10	5	86.95	2.27	2.33
575	6	3	48.25	2.93	3.13	575	10	6	88.45	2.33	2.80
575	6	4	49.75	3.00	3.13	575	11	1	89.74	1.87	2.07
575	6	5	51.25	2.67	2.80	575	11	2	91.35	2.17	2.33
575	6	6	52.75	2.50	2.67	575	11	3	92.85	2.33	2.67
575	7	3	57.75	2.17	2.50	575	11	4	94.35	2.20	2.33
575	7	4	59.25	2.30	2.47	575	11	5	95.85	2.47	2.83
575	7	5	60.75	2.33	2.50	575	11	6	97.35	2.37	2.50
575	7	6	62.40	2.27	2.43						
575A	21	1	165.45	1.91	1.96	575A	28	2	189.45	2.45	2.62
575A	21	2	166.95	1.89	1.93	575A	29	3	193.15	2.13	2.18
575A	22	2	170.45	1.84	1.96	575A	30	1	194.35	2.45	2.55
575A	22	3	171.85	2.07	2.07	575A	30	2	195.85	2.00	2.09
575A	23	1	172.85	1.91	1.95	575A	30	3	197.35	2.09	2.15
575A	23	2	174.35	1.96	2.09	575A	31	2	199.70	2.15	2.27
575A	24	2	176.45	2.02	2.09	575A	31	3	201.05	2.07	2.15
575A	24	3	177.95	2.09	2.15	575A	32	2	203.55	2.09	2.18
575A	25	3	180.95	1.98	2.15	575A	32	3	204.80	2.44	2.45
575A	26	2	182.35	1.98	2.04	575A	33	2	206.50	2.11	2.18
575A	26	3	183.85	2.09	2.15	575A	33	3	208.00	2.09	2.22
575A	27	2	187.15	2.09	2.11						
575B	1	1	4.00	1.60	1.71	575B	6	5	54.75	1.75	1.85
575B	1	3	7.00	1.27	1.36	575B	7	2	57.65	2.07	2.22
575B	1	4	8.55	1.24	1.31	575B	7	3	59.15	2.04	2.11
575B	1	5	10.05	1.24	1.27	575B	7	4	60.65	2.09	2.18
575B	1	6	11.50	1.24	1.31	575B	7	5	62.15	1.85	2.00
575B	2	1	12.70	1.36	1.53	575B	7	6	63.65	1.91	2.00
575B	2	2	14.25	1.36	1.42	575B	8	2	66.95	1.84	1.89
575B	2	3	15.75	1.45	1.53	575B	8	3	68.45	1.65	1.71
575B	2	4	17.25	1.27	1.35	575B	8	4	69.95	1.78	1.89
575B	2	5	18.75	1.36	1.49	575B	8	5	71.45	1.89	1.93
575B	2	6	20.25	1.60	1.69	575B	8	6	72.95	1.73	1.78
575B	3	1	21.75	1.73	1.85	575B	9	2	76.05	1.73	1.82
575B	3	2	23.25	1.36	1.42	575B	9	3	77.55	1.91	1.96
575B	3	3	24.75	1.60	1.75	575B	9	4	79.05	2.00	2.05
575B	3	4	26.25	1.38	1.49	575B	9	5	80.55	1.93	2.02
575B	3	5	27.75	1.53	1.64	575B	10	2	83.65	1.84	1.91
575B	3	6	29.05	1.67	1.78	575B	10	3	85.15	2.00	2.09
575B	4	2	31.75	1.75	1.93	575B	10	4	86.65	1.55	1.64
575B	4	3	33.25	1.73	1.89	575B	10	5	88.15	1.98	2.00
575B	4	4	34.75	1.31	1.42	575B	10	6	89.65	1.93	1.96
575B	4	5	36.25	1.27	1.36	575B	11	2	93.15	1.82	1.91
575B	4	6	37.75	1.24	1.27	575B	11	3	94.65	2.00	2.09
575B	5	2	41.25	1.36	1.42	575B	11	4	96.15	1.89	1.98
575B	5	3	42.75	1.42	1.53	575B	11	5	97.65	2.02	2.07
575B	5	4	44.25	1.65	1.73	575B	11	6	99.15	1.82	1.85
575B	5	5	45.75	1.82	1.93	575B	12	2	101.85	2.02	2.11
575B	5	6	47.25	1.85	1.93	575B	13	2	111.45	1.73	1.73
575B	6	2	50.25	1.82	2.04	575B	13	3	112.95	1.78	1.91
575B	6	3	51.75	1.82	1.93	575B	14	2	116.35	1.91	1.96
575B	6	4	53.25	1.73	1.82	575B	14	3	117.85	1.85	1.91

CARBONATE

HOLE	CORE	SECTION	DEPTH (METERS)	CARBONATE (%)	HOLE	CORE	SECTION	DEPTH (METERS)	CARBONATE (%)
572	1	1	0.02	73.0	572	1	2	2.31	91.0
572	1	1	0.21	73.0	572	1	3	3.01	85.0
572	1	1	0.41	69.0	572	1	3	3.81	84.0
572	1	1	0.61	61.0	572	1	4	4.51	81.0
572	1	1	0.81	74.0	572	1	4	5.31	83.0
572	1	1	1.00	84.0	572	1	5	6.01	85.0
572	1	1	1.21	84.0	572	1	5	6.81	89.0
572	1	1	1.41	83.0	572	1	6	7.51	78.0
572	1	2	1.51	82.0	572	1	6	8.31	82.0
572A	1	1	0.01	78.0	572A	7	5	62.01	86.0
572A	1	1	0.81	84.0	572A	7	6	62.71	77.0
572A	1	2	1.51	77.0	572A	7	6	63.51	89.0
572A	1	2	2.31	71.0	572A	8	1	64.10	88.0
572A	1	3	3.01	75.0	572A	8	1	64.90	90.0
572A	1	3	3.81	71.0	572A	8	2	65.60	88.0
572A	1	4	4.51	80.0	572A	8	2	66.40	76.0
572A	1	4	5.31	73.0	572A	8	3	67.10	80.0
572A	1	5	6.01	89.0	572A	8	3	67.90	81.0
572A	1	5	6.81	68.0	572A	8	4	68.60	68.0
572A	1	6	7.51	86.0	572A	8	4	69.40	61.0
572A	1	6	8.31	85.0	572A	8	5	70.10	75.0
572A	2	1	9.51	84.0	572A	8	5	70.90	47.0
572A	2	1	10.31	82.0	572A	8	6	71.60	58.0
572A	2	2	11.01	83.0	572A	9	1	72.31	72.0
572A	2	2	11.81	85.0	572A	9	1	73.10	76.0
572A	2	3	12.51	82.0	572A	9	2	73.81	77.0
572A	2	3	13.31	78.0	572A	9	2	74.60	72.0
572A	2	4	14.01	87.0	572A	9	3	75.31	60.0
572A	2	4	14.81	84.0	572A	9	3	76.10	70.0
572A	2	5	15.51	75.0	572A	9	4	77.60	83.0
572A	2	5	16.31	79.0	572A	9	5	78.31	74.0
572A	2	6	17.01	74.0	572A	9	5	79.10	79.0
572A	2	6	17.81	77.0	572A	9	6	79.81	80.0
572A	3	1	19.03	83.0	572A	9	6	80.60	85.0
572A	3	2	20.53	80.0	572A	10	2	83.31	81.0
572A	3	6	26.53	74.0	572A	10	2	84.12	80.0
572A	3	6	27.31	72.0	572A	10	3	84.81	81.0
572A	3	7	28.03	65.0	572A	10	3	85.62	88.0
572A	4	1	28.80	66.0	572A	10	4	86.31	77.0
572A	4	1	29.36	73.0	572A	10	4	87.12	82.0
572A	4	2	30.30	66.0	572A	10	5	87.81	88.0
572A	4	2	30.86	74.0	572A	10	5	88.62	85.0
572A	4	3	31.80	74.0	572A	10	6	89.31	81.0
572A	4	3	32.36	76.0	572A	10	6	90.12	84.0
572A	4	4	33.30	84.0	572A	10	7	90.81	70.0
572A	4	4	33.86	66.0	572A	11	1	91.41	86.0
572A	4	5	34.80	75.0	572A	11	1	92.21	75.0
572A	4	5	35.36	82.0	572A	11	2	92.91	72.0
572A	5	1	36.31	79.0	572A	11	2	93.71	89.0
572A	5	1	37.11	73.0	572A	11	3	94.41	72.0
572A	5	2	37.81	71.0	572A	11	3	95.21	75.0
572A	5	2	38.61	73.0	572A	11	4	95.91	83.0
572A	5	3	39.31	72.0	572A	11	4	96.71	84.0
572A	5	3	40.11	85.0	572A	11	5	97.41	74.0
572A	5	4	40.81	82.0	572A	11	5	98.21	70.0
572A	5	4	41.61	75.0	572A	11	6	98.91	53.0
572A	5	5	42.31	73.0	572A	11	6	99.71	64.0
572A	5	5	43.11	82.0	572A	11	7	100.41	80.0
572A	5	6	43.81	70.0	572A	12	1	100.71	57.0
572A	5	6	44.61	67.0	572A	12	1	101.51	69.0
572A	5	7	45.31	60.0	572A	12	2	102.21	70.0
572A	6	1	45.91	55.0	572A	12	2	103.01	67.0
572A	6	1	46.71	67.0	572A	12	3	103.71	71.0
572A	6	2	47.41	65.0	572A	12	3	104.51	69.0
572A	6	2	48.21	74.0	572A	12	4	105.21	71.0
572A	6	3	48.91	67.0	572A	12	4	106.01	69.0
572A	6	3	49.71	88.0	572A	12	5	106.71	74.0
572A	6	4	50.41	75.0	572A	12	5	107.51	65.0
572A	6	4	51.21	80.0	572A	12	6	108.21	63.0
572A	6	5	51.91	74.0	572A	12	6	109.01	74.0
572A	6	5	52.71	53.0	572A	13	1	109.91	74.0
572A	6	6	53.41	64.0	572A	13	1	110.71	55.0
572A	6	6	54.21	77.0	572A	13	2	111.41	76.0
572A	6	7	54.91	71.0	572A	13	2	112.21	73.0
572A	7	1	55.21	69.0	572A	13	3	112.91	72.0
572A	7	1	56.01	71.0	572A	13	3	113.71	71.0
572A	7	2	56.71	56.0	572A	13	4	114.41	83.0
572A	7	2	57.51	76.0	572A	13	4	115.21	76.0
572A	7	3	58.21	62.0	572A	13	5	115.91	74.0
572A	7	3	59.01	61.0	572A	13	5	116.71	73.0
572A	7	4	59.71	77.0	572A	13	6	117.41	79.0
572A	7	4	60.51	72.0	572A	13	6	118.21	60.0
572A	7	5	61.21	85.0	572A	13	7	118.91	75.0

APPENDIX

HOLE	CORE	SECTION	DEPTH (METERS)	CARBONATE (%)	HOLE	CORE	SECTION	DEPTH (METERS)	CARBONATE (%)
572A	14	1	119.10	65.0	572A	16	1	137.90	77.0
572A	14	1	119.90	75.0	572A	16	2	138.60	71.0
572A	14	2	120.60	77.0	572A	16	2	139.40	76.0
572A	14	3	122.10	70.0	572A	16	3	140.10	87.0
572A	14	3	122.90	83.0	572A	16	3	140.90	89.0
572A	14	4	123.60	74.0	572A	16	4	141.60	84.0
572A	14	4	124.40	47.0	572A	16	4	142.40	83.0
572A	14	5	125.10	74.0	572A	16	5	143.10	75.0
572A	14	5	125.90	77.0	572A	16	5	143.90	82.0
572A	14	6	126.60	66.0	572A	16	6	144.60	90.0
572A	14	6	127.40	63.0	572A	17	1	145.31	78.0
572A	15	1	129.10	84.0	572A	17	1	146.10	76.0
572A	15	2	129.81	81.0	572A	17	2	146.81	81.0
572A	15	2	130.61	83.0	572A	17	2	147.60	75.0
572A	15	3	131.31	82.0	572A	17	3	148.31	69.0
572A	15	3	132.10	71.0	572A	17	3	149.10	71.0
572A	15	4	132.81	64.0	572A	17	4	149.81	68.0
572A	15	4	133.60	76.0	572A	17	4	150.60	73.0
572A	15	5	134.31	71.0	572A	17	5	151.31	64.0
572A	15	5	135.10	75.0	572A	17	5	152.10	63.0
572A	15	6	135.81	72.0	572A	17	6	152.81	77.0
572A	15	6	136.60	73.0					
572B	1	1	154.01	78.0	572B	2	4	163.81	69.0
572B	1	1	154.86	72.0	572B	3	1	164.21	52.0
572B	1	2	155.51	74.0	572B	3	1	165.01	41.0
572B	1	2	156.31	72.0	572B	3	2	165.71	63.0
572B	1	3	157.01	65.0	572B	3	2	166.51	59.0
572B	1	3	157.81	78.0	572B	3	3	167.21	67.0
572B	1	4	158.51	67.0	572B	3	3	168.01	57.0
572B	2	1	159.31	69.0	572B	4	1	168.81	62.0
572B	2	1	160.10	71.0	572B	4	1	169.60	70.0
572B	2	2	160.81	45.0	572B	4	2	170.31	63.0
572B	2	2	161.60	71.0	572B	4	2	171.10	40.0
572B	2	3	162.31	65.0	572B	4	3	171.81	58.0
572B	2	3	163.10	37.0					
572C	1	1	0.01	81.0	572C	2	4	14.95	84.0
572C	1	1	0.76	74.0	572C	2	4	15.46	70.0
572C	1	1	1.10	74.0	572C	2	4	15.94	76.0
572C	1	2	1.51	72.0	572C	2	5	16.45	77.0
572C	1	2	2.26	77.0	572C	2	5	16.96	83.0
572C	1	2	2.60	75.0	572C	2	5	17.44	75.0
572C	1	3	3.01	77.0	572C	2	6	17.95	77.0
572C	1	3	3.76	89.0	572C	2	6	18.46	77.0
572C	1	4	4.51	85.0	572C	2	6	18.94	78.0
572C	1	4	5.51	88.0	572C	2	7	19.45	86.0
572C	1	4	5.60	83.0	572C	3	1	20.05	84.0
572C	1	5	6.01	85.0	572C	3	1	20.56	74.0
572C	1	5	6.76	89.0	572C	3	1	21.04	77.0
572C	1	5	7.10	89.0	572C	3	2	21.59	77.0
572C	1	6	7.51	88.0	572C	3	2	22.09	73.0
572C	1	6	8.26	92.0	572C	3	2	22.59	68.0
572C	1	6	8.60	81.0	572C	3	3	23.09	70.0
572C	1	7	9.01	87.0	572C	3	3	23.59	72.0
572C	2	1	10.45	84.0	572C	3	3	24.09	70.0
572C	2	1	10.96	76.0	572C	3	4	25.59	80.0
572C	2	1	11.44	80.0	572C	3	5	26.09	74.0
572C	2	2	11.95	83.0	572C	3	5	26.59	74.0
572C	2	2	12.46	84.0	572C	3	5	27.09	82.0
572C	2	2	12.94	82.0	572C	3	6	27.59	83.0
572C	2	3	13.45	82.0	572C	3	6	28.09	79.0
572C	2	3	13.96	70.0	572C	3	7	29.09	68.0
572C	2	3	14.44	84.0					
573	1	1	0.77	85.0	573	5	1	31.26	79.0
573	2	1	2.76	62.0	573	5	2	32.76	69.0
573	2	2	4.26	74.0	573	5	3	34.26	88.0
573	2	3	5.76	75.0	573	5	4	35.76	66.0
573	2	4	7.26	81.0	573	5	5	37.26	81.0
573	2	5	8.76	78.0	573	5	6	38.76	88.0
573	2	6	10.26	85.0	573	6	1	40.56	75.0
573	3	1	12.26	88.0	573	6	2	41.56	76.0
573	3	2	13.76	82.0	573	6	3	43.06	65.0
573	3	3	15.26	76.0	573	6	4	44.56	68.0
573	3	4	16.76	86.0	573	6	5	46.06	69.0
573	3	5	18.26	52.0	573	6	6	47.56	74.0
573	3	6	19.76	82.0	573	7	2	50.26	63.0
573	4	1	22.04	58.0	573	7	3	51.76	60.0
573	4	2	23.33	81.0	573	7	4	53.26	42.0
573	4	3	24.76	83.0	573	7	5	54.76	40.0
573	4	4	26.26	84.0	573	7	6	56.26	76.0
573	4	5	27.76	65.0	573	8	1	57.76	69.0
573	4	6	29.27	63.0	573	8	2	59.26	52.0

HOLE	CORE	SECTION	DEPTH (METERS)	CARBONATE (%)	HOLE	CORE	SECTION	DEPTH (METERS)	CARBONATE (%)
573	8	3	60.76	75.0	573	13	5	110.76	77.0
573	8	4	62.26	61.0	573	13	6	112.26	81.0
573	8	5	63.76	79.0	573	14	1	113.36	85.0
573	8	6	65.26	70.0	573	14	2	114.86	84.0
573	9	1	67.46	76.0	573	14	3	116.36	89.0
573	9	2	68.96	81.0	573	14	4	117.86	83.0
573	9	3	70.46	78.0	573	14	5	119.36	84.0
573	9	4	71.96	81.0	573	14	6	120.86	87.0
573	9	5	73.46	83.0	573	15	1	122.86	77.0
573	9	6	74.96	82.0	573	15	2	124.36	77.0
573	10	1	76.96	71.0	573	15	3	125.86	77.0
573	10	2	78.46	67.0	573	15	4	127.36	82.0
573	10	3	79.96	74.0	573	15	5	128.86	79.0
573	10	4	81.46	81.0	573	15	6	130.36	86.0
573	10	5	82.96	79.0	573	16	1	132.06	83.0
573	10	6	84.46	56.0	573	16	2	133.56	85.0
573	11	1	86.46	73.0	573	16	3	135.06	73.0
573	11	2	87.96	67.0	573	16	4	136.56	81.0
573	11	3	89.46	82.0	573	16	5	138.06	76.0
573	11	4	90.96	85.0	573	16	6	139.56	66.0
573	11	5	92.46	85.0	573	17	1	140.86	78.0
573	11	6	93.96	88.0	573	17	2	142.36	79.0
573	12	1	95.96	84.0	573	17	3	143.86	84.0
573	12	2	97.46	88.0	573	17	4	145.36	76.0
573	12	3	98.96	83.0	573	17	5	146.86	84.0
573	12	4	100.46	78.0	573	17	6	148.36	77.0
573	12	5	101.96	81.0	573	18	1	149.76	79.0
573	12	6	103.46	78.0	573	18	2	151.26	86.0
573	13	1	105.16	74.0	573	18	3	152.77	53.0
573	13	2	106.26	78.0	573	19	1	154.76	74.0
573	13	3	107.76	73.0	573	19	2	156.26	75.0
573	13	4	109.26	74.0	573	19	3	157.76	55.0
573A	1	1	5.26	70.0	573A	4	2	33.56	82.0
573A	1	2	6.76	77.0	573A	4	3	35.06	74.0
573A	1	3	8.26	75.0	573A	4	4	36.56	70.0
573A	1	4	9.76	84.0	573A	4	5	38.06	75.0
573A	1	5	11.26	88.0	573A	4	6	39.56	73.0
573A	1	6	12.76	86.0	573A	5	1	40.66	74.0
573A	2	1	14.76	84.0	573A	5	2	42.06	73.0
573A	2	2	16.26	86.0	573A	5	3	43.56	62.0
573A	2	3	17.76	57.0	573A	5	4	45.06	56.0
573A	2	4	19.26	82.0	573A	5	5	46.56	76.0
573A	2	5	20.76	73.0	573A	5	6	48.06	53.0
573A	3	1	22.86	85.0	573A	6	1	49.96	72.0
573A	3	2	24.36	78.0	573A	6	2	51.46	44.0
573A	3	3	25.86	73.0	573A	6	3	52.96	57.0
573A	3	4	27.36	67.0	573A	6	4	54.46	69.0
573A	3	5	28.86	58.0	573A	6	5	55.96	70.0
573A	3	6	30.36	71.0	573A	6	6	57.46	53.0
573A	4	1	32.06	72.0					
573B	1	1	139.26	79.0	573B	6	5	192.76	86.0
573B	1	2	140.76	84.0	573B	6	6	194.26	88.0
573B	1	3	142.26	87.0	573B	7	1	195.71	90.0
573B	1	4	143.76	76.0	573B	7	2	197.41	93.0
573B	1	5	145.26	89.0	573B	7	3	199.26	92.0
573B	1	6	146.59	79.0	573B	7	4	200.76	93.0
573B	2	1	148.76	74.0	573B	7	5	202.26	94.0
573B	2	2	150.31	86.0	573B	8	1	205.76	82.0
573B	2	3	151.61	81.0	573B	8	2	207.26	88.0
573B	2	5	154.76	79.0	573B	8	3	208.76	81.0
573B	2	5	155.24	79.0	573B	8	4	210.26	84.0
573B	2	6	156.26	82.0	573B	8	5	211.76	84.0
573B	3	1	158.26	78.0	573B	8	6	213.26	86.0
573B	3	2	159.56	71.0	573B	9	2	216.76	85.0
573B	3	3	161.26	76.0	573B	9	2	216.76	79.0
573B	3	4	162.76	65.0	573B	9	3	218.26	88.0
573B	3	5	164.26	73.0	573B	9	4	219.76	84.0
573B	3	6	165.76	75.0	573B	9	5	221.26	88.0
573B	4	1	167.76	75.0	573B	9	6	222.76	87.0
573B	4	2	169.26	82.0	573B	10	1	224.76	81.0
573B	4	3	170.76	74.0	573B	10	2	226.36	88.0
573B	4	4	172.26	70.0	573B	10	3	227.76	86.0
573B	4	5	173.76	78.0	573B	10	4	229.26	94.0
573B	4	6	175.26	68.0	573B	10	5	230.76	90.0
573B	5	2	178.76	85.0	573B	10	6	232.26	77.0
573B	5	3	180.26	89.0	573B	11	1	234.26	91.0
573B	5	4	181.76	89.0	573B	11	2	235.76	91.0
573B	5	5	183.26	91.0	573B	11	3	237.26	97.0
573B	5	6	184.76	92.0	573B	11	4	238.76	88.0
573B	6	2	188.26	89.0	573B	12	1	243.76	89.0
573B	6	3	189.76	87.0	573B	12	2	245.26	73.0
573B	6	4	191.26	84.0	573B	12	3	246.76	88.0

APPENDIX

HOLE	CORE	SECTION	DEPTH	CARBONATE	HOLE	CORE	SECTION	DEPTH	CARBONATE
			(METERS)	(%)				(METERS)	(%)
573B	12	4	246.21	79.0	573B	23	3	351.61	92.0
573B	12	5	249.51	87.0	573B	23	4	352.81	96.0
573B	13	1	253.26	83.0	573B	24	1	357.53	98.0
573B	13	2	254.76	86.0	573B	24	2	359.02	93.0
573B	13	3	256.26	85.0	573B	24	3	360.67	89.0
573B	13	4	257.76	72.0	573B	25	1	367.22	92.0
573B	13	5	259.26	84.0	573B	26	2	378.40	92.0
573B	13	6	260.76	66.0	573B	26	3	379.73	97.0
573B	14	1	262.76	83.0	573B	26	4	381.20	96.0
573B	14	2	264.26	81.0	573B	26	5	382.33	92.0
573B	14	3	265.76	80.0	573B	27	1	386.09	91.0
573B	14	4	267.26	84.0	573B	27	2	387.61	98.0
573B	14	5	268.76	82.0	573B	27	3	388.94	92.0
573B	14	6	270.26	83.0	573B	27	4	390.63	95.0
573B	15	1	272.26	90.0	573B	28	1	395.71	93.0
573B	15	2	273.76	89.0	573B	28	2	397.47	97.0
573B	15	2	273.76	93.0	573B	28	3	398.61	91.0
573B	15	3	275.26	91.0	573B	29	1	405.19	96.0
573B	15	5	278.26	91.0	573B	29	2	407.11	99.0
573B	16	1	281.76	78.0	573B	29	3	408.07	93.0
573B	16	2	283.26	91.0	573B	29	4	409.91	92.0
573B	16	3	284.76	85.0	573B	29	5	411.03	81.0
573B	16	4	286.26	92.0	573B	30	1	414.97	89.0
573B	16	5	287.76	85.0	573B	30	3	418.27	96.0
573B	17	1	291.26	95.0	573B	30	4	418.93	93.0
573B	17	2	292.76	94.0	573B	31	1	424.21	91.0
573B	17	3	294.26	93.0	573B	32	1	434.19	92.0
573B	17	4	295.76	90.0	573B	32	2	436.11	94.0
573B	17	5	297.26	92.0	573B	33	5	449.15	93.0
573B	18	1	300.76	97.0	573B	34	1	452.71	93.0
573B	18	2	302.26	90.0	573B	35	1	462.16	81.0
573B	18	3	303.76	92.0	573B	35	2	463.36	77.0
573B	19	1	310.26	93.0	573B	35	3	465.21	79.0
573B	19	2	311.76	90.0	573B	35	4	467.06	87.0
573B	20	1	319.78	87.0	573B	35	5	468.31	91.0
573B	20	2	321.26	90.0	573B	36	1	471.76	90.0
573B	20	3	322.66	93.0	573B	36	2	473.74	95.0
573B	20	4	324.26	91.0	573B	36	3	474.14	84.0
573B	20	5	325.76	91.0	573B	37	1	481.04	88.0
573B	20	6	327.46	93.0	573B	38	1	490.71	93.0
573B	21	1	329.51	91.0	573B	38	2	492.79	61.0
573B	21	2	330.86	91.0	573B	38	3	494.29	76.0
573B	21	3	332.39	93.0	573B	39	1	499.76	87.0
573B	21	4	333.76	92.0	573B	39	3	503.26	93.0
573B	22	1	338.71	91.0	573B	40	1	509.81	65.0
573B	22	2	340.46	92.0	573B	42	1	520.94	92.0
573B	22	3	341.86	91.0	573B	42	1	521.81	97.0
573B	22	4	343.16	92.0	573B	42	2	522.19	2.0
573B	23	1	348.41	92.0	573B	42	3	524.93	3.0
573B	23	2	349.74	91.0	573B	42	4	525.44	88.0
574	1	1	0.65	84.0	574	7	3	55.76	74.0
574	1	2	2.26	28.0	574	7	4	57.26	88.0
574	1	3	3.75	80.0	574	7	5	58.76	59.0
574	2	1	5.26	65.0	574	7	6	60.26	67.0
574	2	2	6.76	59.0	574	8	1	61.76	85.0
574	2	3	8.47	43.0	574	8	2	63.26	83.0
574	2	4	9.76	67.0	574	8	3	64.76	84.0
574	2	5	11.26	79.0	574	8	4	66.26	81.0
574	2	6	12.76	72.0	574	8	5	67.76	66.0
574	3	2	16.26	21.0	574	8	6	69.26	52.0
574	3	3	17.76	38.0	574	9	1	71.26	24.0
574	3	4	19.26	35.0	574	9	2	72.76	63.0
574	3	5	20.76	13.0	574	9	3	74.26	73.0
574	3	6	22.26	11.0	574	9	4	75.76	15.0
574	4	1	24.26	15.0	574	9	5	77.26	4.0
574	4	2	25.76	35.0	574	9	6	78.76	48.0
574	4	3	27.26	35.0	574	10	1	80.76	73.0
574	4	4	28.76	48.0	574	10	2	82.26	79.0
574	4	5	30.26	24.0	574	10	3	83.76	33.0
574	4	6	31.76	49.0	574	10	4	85.26	79.0
574	5	2	35.11	31.0	574	10	5	86.76	80.0
574	5	3	36.76	36.0	574	10	6	88.26	76.0
574	5	4	38.26	13.0	574	11	1	90.26	77.0
574	5	5	39.76	19.0	574	11	2	91.76	78.0
574	5	6	41.26	45.0	574	11	3	93.26	79.0
574	6	1	43.26	61.0	574	11	4	94.76	94.0
574	6	2	44.76	54.0	574	11	5	96.26	90.0
574	6	3	46.26	53.0	574	11	6	97.76	90.0
574	6	4	47.76	47.0	574	12	1	99.36	89.0
574	6	5	49.26	80.0	574	12	2	100.86	90.0
574	6	6	50.76	83.0	574	12	3	102.36	87.0
574	7	1	52.76	86.0	574	12	4	103.86	89.0
574	7	2	54.26	70.0	574	12	5	105.36	90.0

HOLE	CORE	SECTION	DEPTH	CARBONATE	HOLE	CORE	SECTION	DEPTH	CARBONATE
			(METERS)	(%)				(METERS)	(%)
574	12	6	106.86	90.0	574	22	1	158.26	87.0
574	13	1	108.86	90.0	574	22	2	159.76	90.0
574	13	2	110.36	87.0	574	22	3	161.26	90.0
574	13	3	111.86	88.0	574	23	2	164.76	91.0
574	13	4	113.36	86.0	574	23	3	166.26	92.0
574	13	5	114.86	90.0	574	24	1	168.26	88.0
574	13	6	116.36	88.0	574	24	2	169.76	90.0
574	14	1	118.36	96.0	574	24	3	171.26	90.0
574	14	2	119.86	91.0	574	25	1	173.26	81.0
574	14	3	121.36	92.0	574	25	2	174.76	95.0
574	15	3	126.36	96.0	574	25	3	176.26	82.0
574	15	4	127.86	93.0	574	26	1	178.26	89.0
574	16	1	128.36	92.0	574	26	2	179.76	87.0
574	16	2	129.86	89.0	574	26	3	181.26	87.0
574	16	3	131.36	93.0	574	27	1	182.96	95.0
574	17	1	133.36	92.0	574	27	2	184.46	73.0
574	17	2	134.86	93.0	574	27	3	185.96	85.0
574	17	3	136.36	88.0	574	28	1	187.96	89.0
574	18	1	138.36	89.0	574	28	2	189.46	87.0
574	18	2	139.86	82.0	574	28	3	190.96	89.0
574	18	3	141.36	90.0	574	29	1	192.96	86.0
574	19	2	144.86	93.0	574	29	2	194.46	90.0
574	19	3	146.36	82.0	574	29	3	195.96	91.0
574	20	2	149.86	92.0	574	30	2	199.46	81.0
574	20	3	151.36	86.0	574	30	3	200.96	89.0
574	21	1	153.26	86.0	574	31	1	202.96	78.0
574	21	2	154.76	95.0	574	31	2	204.46	61.0
574	21	3	156.26	75.0	574	31	3	205.96	84.0
574A	2	1	7.06	60.0	574A	12	3	102.46	88.0
574A	2	2	8.56	73.0	574A	12	4	103.96	87.0
574A	2	3	10.06	45.0	574A	12	5	105.46	80.0
574A	2	4	11.56	77.0	574A	12	6	106.96	86.0
574A	2	5	13.06	72.0	574A	12	7	107.85	86.0
574A	2	6	14.56	55.0	574A	13	1	108.93	89.0
574A	3	1	16.24	25.0	574A	13	2	110.46	85.0
574A	3	2	17.76	15.0	574A	13	3	111.93	84.0
574A	3	3	19.24	14.0	574A	13	4	112.80	83.0
574A	3	4	20.76	31.0	574A	14	1	113.85	90.0
574A	3	5	22.24	27.0	574A	14	2	115.36	81.0
574A	4	1	24.66	23.0	574A	14	3	116.85	80.0
574A	4	2	26.16	55.0	574A	14	4	117.69	89.0
574A	4	3	27.66	36.0	574A	16	1	123.56	89.0
574A	4	4	29.16	39.0	574A	16	2	125.06	91.0
574A	4	5	30.66	52.0	574A	16	3	126.56	91.0
574A	5	1	33.86	25.0	574A	17	1	128.56	85.0
574A	5	3	36.86	12.0	574A	17	2	130.06	90.0
574A	5	5	39.86	49.0	574A	17	3	131.56	88.0
574A	6	1	43.16	43.0	574A	18	1	132.66	89.0
574A	6	3	46.16	76.0	574A	18	2	134.16	90.0
574A	6	5	49.16	83.0	574A	18	3	135.66	90.0
574A	7	1	52.66	58.0	574A	18	4	137.16	94.0
574A	7	2	54.16	66.0	574A	18	5	138.66	86.0
574A	7	3	55.66	73.0	574A	18	6	140.16	94.0
574A	7	5	58.66	76.0	574A	18	7	141.16	88.0
574A	7	6	60.16	82.0	574A	19	1	142.16	86.0
574A	8	1	62.16	85.0	574A	19	2	143.66	96.0
574A	8	2	63.66	90.0	574A	19	3	145.16	87.0
574A	8	3	65.16	81.0	574A	19	4	146.66	84.0
574A	8	4	66.66	89.0	574A	19	5	148.16	84.0
574A	8	5	68.16	45.0	574A	19	6	149.66	93.0
574A	8	6	69.66	47.0	574A	19	7	150.66	91.0
574A	9	1	71.16	20.0	574A	20	1	151.66	85.0
574A	9	3	74.16	59.0	574A	20	3	154.66	88.0
574A	9	4	75.66	22.0	574A	20	5	157.66	79.0
574A	9	5	77.16	2.0	574A	20	7	160.16	91.0
574A	9	6	78.66	47.0	574A	21	1	160.66	89.0
574A	10	1	80.66	73.0	574A	21	3	163.66	88.0
574A	10	2	82.16	76.0	574A	21	5	166.66	87.0
574A	10	3	83.66	42.0	574A	22	1	169.16	93.0
574A	10	4	85.16	72.0	574A	22	2	170.66	92.0
574A	10	5	86.66	71.0	574A	22	3	172.16	92.0
574A	10	6	88.16	86.0	574A	22	4	173.66	90.0
574A	11	1	89.96	73.0	574A	22	5	175.16	90.0
574A	11	2	91.46	57.0	574A	22	6	176.66	96.0
574A	11	3	92.96	76.0	574A	23	1	178.66	87.0
574A	11	4	94.46	71.0	574A	23	2	180.16	93.0
574A	11	5	95.96	90.0	574A	23	3	181.66	88.0
574A	11	6	97.46	93.0	574A	23	4	183.16	88.0
574A	11	7	98.50	90.0	574A	23	5	184.66	83.0
574A	12	1	99.46	87.0	574A	23	6	186.16	82.0
574A	12	2	100.96	91.0					
574B	1	1	185.76	84.0	574B	1	2	187.26	77.0

APPENDIX

HOLE	CORE	SECTION	DEPTH	CARBONATE	HOLE	CORE	SECTION	DEPTH	CARBONATE
			(METERS)	(%)				(METERS)	(%)
574B	1	3	188.76	87.0	574B	1	5	191.76	81.0
574B	1	4	190.26	85.0	574B	1	6	193.26	75.0
574C	1	1	195.41	86.0	574C	16	1	337.81	91.0
574C	1	2	196.76	86.0	574C	16	2	339.26	84.0
574C	1	3	198.26	70.0	574C	16	3	340.76	86.0
574C	1	4	199.76	61.0	574C	17	1	347.01	88.0
574C	1	5	201.26	76.0	574C	17	1	347.26	86.0
574C	2	1	204.71	80.0	574C	17	2	348.76	87.0
574C	2	2	206.26	63.0	574C	17	3	350.06	86.0
574C	2	3	207.76	79.0	574C	17	4	351.76	84.0
574C	2	4	209.26	85.0	574C	18	1	356.76	88.0
574C	2	5	210.76	80.0	574C	18	2	358.26	90.0
574C	2	6	212.26	32.0	574C	19	1	366.16	86.0
574C	3	2	215.76	80.0	574C	19	2	367.71	86.0
574C	3	3	217.26	74.0	574C	20	1	375.76	88.0
574C	4	1	223.76	87.0	574C	20	2	377.36	88.0
574C	4	2	225.26	81.0	574C	20	3	378.56	86.0
574C	5	1	233.26	88.0	574C	20	4	380.26	89.0
574C	5	2	234.76	82.0	574C	20	5	381.81	86.0
574C	5	3	236.26	89.0	574C	20	6	383.31	88.0
574C	5	4	237.76	92.0	574C	21	1	385.17	88.0
574C	6	1	242.66	96.0	574C	21	2	386.86	91.0
574C	6	3	245.76	95.0	574C	21	3	388.26	89.0
574C	6	4	247.26	91.0	574C	22	1	394.16	87.0
574C	7	1	252.26	92.0	574C	22	2	395.86	91.0
574C	7	2	253.76	95.0	574C	23	1	404.45	91.0
574C	7	3	255.26	85.0	574C	23	2	405.91	94.0
574C	7	4	256.76	90.0	574C	23	3	407.16	90.0
574C	7	5	258.16	91.0	574C	23	4	408.64	94.0
574C	7	6	259.76	90.0	574C	23	5	410.72	89.0
574C	8	1	261.76	85.0	574C	24	1	414.21	89.0
574C	8	2	263.26	86.0	574C	24	2	415.85	90.0
574C	8	3	264.76	92.0	574C	24	3	416.49	87.0
574C	9	1	271.26	90.0	574C	24	4	418.28	93.0
574C	9	2	272.76	88.0	574C	25	1	423.03	86.0
574C	9	3	274.03	88.0	574C	26	1	432.67	91.0
574C	10	2	282.26	85.0	574C	26	2	434.31	91.0
574C	10	3	283.76	89.0	574C	26	3	435.72	93.0
574C	10	4	285.26	90.0	574C	27	1	442.25	91.0
574C	10	5	236.78	85.0	574C	27	2	443.71	93.0
574C	10	6	288.26	91.0	574C	27	3	445.09	90.0
574C	11	1	290.26	90.0	574C	29	1	461.82	86.0
574C	11	2	291.76	92.0	574C	29	2	462.65	82.0
574C	11	3	293.26	92.0	574C	29	3	464.21	85.0
574C	12	1	299.76	92.0	574C	30	1	471.49	79.0
574C	12	2	301.26	94.0	574C	30	2	472.13	80.0
574C	12	3	302.76	93.0	574C	30	3	473.71	79.0
574C	12	4	304.26	94.0	574C	31	1	480.21	71.0
574C	12	5	305.76	90.0	574C	31	2	482.06	80.0
574C	12	6	307.26	93.0	574C	32	1	490.11	86.0
574C	13	1	309.26	94.0	574C	32	2	491.26	76.0
574C	13	2	310.76	91.0	574C	33	1	499.16	93.0
574C	13	3	312.26	93.0	574C	33	2	500.81	88.0
574C	13	4	313.76	94.0	574C	33	4	503.46	84.0
574C	14	1	318.91	89.0	574C	33	5	505.01	66.0
574C	14	2	320.35	90.0	574C	34	1	508.44	68.0
574C	15	1	328.26	94.0	574C	35	1	518.23	66.0
574C	15	4	332.76	94.0					
575	1	1	0.76	41.0	575	5	3	38.76	85.0
575	1	2	2.26	65.0	575	5	4	40.47	87.0
575	1	3	3.76	34.0	575	5	5	41.76	78.0
575	1	4	5.26	52.0	575	5	6	43.26	77.0
575	1	5	6.76	14.0	575	6	1	45.26	92.0
575	2	1	8.06	28.0	575	6	2	46.76	91.0
575	2	2	9.56	38.0	575	6	3	48.26	90.0
575	2	3	11.06	56.0	575	6	4	49.76	93.0
575	2	4	12.56	40.0	575	6	5	51.26	89.0
575	2	5	14.06	85.0	575	6	6	52.76	85.0
575	2	6	15.56	90.0	575	7	1	54.76	88.0
575	3	2	18.66	47.0	575	7	2	56.26	99.0
575	3	3	20.56	64.0	575	7	3	57.76	85.0
575	3	4	22.06	77.0	575	7	4	59.26	83.0
575	3	5	23.56	80.0	575	7	5	60.76	90.0
575	3	6	25.06	86.0	575	7	6	62.26	89.0
575	4	1	27.06	10.0	575	8	1	64.26	89.0
575	4	2	28.56	56.0	575	8	2	65.76	92.0
575	4	3	30.06	70.0	575	8	3	67.26	93.0
575	4	4	31.56	81.0	575	8	4	68.76	91.0
575	4	5	33.06	92.0	575	8	5	70.26	88.0
575	4	6	34.56	91.0	575	8	6	71.76	85.0
575	5	1	35.76	88.0	575	9	1	73.76	90.0
575	5	2	37.26	89.0	575	9	2	75.26	87.0

HOLE	CORE	SECTION	DEPTH	CARBONATE	HOLE	CORE	SECTION	DEPTH	CARBONATE
			(METERS)	(%)				(METERS)	(%)
575	9	3	76.76	73.0	575	10	6	88.46	88.0
575	9	4	78.26	91.0	575	11	1	89.81	74.0
575	9	5	79.76	81.0	575	11	2	91.36	86.0
575	10	2	82.46	90.0	575	11	3	92.86	84.0
575	10	3	83.96	87.0	575	11	4	94.36	90.0
575	10	4	85.46	93.0	575	11	5	95.86	91.0
575	10	5	86.96	86.0	575	11	6	97.36	86.0
575A	1	1	94.56	83.0	575A	17	2	152.26	93.0
575A	1	2	96.06	85.0	575A	17	3	153.38	92.0
575A	1	3	97.56	94.0	575A	18	2	154.76	92.0
575A	2	2	99.45	75.0	575A	18	3	156.26	90.0
575A	2	3	100.96	60.0	575A	19	2	159.06	92.0
575A	3	2	103.36	53.0	575A	19	3	160.31	92.0
575A	3	3	104.86	67.0	575A	20	2	163.06	93.0
575A	4	1	105.96	74.0	575A	20	3	164.16	92.0
575A	4	2	107.46	81.0	575A	21	1	165.46	91.0
575A	4	3	108.96	86.0	575A	21	2	166.96	85.0
575A	5	2	111.26	89.0	575A	21	3	168.46	93.0
575A	5	3	112.76	69.0	575A	22	2	170.44	94.0
575A	6	1	114.86	78.0	575A	22	3	171.86	92.0
575A	6	2	116.36	78.0	575A	23	1	172.86	92.0
575A	6	3	117.86	82.0	575A	23	2	174.36	94.0
575A	7	2	120.06	77.0	575A	24	2	176.46	91.0
575A	7	3	122.16	83.0	575A	24	3	177.96	96.0
575A	8	1	123.86	81.0	575A	25	3	180.96	99.0
575A	8	2	125.36	83.0	575A	26	2	182.36	93.0
575A	9	2	127.56	75.0	575A	26	3	183.86	94.0
575A	10	2	129.56	92.0	575A	27	3	188.66	95.0
575A	10	3	131.06	85.0	575A	28	2	189.46	96.0
575A	11	2	132.86	89.0	575A	29	2	191.96	94.0
575A	11	3	134.36	97.0	575A	29	3	193.16	96.0
575A	12	2	137.36	88.0	575A	30	1	194.36	95.0
575A	12	3	138.86	88.0	575A	30	2	195.86	89.0
575A	13	2	141.06	90.0	575A	30	3	197.36	94.0
575A	13	3	142.56	96.0	575A	31	2	199.66	94.0
575A	14	2	144.16	93.0	575A	31	3	201.14	98.0
575A	14	3	145.66	94.0	575A	32	2	203.56	94.0
575A	15	2	146.96	95.0	575A	32	3	204.88	97.0
575A	15	3	148.46	94.0	575A	33	2	206.56	91.0
575A	16	2	150.26	92.0	575A	33	3	208.06	91.0
575A	16	3	151.51	94.0					
575B	1	1	4.06	75.0	575B	7	2	57.66	
575B	1	2	5.53	48.0	575B	7	3	59.16	98.0
575B	1	3	7.06	59.0	575B	7	4	60.66	97.0
575B	1	4	8.56	36.0	575B	7	5	62.16	92.0
575B	1	5	10.06	5.0	575B	7	6	63.66	99.0
575B	1	6	11.56	42.0	575B	8	2	66.96	91.0
575B	2	1	12.76	26.0	575B	8	3	68.46	77.0
575B	2	2	14.26	32.0	575B	8	4	69.96	87.0
575B	2	3	15.73	67.0	575B	8	5	71.46	88.0
575B	2	4	17.26	35.0	575B	8	6	72.96	85.0
575B	2	5	18.76	65.0	575B	9	2	76.06	85.0
575B	2	6	20.26	80.0	575B	9	3	77.56	93.0
575B	3	1	21.76	89.0	575B	9	4	79.06	93.0
575B	3	2	23.26	54.0	575B	9	5	80.56	91.0
575B	3	3	24.76	81.0	575B	10	2	83.66	90.0
575B	3	4	26.26	54.0	575B	10	3	85.16	95.0
575B	3	5	27.76	73.0	575B	10	4	86.66	64.0
575B	3	6	29.26	86.0	575B	10	5	88.16	96.0
575B	4	2	31.76	85.0	575B	10	6	89.66	94.0
575B	4	3	33.26	87.0	575B	11	2	93.16	89.0
575B	4	4	34.76	49.0	575B	11	3	94.66	93.0
575B	4	5	36.26	41.0	575B	11	4	96.16	85.0
575B	4	6	37.76	15.0	575B	11	5	97.66	96.0
575B	5	2	41.26	52.0	575B	11	6	99.16	88.0
575B	5	3	42.76	58.0	575B	12	2	101.86	96.0
575B	5	4	44.26	87.0	575B	12	3	103.36	85.0
575B	5	5	45.76	96.0	575B	12	4	104.86	87.0
575B	5	6	47.26	96.0	575B	12	5	106.36	82.0
575B	6	2	50.26	96.0	575B	13	2	111.46	73.0
575B	6	3	51.76	92.0	575B	13	3	112.96	83.0
575B	6	4	53.26	88.0	575B	14	2	116.36	91.0
575B	6	5	54.76	94.0	575B	14	3	117.86	85.0