

INDEX

- Acoustical impedance, 966
 Acoustic basement, 951
 Acritarchs, 367
 Albite twinning, 873
 Ale di Mendrisio, 858
 Algae, 12, 14, 818
 Alkalinity, 795, 997, 1006
 Alpine orogenic movements, 806
 Ammonites, 222, 560, 811
 Ammonitico Rosso, 801, 806, 810, 811, **826, 828, 830, 832, 834, 841, 849**, 911, 918
 Amphibole, 763, 772, 939
 Anaerobic conditions, 58, 110, 228, 795, 797, 924
 Andros Island, 892
 Andros Island wells, 9, 16, 877, **880, 883**
 Ankerite, 783, 786, 795
 Apatite, 729, 783
 Apennines, **824, 826, 830, 834, 851**
 Aptychi, 53, 222, 563, 607, 659, 660, 811, 813, **828, 835, 841**, 919
 Aragonite, 12, 15, 141, 753, 758, 772, 773
 Atlantic, age of, 971
 Atlantic continental shelf, 351
 Augite, pigeonitic, 875
 Austro Alpine thrust sheets, 820
- Bahama Banks, **878, 882**
 Bahama channels, 886, 888, 972
 Bahama Islands, 877
 Bahama Platform, 9, 16, 877
 Bahamas, reef development, 890
 Barite, 57, 729, 755, 757, 773, 786, 915
 Barite, authigenic, 786
 Barrier reef, Early Cretaceous, 893
 Basalt, 80, 219, 226, 725, 873, **874, 951, 955, 967, 968**
 alteration, 773
 chill zone, 80
 contact with sediments, 903, **904**
 flows, 80, 905
 inclusions, 80, 783
 magnetic properties, 876
 mineralogy, 873
 sills, 80
 sonic velocities, 723
 structure, 905
 texture, 873
 Basement, 51, 219, **220, 226, 227, 723, 901, 944, 967**
 Bassanite, 783, 786
 Bathyal environment, 81, 222, 228, 918, 921, 944
 Bermuda Rise, 947
 Biancona, 813
 Bivalves, 224, 660
 Black clay, X-ray mineralogy, 759, 769
 Black clays, 108, 225, 367, 562, 570, 575, 923, **925, 955, 956**
 Blake-Bahama Outer Ridge, 5, 105, 135, 494, 671, 951, 958, **963**
 seismic profiles, **793, 961**
 Blake-Bahama Platform, subsidence, 895
- Blake Plateau, 819, **963**
 Blue Holes, 886
 Bottom currents (see currents, bottom)
 Brandywine Canyon, 318
 Brianconnais Ridge, **803**
 Bromide, 1009
- Calcarenite, 12, 817, 818
 Calcare Rupestre, 813
 Calcilutite, red, **834**
 Calcirudite, 14
 Calcite, 755
 authigenic, 763, 783, 794, 797
 biogenic, dissolution, 795, 797
 "crust", 137
 drusy, 818
 euhedral, 909
 magnesian, 12, 15, 773, 786, 905
 recrystallized, 13, 14, 15, 56, 79, 811, 817, 909, **910, 915, 919, 923, 936, 942, 943**
 solution, 942, **943**
 sparry, 813, 918
 Calcium carbonate, 1059
 Calpionellids, 563, 570, 813
 Carbon, 1014
 organic, 228, 1014, 1021, 1059
 Carbonaceous matter (see also organic matter), 57, 228, 317, 759, 909
 Carbonate, 703, 1059
 basal deposits, 942, 944
 compensation depth, 58, 909, 918, 944, 947
 diagenesis, 714
 oozes, Tithonian-Neocomian, 923
 Carbon dioxide, 318, 720, 791, 1011
 Carboniferous Period, 139, 351
 Caribbean, 820
 Cat Gap, 51, 52, 75, 951, **958**
 bathymetry, 52
 seismic profiles, 977
 seismic structure, **954**
 stratigraphy, **953, 955**
 Cay Sal Bank - bore hole, 9, 877, **880, 883**
 Cementation, 942
 Cephalopod limestones, **849**
 Chalcedony, 784, 813, 918, 923
 Chalk, 357, **955**
 Chert, 12, 13, 15, 57, 75, 754, 810, 813, **845, 912, 918, 923, 936, 947**
 composition, 773, 784
 disordered cristobalite, 773
 drill bits, 5
 quartzose, 75, 755, 773
 radiolarian, 75
 X-ray mineralogy, 773
 Chloride, 1009
 Chlorite, 12, 753, 755, 772, 811, 873, 936, **938**
 Clathrates, 783, 791, 797, 972
 Clay
 black, 108, 367, 570, 575, 769, 923, **925, 955, 956**
 multicolored (see multicolored clay)

- Clay mineralogy, 773, 960
 diagenesis, 1005
 distribution of minerals, 784, 785
- Climatic evolution, 936
- Clinoptilolite, 13, 228, 729, 753, 754, 755, 759, 763, 764, 769, 772, 784, 924, 927, 928, 934
 origin, 772, 784
- Coccoliths, new taxa, 430
- Coccolith stratigraphy, 475
- Compressional wave velocities, 725, 725
- Continental Rise (see also Lower Continental Rise), 947, 951, 966, 968, 970
 origin, 5
 seismic profiles, 969
 X-ray mineralogy, 771
- Continental Rise hills (see also Lower Continental Rise hills), 764, 939
- Continental Slope, 351, 357, 968
- Contour currents (see currents, contour)
- Copper, 225, 228, 771, 786, 915, 967
- Corals, 12, 14, 818
- Corniola Formation, 810, 824, 834
- Corsica, 803
- Cretaceous
 black clays, 841
 foraminifers, 551
- Crinoids, 224, 563, 631, 811, 813
- Cristobalite, 13, 15, 57, 318, 729, 754, 755, 769, 772, 773, 782, 784, 786, 923
- Cuba, 16, 222
- Cuche, 570
- Current bedding, 79, 110, 909, 912
- Current-controlled deposition, 964, 965, 970
- Current laminations, 812
- Currents, 971
 bottom, 141, 498, 937, 946, 947
 contour, 135, 142, 313, 497, 963, 965
- Diagenesis, 142, 909, 918, 919, 936, 997, 1008
 carbonate, 882
 subaerial, 14, 818
- Diagenetic flowfolds, 834
- Diatoms, 318
- Dinariids, external zone, 803
- Dinoflagellates, stratigraphy, 367
- Disconformities, 109, 430
- Dolomite, 12, 14, 15, 56, 109, 138, 141, 142, 317, 353, 727, 729, 753, 755, 758, 759, 763, 783, 784, 786, 795, 813, 866, 882, 920, 936, 939, 960, 1005
- Domerian, 834, 835
- Drilling mud, contamination, 57, 773
- Echinoderms, 14, 631, 660, 818
- Echinoids, 12, 818
- Eh, 795, 797, 798
- Erionite, 729
- Erosion, 58, 141, 494, 946, 947, 956, 957, 965, 970
- Ethane, 138, 141, 720, 791, 936, 960
- Evaporites, Jurassic, 883
- Feldspar, 353, 757, 759, 771, 784, 811, 875
- Fish scales, 570
- Florida Keys well, 14, 110, 912
- Florida Platform, 878
- Flow structures, 9
- Foraminifera
 arenaceous, 563
 Cretaceous, 551
 Cretaceous, large, 595
 Cretaceous-Jurassic, 561
 displaced, 492
 Mesozoic, 561
 Neogene, 483
 rotaliids, redeposition, 547
 stratigraphic ranges, 483
 Tertiary, 547
- Fosse Vocontienne, 570
- Fracture zone, 883
- Gamma radiation, 667
- Gamma ray
 anomalies, 669, 675
 counts, 675, 676-678
 record, 668, 672, 673, 674
 response, 668, 669
- Gas 142, 318, 783
 chromatography, 720
 expansion, 135, 791, 795, 932, 936
 hydrates, 319, 791
 migration, 791, 933, 935
 migration structures, 795, 796
 undissolved, 791
 zonation, 791, 794
- Gastropods, 14, 818
- Geosynclines, 801
- Geothermal gradient, 797
- Glacial debris, 960
- Glauconite, 12, 57, 141, 317, 359
- Goethite, 225, 729, 784, 928, 934
- Grain density, 694-696
- Grain size, 674, 707, 1047
- Gravity tectonics, 958
- Groutite, 784, 786, 928
- Gulf of Mexico, biostratigraphy, 501
- Gulf of Mexico, reef, 894
- Gulf Stream, 135
- Gypsum, 783
- Hatteras Abyssal Plain, 951
- Hatteras Canyon, 313
- Hellenids, external zone, 803
- Hellenids, internal zone, 803
- Helvetic zone, 803
- Hematite, 15, 57, 79, 729, 755, 771, 811, 911, 915, 934
- Hemipelagic mud, 108, 138, 140, 225, 317, 318, 319, 760, 794, 929, 955, 968
- Hemipelagic mud, X-ray mineralogy, 758, 771
- Heulandite, 784
- Hiatus, 109, 430, 946, 947, 971
- Holothurian skeletal elements, 53
- Horizon A, 5, 219, 220, 226, 315, 318, 924, 928, 946, 947, 951, 954, 958, 964, 966
- Horizon A*, 314, 318, 924, 946, 967
- Horizon B, 51, 75, 80, 105, 109, 219, 220, 226, 227, 951
- Horizon B, age of, 227, 954
- Horizon Beta, 75, 919, 924, 944, 951, 954, 967
- Hot brine deposits, 929, 930, 931, 934
- Hudson Canyon, 313, 318
- Hydrates, 142, 966, 972

- Hydrogen sulfide, 318, 791, 936, 960
Hydrothermal exhalations, 929
- Illite, 12, 811
Internal Carpathians, 803
Interstitial gas, 1011
Interstitial water, 725, 794, 997, 1006, 1009
 analyses, 794
 salinity, 715, 719
 sodium, 1004
Intrastratal solutions, 811, 1008
Ionian Zone, 828, 832, 841
Iron
 oxides, 928
 reduction, 911, 912
 sulfide, 141
- Jura Mountains, 803
Jurassic
 crinoids, 631, 813
 evaporites, 883
 limestone, 75, 911, 918, 955, 968
 Mediterranean, 824
 ostracods, 645
 sediments, 5, 228
- Kaolinite, 12, 753, 754, 755, 757, 784, 811, 934, 936, 937
- Lagenids, 222, 811
Lamellibranchs, 810, 811, 812, 849
Lava, pillow, 873, 905
Liassic, 824, 834, 835
Ligurian nappes, 803
Lime crusts, 141
Limestone
 cephalopod, 849
 detrital, 12
 inclusions, 903, 905
 Jurassic, 75, 81, 226, 771, 911, 918, 955, 968
 lamellibranch, 828, 849
 lithographic, 141
 Neocomian-Tithonian, 225, 760, 968
 Neocomian, white, 108, 225, 918
 peri-reef, 12, 14, 15, 16, 884
 shallow-water, 817
Limonite, 13, 15, 58
Lithification, 909, 918, 919, 936, 942, 956
 boundary, 951
 carbonate sediments, 943
 submarine, 824
Lithologic units, 729
Lithology of sediments, 901
Lombardian siliceous limestone, 810
Lombardian Zone, 841
Lower Continental Rise, 313
Lower Continental Rise hills, 219, 313, 939, 970
Lower Posidonia Beds, 810
Lysocline, 351
- Macrofossils, 913
Magnesian calcite, 12, 15, 773, 786, 905
Magnesium, 1005
Magnetically quiet zone, 901
Magnetite, 729, 873, 876
Maiolica, 570, 810, 813, 858
- Manganese, 1012
 micronodules, 56
 oxides, 13, 773, 781
Manganosiderite, 783, 784, 786
Marchean, 851
Marl, nodular, 826
Marne a Fucoidi, 813, 815, 816, 851
Mattinata Limestone, 816
Mediterranean
 Mesozoic sediment facies, 801, 802, 806
 Jurassic, 824
 Tertiary chains, 911, 918
Melanterite, 783, 786
Mesozoic
 foraminifera, 561
 Mediterranean sediment facies, 801, 802, 806
 microfossils, 659
 nannoplankton, 427
Methane, 135, 141, 142, 318, 720, 791, 936, 960, 972
Mica, 12, 753, 754, 755, 811, 934, 936, 937, 939
Microfossils, Mesozoic, 659
Mid-Atlantic Ridge, 725
Mid-Oceanic Ridge, 876
Monte Gargano, 862
Monte Sant' Angelo Limestone, 816, 862, 870
Montmorillonite, 12, 13, 225, 228, 753, 754, 772
 alteration of, 795
 expansion of, 729
 Fe-montmorillonite, 934
Mud, hemipelagic (see hemipelagic mud)
Mud pebbles, 912
Multicolored clays, 219, 225, 227, 784, 932, 933, 934
 X-ray mineralogy, 764
- Nannoplankton, Mesozoic, 427
Nannoplankton range charts, 459
Neocomian white limestone, 108, 918
Neocomian-Tithonian limestone, X-ray mineralogy, 760, 769
Neogene, foraminifera, 483
Neritic assemblages, 475
New England Seamounts, 919, 947
Newfoundland fracture zone, 919
Northeast Providence Channel, 16, 729, 892, 951, 972
North Pennine Basin, 803
- Ocean crust, 5
Oogonia, 563
Ooids, 817
Oolites, 57
Ooze, hemipelagic, 56, 955
Ophiolites, 802, 803
 Northern Apennines, 805
Ophiuroids, 224
Organic analyses, 1013
Organic carbon, 228, 1014, 1021, 1047
Organic matter (see also carbonaceous matter), 228, 317, 797, 909, 924
Ostracods, 222, 563, 645, 811
Overburden, 942
Oxfordian red clayey limestone, 771
- Palagonite, 225, 226, 227, 812, 874, 905, 906, 913

- Palygorskite, 754, 755, 757, 763, 772, 773, 786, 915
 Pebbly mudstones, 812
 Penetrometer measurements, 712
 Pennine nappes, 803
 Peri-reef limestone, 12, 14, 15, 16, 884
 pH, 795, 797, 798, 1006
 Phacoidal texture, 812
 Phillipsite, 784, 934
 Physical properties, 667
 Pillow lava, 227, 873, 905
 Pindos Zone, 803
 Pipette techniques, 1047
 Plagioclase, 755, 873, 874
 Plant debris, 75, 353, 757, 764, 909
 Pleistocene, X-ray mineralogy, 760
 Pollen, 141, 367
 alder, 317
 oak, 317
 Pore fluids, 997, 1006
 Pore water (see interstitial water)
 Porosity, 667, 679, 681-691, 698-700
 Potassium feldspar (see feldspar), 724, 725
 Pressure, confining, 812, 942
 Pressure, solution, 12, 15, 57, 141, 228, 317, 729, 758, 759
 Pyrite, 763, 764, 784, 1005
 formation, 797
 nodule composition, 783
 Pyritization, 58, 75, 757, 909, 919, 920
 Pyroclastics, 226, 227, 753, 903, 967
 Pyroxene, 873, 874, 939
- Quaternary deposits, 939
 Quartz, 56, 753, 755, 811
 detrital, 784
 diffractogram, 782
 Quartzose chert, 755
- Radiolarian chert, 845
 Radiolarite Group, 810, 820
 Rates of sediment accumulation (see sediments)
 Recrystallized calcite, 12, 14, 15, 57, 79, 811, 817, 909, 910, 919, 923, 936, 942
 Recrystallized nanno-calcite, 12, 14, 15, 57
 Redeposited pelagic sediments, 812
 Red Sea hot brine deposits, 228, 928, 930, 931, 934, 946
 Reducing conditions, 795, 797, 924
 Reefs, 58
 Reworking, 351
 Rhodochrosite, 228, 729, 764, 783, 784, 786, 936, 940, 941
 Rift valley, 5
 Rosso ad Aptici, 810, 811, 841, 849, 918
 Rudistids, 14, 818, 884
 Rutile, 916
- Saccocoma, 912, 918
 Salinity, 715, 719, 997
 Sand, terrigenous, 12, 317, 318
 Sanidine diffractogram, 227, 784, 786, 786, 788, 905, 907, 908, 916
 San Salvador Bank, 951
 Sardinia, 803
 Scaglia Bianca, 815, 816
 Scaglia Limestones, 815, 817
- Scaglia Variegata, 813, 815, 816
 Scisti ad Aptici, 810, 811
 Scisti a Pesci, 816
 Scisti Ittiolitici, 816, 851
 Scouring, 971
 Sea floor evolution, 5
 Sea floor spreading, 905, 915, 918
 Sedimentary drift, 958
 Sedimentary environments, evolution, 942, 945
 Sedimentation processes, 105
 Sediment facies, N. Atlantic vs., Mediterranean, 801
 Sediment laden currents, 964
 Sediment ridge, 105
 Sediments
 accumulation rates, 15, 53, 80, 109, 140, 226, 318, 797, 937, 947, 960
 consolidation, 711
 deformation, 226
 displaced, 353
 Jurassic, 228
 lithology of, 901
 oldest deep-sea, 909, 970
 sonic velocities, 667, 704
 Seismic profiles
 Blake-Bahama Outer Ridge, 793
 Seismic refraction, 725
 Sepiolite, 13, 773, 781, 786
 Serrone Marls, 810
 Shallow-water limestone, 817
 Siderite, 109, 141, 228, 315, 317, 318, 729, 758, 759, 763, 764, 783, 784, 786, 795, 797, 924, 926, 934, 936, 966
 Sideritization, 797
 Silica, 57
 Silicification, 13
 Silicified claystone, 315
 Siniais Limestone, 810
 Slumps, slumping, 228, 313, 357, 828, 964
 slump complex, 811, 834
 slump conglomerate, 841
 slump folds, 824, 826
 slump structures, 110, 912, 917, 919, 944
 Sonic velocity, basalt, limestone, sediment, 704, 705, 708, 709, 723, 966
 South Florida-North Cuba Basin, 884
 Sparry calcite, 812
 Sphalerite, 225, 764, 784, 786, 928, 929, 934
 Spinel, 874
 Spores, 141, 367
 Stagnation, 58, 110, 228, 795, 921, 924, 944, 956
 Stratigraphic ranges, foraminifera, 483
 Strato Bituminoso, 816
 Submarine erosion, 877
 Submarine lithification, 824
 Subsidence, 944
 Sulfate, 1005
 Syntaxial overgrowths, 813, 817
- Terrigenous sediment, 58
 Tertiary
 deposits, 929
 foraminifera, 483
 Tethyan Ocean, 801, 802, 805, 819
 Texture, phacoidal, 812
 Thermohaline circulation, 135
 Tithonian-Neocomian limestones and chalks, 923

Toarcian-Aalenian, 826, 828, 830, 841
Toco, 570
Todorokite, 784, 928, 934
Transdanubian Mountains, 803
Turbidites, 16, 317, 810, 813, 824, 826, 828, 830,
832, 841, 912, 914, 915, 944, 947, 955, 957,
968, 970, 971
 bioclastic, 15
 carbonate, 832
Turbidity currents, 957
Turbocorer, 351, 357

Umbrian Zone, 824, 826, 830, 834, 835
Unconformities (also see hiatus), 105, 141, 142
 Late Cretaceous - Early Tertiary, 315, 318
 Plio-Pleistocene, 9, 12, 15
Undercurrents, 964

Vigla Limestone, 813, 858

Volcanics
 ash, 227, 784
 clasts, 912
 exhalations, 911
 glass, 12, 13, 15, 16, 772, 1004
 shards, 905
Volcanogenic clays, 967, 971

Water content (see also interstitial water), 681-691,
997
Western Boundary Undercurrent, 142, 497, 498, 965
Wet-bulk density, 667, 679, 681-691, 702, 705, 706

X-ray mineralogy, 729
 special samples, 772

Zeolites, 12, 13, 16, 225, 764, 811, 919
Zeolitic chalks, 16
Zinc, 928