

INDEX

- Absolute ages of zone boundaries, 19
Acarinina densa Zone, 1005
 Afar Depression, 813, 815
 Age determination
 benthic foraminifera, 19
 planktonic foraminifera, 19
 nannofossils, 19
 Radiolaria, 19
 Algae, red, 39
 Algal oncolites, 823, 860
 Alkali olivine lavas, 816
 Alkalinity, 24
 Anahita Fracture Zone, 529
 Analcite, 860
 Anchimetamorphism, 422, 427
 Anchizone, 427, 428
 Angular unconformities, 314, 849
 Anhydrite, 595, 596, 598, 599, 821, 852, 857, 860, 879, 926, 928, 947
 density of, 913
 sonic velocity, 913
 thermal conductivity, 909
 sulfur isotopes in, 949
 Arabian Abyssal Plain, 114, 124, 163, 174, 177, 509, 512, 513, 517, 518
 boundaries of, 503
 Arabian Basin, 504, 516
 Arabian Peninsula, 497
 Arabian Sea, 5, 503
 bathymetric features, 503
 climate and currents, 504
 coccolith stratigraphy, 1091
 foraminifera zonation, 1001
 geochemistry of seawater, 505
 motion of the sea floor, 1119
 paleoecology of forams, 1005
 sediment sources and characteristics, 505
 source and distribution of clay minerals, 506
 stratigraphy, 1115
 water masses, 504
 Aragonite, 505, 512
 Arenaceous foraminifera, 42
 Atlantis II Deep, 539, 541, 550, 595, 852, 857, 947
 bottom water temperatures, 595
 brine, 959
 lead isotopes, 943
 metal-rich muds, 7
 uranium-thorium-lead concentrations, 943
 Authigenic minerals, Red Sea Sediments, 856
 Autolithification, 440, 441
 Axial rifting, 817
 Axial trough of the Red Sea, 754, 813, 879, 913, 917, 918, 920
 Barium, 598, 599
 Basalt, 116, 117, 118, 120, 122, 125, 127, 163, 166, 167, 172, 179, 296, 596, 598, 599, 913, 943
 limestone bed in, 167
 sediment layers, 127, 179
 vesicles in, 995
 Bathymetric features, Arabian Sea, 503
 Beds,
 graded, 39, 166, 167, 172, 297, 316, 384, 392, 395, 473, 486, 497
 nongraded, 474, 488, 497
 Benthonic foraminifera, *see* Foraminifera, benthonic
 Biogenic silica, 51, 52, 312
 Biogenic constituents, Red Sea sediments, 853
 Biostratigraphic synthesis, Leg 23 1095
 Bioturbation, 51, 167, 215, 221, 297, 386, 542, 603, 679, 859
 Bit weight, 13
 Black shales, 860, 976
 Boron, 853, 956
 Bottom currents, 853
 Bottom water sampler, 28
 Bottom water temperatures, Atlantis II Deep, 595
 Bouguer anomalies, 817, 916
 Brahma Fracture Zone, 529
 Breaking circulation, 13
 Breccia, 297, 298, 307, 311, 316
 Brecciated zones, 302
 Brine, 596, 598, 599, 943, 959
 Brine deeps
 cold, 996
 hot, 955
 Brine facies, 858
 Brine pools, 600
 Brine precipitates, 857
 Brines
 heavy metal-rich, 1123
 origin of, 995, 996
 Bromine, 841
 Bromoform separation, 929
 Bryozoans, 39, 40
 Burrow structure, 38, 302, 483
 Burrows *see* Bioturbation
 Calcareous nannofossils *see* Nannofossils, calcareous
Candeina
 nitida nitida Zone, 1101
 nitida praenitida Zone, 1101
 Carbon, organic, 971
 Carbon and oxygen isotopes, 986
 Carbonate compensation depth, 52, 127, 170, 178, 179, 301, 392, 395, 505, 507, 510, 511, 512, 514, 516, 517, 518
 Carbonate deep-sea sediments, 441
 diagenesis of, 429, 430, 440
 lithification of, 429, 440-441, 981
 Carlsberg Ridge, 114, 124, 164, 425, 503, 504, 505, 513
 Chagos Ridge, 34
 Chagos Trench, 34
 Chalcedony, 439
 Chalks, silification of, 439
 Chert, 36, 38, 43, 49, 114, 115, 117, 119, 120, 127, 163, 164, 165, 167, 170, 174, 178, 315, 507, 508, 510, 518, 1122
 compressional wave velocity measurement in, 172
 reflectors, 52, 114, 165

- Chiasmolithus grandis* Zone, 388, 389, 1113
 Chlorite,
 identification of, 424
 source of, 426
 Chromium, 599
 Clay minerals
 identification of, 424
 provenance of, 425
 variations of, 426
 Climate and currents, Arabian Sea, 504
 Clinoptilolite, 439, 440
 Coccoliths *see* Nannofossils, calcareous
 Detrital sediments, 913
 Deuterium, 599, 969
 Deuterium/hydrogen ratio, 969, 970
 Diagenesis, 429, 430, 440
 Diagenetic uranium enrichment, 952
 Diffusimetry-resistivity measurements, 27, 546, 609, 686
 Diffusion in shales and evaporites, 992
 Diffusion and migration of ions and gases, 992
 Dike swarms, tholeiitic, 816
Discoaster
asymmetricus Zone, 543, 605, 1113
barbadiensis Zone, 1113
brouweri Zone, 543, 605, 1113
calcaris Zone, 389
dilatus Zone, 19, 1113
druggi Zone, 389
exilis Zone, 389
hamatus Zone, 1113
kugleri Zone, 389
lodoensis Zone, 1113
pentaradiatus Zone, 543, 1113
quinqueramus Zone, 605, 1113
sublodoensis Zone, 20, 1113
surculus Zone, 543, 605, 1113
 Discovery Deep, 945
 Dolomite
 geochemistry of, 871
 organic, 876
 rhombs, 855
 petrography of, 870
 recrystallization of, 870
 Dolomitization, 873
 Downhole temperatures, 880
 Drilling disturbance, 13
 Drilling mud usage, 18
 Echinoid spines, 40
 Eh, 25
 Erosional escarpment, 813
 Ethane, 26
 Ethiopian Plateau Trap Series, 815
 Ethiopian Rift, 913
 Evaporites, 543, 601, 606, 613, 678, 681, 684, 691, 809,
 849, 857, 909, 947, 957
 Mediterranean, 859
 Miocene, 916, 1122
 mobility of, 815
 origin of, 982, 994
 siltstone in, 943
 fossiliferous beds in, 1123
 rocks associated with, 988
 Evaporite sequence, 539, 852, 945
 Fault-plane solutions, 816
 Faults, transform, 816
 Fecal pellets, 476
 Fish debris, 167, 169
 Flora, Cretaceous, reworked, 216
 Foraminifera, 215, 1095
 basis for age determination, 19
 paleoecology of, 1005,
 Site 219, 39, 42, 1006
 Site 220, 118, 1008
 Site 221, 168, 1008
 Site 222, 1008
 Site 223, 298, 1008
 Site 224, 387, 1009
 Site 225, 543,
 Site 226, 597
 Site 227, 604,
 Site 228, 681,
 Site 229, 758,
 Site 230, 811
 test solution in, 1005
 zonations and assemblages
 planktonic
 Acarinina densa Zone, 1005
 Candeina
 nitida nitida Zone, 1063
 nitida praenitida Zone, 1063
 Cenozoic zone boundaries, 1003
 Early Eocene, 1004
 Early Miocene, 1004
 Globigerina
 bulbosa Zone, 1063
 bulloides Zone, 1063
 Globigerina calida calida/Sphaeroidinella dehiscens excavata Assemblage Zone, 1003
 Globigerinella siphonifera siphonifera Zone, 1063
 Globigerinita
 uvula Zone, 1063, 1101
 Globigerinoides
 conglobatus canimarensis Zone, 1063, 1101
 Globorotalia
 (*Globorotalia*)Zone, 1066
 pentamerata Zone, 1005
 Middle Eocene, 1004
 Oligocene, 1004
 Pliocene, 1003
 Quaternary, 1003
 Turborotalia
 (*Turborotalia*) *pachyderma* Zone, 1069, 1101
 Formation factor, 28
 Fossiliferous beds in evaporitic strata, 1123
 Fracture zones,
 Anahita, 529
 Brahma, 529
 Indira, 527
 Indrani, 527
 Owen, 527, 531
 Rudra, 529
 Shiva, 529
 Framboidal texture, 478
 Gabbro, 816

- Galena, 943
 Gas, 212, 214, 217, 541, 545, 755, 761, 767, 769, 943, 957, 971
 geochemistry of, 25
 Gastropod, 756
 Geochemical methods, 20, 956
 Geochemistry, 170, 216
 alkalinity, 24
 Arabian Sea, 505
 diffusimetry-resistivity measurements, 27
 dolomite, 871
 ethane, 26
 gases, 25
 interstitial water analysis, 24
 methane, 26
 pH, 25
 pore fluid extraction, 21
 spectrochemical analysis, 22
 Geothermal heat flux, 879
Gephyrocapsa oceanica Zone, 389, 543, 605, 1113
 Glauconite, 43, 47
Globigerina
 bulbosa Zone, 1100
 bulloides Zone, 1101
 calida calida/sphaeroidinella dehiscens excavata
 Assemblage Zone, 1003
Globigerinella siphonifera siphonifera Zone, 1101
Globigerinata
 uvula Zone, 1063, 1101
Globigerinoides
 conglobatus canimarensis Zone, 1063, 1101
Globorotalia
 pentamerata Zone, 1005
 Goethite, 478, 497
 Goethite-hematite facies, 596, 598, 599, 852
 Gold, 595
 Graded bedding, 39, 166, 167, 172, 215, 297, 315, 316, 392, 395, 473, 492-495, 858
 Grading
 inverted, 474
 symmetrical, 477
 Grain density, 891
 Grape, 889
 Gravity anomalies, 909, 916
 Gravity sedimentation, 516
 Gulf of Aden, 522, 533, 913
 Gypsum, 821, 857
 Hail Arch, 814
 Halite, 823, 852, 857, 879
 Heatflow, 884
 DSDP Red Sea sites, 885, 996
 Heavy metal enriched sediments, 1123
 Heavy metal-rich brines, 1123
 Heavy minerals, 168, 227, 392, 478, 853
 analysis of, 931
 nonopaque, 497
 opaque, 497
 source of, 499
 ultrastable, 499
 see also specific mineral names
Helicopontosphaera
 ampliaperta Zone, 1113
 reticulata Zone, 1113
 Himalayan Orogeny, 178
 Himalayan Uplift, 212, 316, 1121
 Hot brine, 855, 947, 955
 origin of metalliferous, 955
 Hot-spot, 528
 Idiomorphic quartz crystals, 856
 Illite
 identification of, 424
 source of, 425
 Illite/montmorillonite (mixed layer)
 identification, 424
 source of, 426
 Indian plate, northward drift of, 6, 521, 1119, 1121
 Indira Fracture Zone, 527
 Indrani Fracture Zone, 527
 Indus Cone, 6, 164, 165, 176, 177, 179, 211, 222, 384, 425, 478, 503, 509, 512, 513, 514, 516, 517, 518
 density currents of, 425
 development of the, 490
 sediments of, 1122
 Indus River, 165, 227, 503, 504, 505, 506, 508, 509, 510, 511, 512, 513, 516, 517, 518
 Interstitial water analysis, methods, 24
 Interstitial water chemistry, 953
 Intrastratal solutions, 499
 Inverted grading, 474
 Iron, 599, 852, 853
 Isotopes
 carbon and oxygen, 986
 sulfur, 947
 Kaolinite
 identification of, 424
 source of, 426
 Kupferschiefer, composition of, 977
 Kuria Muria Island, 478, 497, 499
 Kuster Formation sampler, 541, 545
 Laccadive Islands, 34
 Laccadive-Chagos Ridge, 6, 34, 124, 128, 503, 504, 506, 508, 509, 527, 1121
 Laccadive-Maldive Ridge, 51, 164, 1119
 Lamination, 858
 climbing ripple, 474
 cross, 474
 parallel, 475
 truncated fore-set, 474
 Lamprophyre, 387, 390, 395
 Larger foraminifera, 42
 Lavas, alkali olivine, 816
 Leaching of salt, 994
 Lead, 595, 598, 599
 Lead derived
 from the mantle, 945
 from pelagic sources, 945
 in Red Sea sediments, 943
 isotopes of, 943, 945, 988
 Limestone, 431
 crystallized, 168
 lithification of, 439
 Lithification
 deep-marine carbonates, 429, 441
 limestone, 439
 nanofossil oozes, 440
 pelitic sediments, 441

- Lithified carbonates, Red Sea, 981
 Lithology of deep-marine carbonate sediments, 430
 Lussatite, 854
 Lysocline, 119, 298, 312, 315, 395, 1006
 M reflector, 859, 860
 Magnesite, 821, 857
 Magnesium, 599, 956
 Magnetic anomalies, 174, 179, 816, 913, 917, 920
 Maldives, 34
 Manganese, 598, 599, 953
 Manganese nodule field, 943
 Mantle, 943
 lead derived from, 945
 xenoliths, 816
Marthasterites tribrachiatus Zone, 389, 1113
 Masira Island, 478, 497, 499
 Mediterranean evaporites, 859
 Metalliferous
 muds from the Atlantis II Deep, 3, 7
 sediment from the Pacific, 943, 945
 black shale, 684
 deposits, 923, 943
 Methane, 26, 957, 993
 Micarb, definition of, 15, 431
 Minerals, specific gravity of selected, 892
 Miocene
 evaporites, 916, 1122
 evaporites, mobility of, 815
 foraminifera zonation, 1004
 marine invasion of the Red Sea, 814
 Molybdenum, 599, 852
 Monoclinal
 downwarps, 816
 flexures, 817
 Montmorillonite
 identification of, 425
 neoformation of, 428
 source of detrital, 426
 Nannofossil oozes, lithification of, 440
 Nannofossils, calcareous
 basis for age determination, 19
 ranges, 1073
 reworked, 43, 215, 304
 Site 219, 41
 Site 220, 118
 Site 221, 168
 Site 222, 216
 Site 223, 299, 302
 Site 224, 387
 Site 225, 543
 Site 226, 598
 Site 227, 605
 Site 228, 684
 Site 229, 758
 Site 230, 811
 Stratigraphy
 Arabian Sea, 1091
 Red Sea, 1091
 zonation
 Chiasmolithus grandis Zone, 388, 389
 Coccolithus doronocooides Zone, 543
- Discoaster*
 asymmetricus Zone, 543, 605, 1113
 barbadiensis Zone, 1113
 brouweri Zone, 543, 605, 1113
 calcaris Zone, 389
 dilatus Zone, 19, 1113
 druggi Zone, 389
 exilis Zone, 389
 hamatus Zone, 1113
 kugleri Zone, 389
 lodoensis Zone, 1113
 pentaradiatus Zone, 543, 1113
 quinqueramus Zone, 605, 1113
 subledoensis Zone, 20, 1113
 surculus Zone, 543, 605, 1113
Gephyrocapsa oceanica Zone, 589, 543, 605,
Marthasterites tribrachiatus Zone, 389,
Pseudoemiliania lacunosa Zone, 543, 605,
Reticulofenestra pseudoumbilica Zone, 543, 605,
Triquetrorhabdulus carinatus Zone, 389
- Navigation, 11
 Neoformation of montmorillonite, 428
 Neomorphism, 441
 Nepheloid layer, 490
 Ninetyeast Ridge, 51
 Nodular anhydrite, 860
 Nodule field, manganese, 943
 Nodules, pyrite, 856
 Nongraded beds, 474, 488, 495
 Nonopaque heavy minerals, 497
 Nontronite, 858
 Oceanic crust, 913, 915, 917, 920
 Oceanic mantle, 943
 Oligocene foraminifera zonation, 1004
 Oman Basin, 164, 227, 504
Ommatartus antepenultimus Zone, 388, 389,
 Oncolites, 860
 Opaline silica, 439
 Opaque heavy minerals, 497
 Ostracods, 39, 40, 42
 Otoliths, 756, 760, 935,
 Owen Abyssal Plain, 223, 227
 Owen Basin, 504, 516, 517
 Owen Fracture Zone, 6, 114, 212, 222, 227, 292, 313, 315,
 384, 393, 504, 515, 517, 522, 527, 530, 531, 1122
 Owen Ridge, 161, 222, 227, 292, 310, 314, 384, 504, 516,
 517, 518
 Owen Ridge, uplift of, 314, 394
 Oxygen and carbon isotopes, 986
 $\text{O}_{18}/\text{O}_{16}$ content, Red Sea Sediments, 939
 Paleoecology
 benthic forams, 1005
 planktonic forams, 1005,
 Paleogeographic reconstructions, 813
 Paleolatitude, 50, 222, 315
 Paleomagnetic data, 533
 see also site reports
 Paleontologic events, Leg 23, 1095
 Palygorskite, 855, 860, 867, 981
 identification of, 425
 source of, 426

- Palynology, 544, 606, 684
 Pelecypods, 39, 756
 Pelitic sediments, lithification of, 441
 Phosphorite concretions, 38, 51, 52, 507
 Physical properties
 comparative studies, 891
 compressional wave velocity, 29
 methods of, 29
 sediment porosity, 29
 sediment-water content, 29
 shipboard measurements of, 29
 specific acoustic impedance, 30
 thermal conductivity, 30
 wet bulk density, 29
 see also site reports
 Pierre Shale, composition of, 977
 Planktonic foraminifera *see* Foraminifera, planktonic
 Plant debris, 166, 167
 Plate tectonics, 913, 915
 Pleistocene Red Sea Shales, composition of, 977
 Plio-Pleistocene unconformity, 852
 Pliocene foraminifera zonation, 1003
 Pliocene unconformity, 852
Podocyrtis
 ampla fasciolata Zone, 1113
 mitra Zone, 1113
 Poles of rotation, 913
 Polyhalite, 823, 857, 957, 985
 Pondicherry Formation, 506
 Pore fluid extraction, 21
 Pore water salinities, 599
 Pore water, Red Sea sediments, 939
 Porosity values, 889
 Potassium-argon measurements, 988
 Pressure solution, 431, 438
 Proto-Indus River, 508
 Proto-dolomite, 875
 Provenance
 of clay minerals, 425
 of detrital minerals, 681
Pseudoemiliana lacunosa, 543, 605, 1079, 1113
 Pteropods, 756, 758, 811
 Pumice, 854
 Punch core, 13
 Pyrite, 852, 856, 923, 925, 926, 927, 929, 930, 931, 932, 933, 949, 981
 Pyrite nodules, 479, 856
 Quartz crystals, idiomorphic, 856
 Quartzine, 835
 Quaternary foram zonation, 1003
 Radiolaria
 basis for age determination, 19
 Site 219, 41,
 Site 220, 119
 Site 221, 169
 Site 222, 216
 Site 223, 300
 Site 224, 388
 Site 225, 544
 Site 226, 598
 Site 227, 605
 Site 228, 684
 Site 229, 759
 Site 230, 811
 systematic paleontology, zonation
 Ommatartus
 antepenultimus Zone, 388, 389
 Ras Madrakah, 497
 Recent sediment sources, Arabian Sea, 505
 Recrystallization of dolomite, 870
 Red algae, 39
 Red Sea, 6, 7
 axial trough of, 754, 813, 815, 913
 black shales, 976
 carbonates, 981
 deuterium in interstitial water, 969
 deuterium/hydrogen ratio, 969, 970
 downhole temperatures, 918
 geochemistry, 975
 heatflow measurements, 885
 heavy metal enriched sediments, 1123
 Miocene marine invasion, 814
 nannofossil stratigraphy, 1091
 paleogeographic reconstructions, 813
 physiography, 813
 sedimentation rates, 1122
 spreading history, 917, 1122
 stratigraphic record of, 813, 1122
 Tertiary sedimentary record, 814
 Red Sea Depression, structure of, 814
 Red Sea sediments
 authigenic minerals, 856
 biogenic constituents, 853
 evaporitic minerals, 857
 lead in, 943
 terrigenous constituents of, 855
 texture of, 858
 thorium in, 943
 uranium and thorium isotopes from, 952
 uranium in, 943
 volcanogenic constituents, 854
 see also Sites 225 to 230
 Reflectors
 chert, 52
 M, 859, 860
 S, 7, 539, 550, 611, 678, 691, 809, 811, 849, 853, 859, 860, 862, 919, 1123
 Refluxion, 870
Reticulofenestra pseudoumbilica Zone, 543, 605, 1113
 Reunion Island, 528
 Rubidium, 844
 Rudra Fracture Zone, 519
 S reflector, 7, 539, 550, 611, 678, 691, 809, 811, 849, 853, 859, 860, 862, 919, 1123
 Sabkha, 844, 859
 Salalah, 497
 Salt
 flowage of, 849, 917, 918, 920, 1122
 leaching of, 994
 mechanical properties of, 917

- Salt diapir, 684, 691
 Salt pan clay, 977
 Sandline, 13
 Sea-floor spreading, 127, 174, 885, 915, 917, 919, 920, 1122
 Seawater, geochemistry of, 505
 Sedimentary structures, 473, 474, 858
 Sediment classification and nomenclature, 13
 Sediment in basalt, 127, 179
 Sediment porosity, 29
 Sediment source
 Site 219, 507
 Site 220, 509
 Site 221, 510-512
 Site 223, 516
 Sedimentation rate plots, 20
 Sedimentation rates, 1119, 1121, 1122
 Site 219, 43
 Site 220, 119
 Site 221, 170
 Site 222, 216
 Site 223, 301
 Site 224, 389
 Site 225, 530, 544
 Site 227, 606
 Site 228, 684
 Site 229, 765
 Sedimentation rates based on excess Th₂₃₀, 951
 Seismic events, 816
 Seismic profiling system, 12
 Sergipe (Brazil) tachyhydrite deposits, 986
 Shale, 947
 black, 860
 composition of average, 977
 composition of Pleistocene (Red Sea), 977
 metalliferous black, 684
 Red Sea, nonblack, 981
 Shallow-water basin model, 845
 Shallow-water origin of evaporites, 982
 Shiva Fracture Zone, 529
 Sidewall coring, 296, 384
 Silica
 biogenic, 51, 312
 opaline, 439
 Siliceous nodules, 169, 170
 Siliceous organisms, 38, 126
 Silification of chalks, 439
 Silver, 595, 598
 Sinai Peninsula, 814
 Site 219, 33
 foraminifera, 39, 42, 1006
 geochemistry, 43
 glauconite, 47
 lithology, 36
 nannofossils, 41
 ostracods, 42
 presite survey, 36
 Radiolaria, 41
 reworked nannofossils, 43
 sediment source, 507
 sedimentation rates, 43
 subsidence, 50
 Site 220, 113
 foraminifera, 118, 1008
 lysocline, 119
 nannofossils, 118
 paleomagnetic measurements, 122
 physical properties, 120
 presite survey, 114
 sediment source, 509
 sedimentation rates, 119
 Site 221, 167
 correlation of reflection profiles and lithology, 172
 foraminifera, 168, 1008
 lithology, 166
 magnetic anomalies near, 174
 paleomagnetic measurements at, 174
 physical properties, 170
 Radiolaria, 169
 reworked sediment, 166
 sediment source, 510-512
 sedimentation rate, 170
 Site 222, 211
 correlation of reflection profiles and lithology, 221
 foraminifera, 215, 1008
 gas occurrence, 212, 214, 217
 lithology, 214
 nannofossils, 216
 paleomagnetic measurements, 221
 physical properties, 216
 Radiolaria, 216
 sedimentation rates, 216
 sediments, source of, 428
 Site 223, 291
 correlation of reflection profiles and lithologies, 310
 foraminifera, 298, 1008
 geochemistry, 307
 lithology, 296
 lysocline, 298
 nannofossils, 299, 302
 nannofossils, reworked, 304
 paleomagnetic measurements, 311
 physical properties, 307
 Radiolaria, 300
 sediment source, 516
 sedimentation rate, 301
 Site 224, 383
 carbonate compensation depth, 293, 395
 correlation of reflection profiles and lithologies, 390
 foraminifera, 387, 1009
 heavy mineral fraction of sediments, 497
 light fraction of sediments, 497
 lithology, 386
 nannofossils, 387
 paleomagnetic measurements, 390
 physical properties, 389
 Radiolaria, 388
 sedimentation rate, 389
 Site 225, 539
 correlation of reflection profiles and lithology, 550
 deuterium/hydrogen ratio, 969
 diffusimetry-resistivity measurements, 546
 foraminifera, 543
 geochemistry, 544

- heatflow measurements, 550
 interstitial waters, 545, 956
 isotope studies, 547
 lithology, 541
 major element analyses, 936
 nannofossils, 543
 palynology, 544
 physical properties, 547, 894
 Radiolaria, 544
 sedimentary summary, 849
 sedimentation rates, 544, 550
 thermal conductivity measurements, 884
 Site 226, 595
 basalt, 943
 foraminifera, 597
 interstitial water, 956
 lithology, 596
 metalliferous mud, 943
 nannofossils, 598
 Radiolaria, 598
 sedimentary summary, 852
 Site 227, 601
 correlation of reflection profiles and lithology, 611
 deuterium/hydrogen ratio, 969
 diffusimetry-resistivity measurements, 609
 foraminifera, 604
 geochemistry, 606
 heatflow measurements, 611
 interstitial water, 607, 956
 isotope measurements, 609
 lithology, 603
 Major element analysis, 936
 nannofossils, 684
 oxygen and carbon analyses, 687
 palynology, 684
 physical properties, 688
 Radiolaria, 684
 sedimentation rates, 684, 852
 sphalerite lenses, 945
 thermal conductivity measurements, 885
 Site 229, 753
 correlation of reflection profiles and lithology, 764
 deuterium/hydrogen ratio, 969
 foraminifera, 758
 geochemistry, 760
 interstitial water, 761
 isotope studies, 762
 lithology, 755
 major element analyses, 939
 nannofossils, 758
 physical properties, 763
 pteropods, 758
 Radiolaria, 759
 resistivity measurements, 762
 reworked fossils, 760
 sedimentation rates, 760, 765
 sedimentary summary, 853
 thermal gradient, 882
 Site 230, 809
 correlation of reflection profiles and lithology, 811
 foraminifera, 811
 geochemistry, 811
 interstitial water, 957
 lithology, 810
 major element analyses, 939
 nannofossils, 811
 Radiolaria, 811
 sedimentary summary, 853
 Slumping, 395, 396, 384, 389
 Sole mark, 474
 Solution welding, 440
 of foram tests, 1005
 Sphalerite lenses, 945
 Specific gravity of selected minerals, 892
 Spectrochemical analysis, 22
 Spectrographic analyses, 923, 935
 Sphalerite, 835, 856, 860, 923, 949
 Sphenolithus heteromorphus Zone, 1113
 Sphenolithus predistentus Zone, 1113
 Spotting mud, 13
 Spreading history, Red Sea, 917, 1122
 Spreading rate, 114, 174
 Stable isotope data, 873
 Stratigraphic terminology, 15
 Stratigraphy
 Arabian Sea, 1115
 Red Sea, 813, 1122
 Stromatolites, 844, 860
 Strontium, 844, 956
 Structures
 burrow, 302, 483
 sediment, 473
 Submarine volcanoes, 816
 Subsidence, 50, 528
 Suez rift, 913
 Sulfides, 947
 Sulfur, 947, 949
 Swedish "alum shale" C, composition of, 977
 Symmetrical grading, 477
 Tachyhydrite, 957, 986
 Taxonomy, planktonic foraminifera, 1009
 Temperature gradient, 884
 Temperature measurements, downhole, 918
 Terrigenous constituents, Red Sea sediments, 855
 Tertiary sedimentary record in the Red Sea, 814
 Tertiary volcanic rocks, 815
 Test solution in forams, 1005
 Theocampe mongolfieri Zone, 1113
 Thermal conductivity, 30, 882, 884, 885, 913, 918
 Thermal gradients, 489, 880-882
 Tholeiitic dike swarms, 816
 Tholeiitic basalt, 858
 Thorium in Red Sea sediment, 943, 945, 952
 Thyrosocyrtis
 bromia Zone, 1113
 triacantha Zone, 1113
 Titanium, 599
 Torque up, 13
 Trace metal determinations, 956
 Trachybasalt, 297, 309, 315
 Transform faults, 816
 Transmissiometer measurements, 489
 Trap series, Ethiopian Plateau, 815
 Triquetrorhabdulus carinatus Zone, 389

- Truncated fore-set lamination, 474
Tuff, 760, 853
Tuffite, 756, 757, 854, 861
Turbid layer, 509, 513, 516, 518
Turbidites, 114, 125, 128, 168, 169, 174, 177, 179, 226, 227, 292, 316, 384, 393, 394, 422, 478, 505, 509, 512, 513, 514, 516, 517, 518
Turbidites, cone, 506
Turborotalia
 (*Turborotalia*) *pachyderma*, 1069, 1101
Ultrastable minerals, 478, 499
Unconformity, 43, 52, 120, 170, 247, 299, 300, 307, 386, 389, 394, 544, 550, 606, 684, 1119
Unconformity, angular, 314, 849
 Early Pliocene, 852
 Plio-Pleistocene, 852
 Plio/Pleistocene boundary, 852
Underway observations, 11
Uplift of Himalayas, 212, 316, 1121
 Owen Ridge, 314, 394
Upwelling, 33, 51, 52, 128, 179, 300, 312, 316, 396, 1121
Uranium, thorium, lead concentrations
 southern, Red Sea, Site 228, 945
 Atlantis II Deep, 943
Uranium and, thorium isotopes, 951, 952
Uranium in Red Sea sediments, 943
Vanadium, 852
Variations of clay minerals, 426
Vertical motion of the Arabian Sea floor, 1119
Vesicles in basalt, 995
Vishnu Fault, 530
Volcanic tuff, 853
Volcanic ash, 853
Volcanic rocks, Tertiary, 815
Volcanic sequences, weathering of, 945
Volcanoes, submarine, 816
Volcanogenic constituents, Red Sea sediments, 854
Washing down, 13
Water masses, Arabian Sea, 504
Weathering of volcanic sequences, 945
Wet bulk density, 29
Xenoliths, 816
X-ray mineralogy, methods of, 18
Yemen Trap Series, 815
Zalwat Selha coastal plain, 497
Zebayir Island, 754, 755, 764, 766, 769
Zinc, 595, 598, 599, 853
Zone boundaries, absolute, ages of, 19