

INDEX

- Absolute age of basement,
Site 319, 443
Abyssal depth,
defined, 747
AF demagnetization, methods of, 485
Age-depth dependence of elements, 306
Algae, calcareous, 623
Allanite, 612
Alteration, basalt, 92, 239, 446, 502, 766
depth of, 435
factors regulating, 433
halmyrolitic, 435, 467, 523
minerals formed during primary cooling, 399
nonoxidative, 463
oxidative, 405, 445, 463
products, 385
rate of, 433
topography effect on, 767
by seawater, 286, 301, 305, 306, 399
Alteration, titanomagnetite, 353, 358
Alternating-field demagnetization, 501
Amorphous colloids (RSO), 612, 621
Amphibole, 614
Amphiropalum ypsilon Zone, 713
Andes Mountains, pyroclastic activity in, 116, 605, 611
Angular unconformity, 122
Anisotropy of magnetic susceptibility (AMS), 495
Anthocystidium angulare Zone, 713
Apatite, 615
 $\text{Ar}^{40}/\text{Ar}^{39}$ ages, 455, 763
Aragonite, 409
Aragonite-calcite relationship, 423
Augite, 765
Authigenic minerals, 606, 619
sediments, 785
silicates, 606
Barite, 615
Barium, geochemistry of, 570
in basalt, 284
Basal sediments, formed from volcanic activity, 569
major constituents of, East Pacific, Rise, 561, 564
Site 321, 116, 117
Basalts, alteration of, 92, 239, 390, 446, 502, 766
barium concentrations in, 284
Bauer Deep, 190, 200, 618
cesium concentrations in, 284
chemistry of, 190, 218, 239, 278, 386
chrome spinel in, 91
comparative average analyses of, 192
comparison with altered, 377
with dredged, 337
with Leg 26, 194
compressional wave velocities of, 543-550
cooling units, 234
coring, evaluation of, 183-185
recovery, 183
elastic properties of, 543
electrical resistivity of, 549-551
electron microprobe analyses of, 273
element distribution patterns, 293
emplacement mode of, 495
eruption of in an abyssal environment, 368
fission track age, 451, 455, 743
fractional crystallization of, 194, 224
hydrothermal veins in, 377
Indian Ocean, 285
lead isotope composition, 343, 764
magnetization of, 90, 121, 469, 529
NRM intensity of, 77
VRM in, 473, 479-483, 527, 773
major and trace element chemistry, 191, 239-243, 264, 289, 293, 764
mid-ocean ridge, 264, 285, 289, 306, 763
Nazca plate, 87, 123, 189, 190, 215, 218, 245, 764
petrography of, 227-235, 246
nondestructive measurements, 501
normative mineralogy and classification of, 192
olivine in, 254, 364
opaque mineralogy of, 381
oxidative alteration of, 445, 463
paleomagnetism of, 513-532
phase chemistry, 198, 248
plagioclase in, 270, 364
porosity of, 550
potassium-argon age of, 439-446, 773
potassium concentrations, 284
produced at spreading ridge, 763
pyrite in, 377
rare-earth element patterns, 240, 763
relationship of seismic velocities to weathering, 544
remagnetization of, 523
seawater alteration, 286, 301, 395, 306
Site 319, 27, 34, 248, 270, 271, 273, 274, 279, 445, 449, 743
Site 320, 87, 91, 248
Site 321, 117, 123, 248, 446, 449
subaerial, 357
Sr concentration in, 283
sulfur concentration in, 364, 375
tectonic environment of eruption, temperature
alteration of as related to magnetization, 170
texture, 27, 264, 271, 273, 274
as a reflection of cooling, 189
formation of, 29
thorium concentrations, 343
trace elements in, 191, 239-243, 289, 293
uranium concentrations, 343, 452, 455
weathering of, 291, 433, 440
XRF analyses of, 239, 263
Basalt-sediment contact, 116, 117
Basaltic glass, 363, 364, 382
Bathyal depths, defined, 747
Bauer Deep, 19-35, 190, 618
basalt in, 190, 200, 27-35

- bathymetry and structure of, 157-160
carbonate compensation depth, 21
faults in, 157
geologic history of, 159
metalliferous sediments in, 3, 19, 33, 786, 803
pillow lavas, 3
See also Site 319
- Benthonic faunas, 635, 636
Biogenic components, 771
Biostratigraphic zonation, basis for, 13, 789
Biotite, 615
Birnessite, formation of, 415, 416
 occurrence in submarine basalts, 423
Bottom currents, 561
Bottom-hole assembly, monel, 526
Calcite, 386, 409
 formed during oxidative diagenesis, 419
Carbon and carbonate analyses, 11, 601
Carbonate compensation depth, 635, 747, 749
 fluctuation of during the Quaternary, 749
Site 319, 33
Site 321, 116, 120
Catinaster coalithus Zone, 716
Cation-deficient titanomagnetite, 358, 462, 523, 767, 773, 774
Celadonite, diagenetic, 389, 395
Central Water Mass, properties of, 714
Ceratolithus primus Subzone, 715

Cesium concentrations in basalt, 284
Chalcopyrite, 358, 377
Chemical analysis of basalt, 190, 239, 278, 386
Chlorite, 615
Chrome spinel, 91
Cipero Formation, 747
Clay minerals, chemical analyses of, 383
 X-ray diffraction analysis of, 386, 795
Clinoptilolite, 615
Clinopyroxene, 615
 volcanic, 606
Core disturbance, 11
Core handling, 9
Crystal fractionation, 242, 291, 301, 305, 306
Curie points, 480
Curie temperatures, 480, 549
Cyclicargolithus abisectus Subzone, 716
Deuteric minerals, 395
Diagenesis, nonoxidative, 405, 429
 oxidative, 417
Diagenetic assemblage, Group I, 413
 Group II, 414
Diagenetic minerals, 389, 395
Diatoms, *Rhizosolenia praebargentii* Zone, 718
 Site 320, 715
 Site 321, 718
Dictyocha/Distephanus ratio, 715, 719
Dictyocha episodon Zone, 715, 720

Dinoflagellates, Site 321, 742
Discoaster calcaris Zone (NN10), 29, 709

neohamatus Zone, 715
quinqueramus Zone, 709, 715
Distephanus boliviensis *boliviensis* Zone, 719
Dolomite, 615, 620
Duluth gabbro, 386
East Pacific Rise, 33
 spreading rate, 561
 topography of, 19
Easter Fracture Zone, 160
Easter Island as a volcanic source, 27
Eastern Boundary Current, 794
Ebridians, 718
Elastic flexture, oceanic crust, 175
Element distribution patterns in basalt, 293
Eolian debris, 619
 transport, 629
Epigenetic pyrite, deposition of, 389
 in ocean floor basalts, 381-384
Feldspars, 251, 252, 253, 615
Ferromanganese nodules, 581
Fibropalagonite, 402, 616
Fish debris, 615
Fission track dating, basalts, 451
Foraminifera, benthonic, 743
 diversity of assemblages, 763
 Phase I, 749
 Phase II, 749
 Phase III, 749
 Site 319, 29, 635
 Site 320, 636
Foraminifera, planktonic,
 dissolution of, 635, 636
N2, 89, 749
N4, 88, 89
N6, 783
N8, 441, 443, 635, 749
N8/N9 boundary, 443
N9, 446, 635
N10/11, 29
N12, 29
N20, 89
N21, 89
N22, 89
N23, 89
P16, 119, 637, 749
P17, 749
P18, 119
P19, 119, 749
percentage of, 631
Site 319, 29, 635
Site 320, 636
Site 321, 636, 637
stratigraphic distribution of, 743
 Paleogene, 119
Systematics, 637-704
Fractional crystallization, 293
Galapagos Rise, 3, 33
 crust formation, 175
 disappearance of, 19
Geochemistry, oxygen-isotope, 337, 338
 sediments, 552
Site 319, 30, 89
Site 321, 90, 120
Gephyrocapsa oceanica Zone, 711

- Glass, 616
 in basalt, 364
 volcanic, 605, 783
 Glauconite, 389
 Goethite, 616
 occurrence of in submarine basalts, 423
 Grain-size analyses, 11, 603
 Grijalva Ridge, 160
 Halite, 616
 Halmyrolitic alteration, 523
 basalt, 467
 Halmyrolysis, 357, 360, 435, 452, 462, 564, 774
 Heat-flow, method, 553
 Site 319, 553
Helicopontosphaera ampliaperta Zone, 714
 Hematite, 270
 occurrence in submarine basalts, 463
 High-field magnetic moment, 508
 Hopkinson peak, 511
 Hornblende, volcanic, 606
 Humboldt Current, 89, 91
 history of, 3
 influence of, 7, 715
 initiation of, 116
 Hydrothermal deposition, 384
 Hydrothermal leaching, 564
 Hysteresis, 501
 high-field, 510
 low-field, 506
 Iddingsite, 399
 Ilmenite, petrography of, 358
 Indian Ocean basalts, 285
 Induced magnetization, 527
 Initial susceptibility, 466, 479, 501
 Instrumental Neutron Activation Analysis, 239
 Interstitial water analyses, 625-628
 Site 319, 625
 Site 320, 625
 Site 321, 625
 Iron hydroxides, petrography of, 358
 Island arc volcanism, 617
 Isotope analyses, 386
 oxygen, 386
 sulfur, 381, 385
 K-Ar ages of basalt, 439-452, 763
 K-feldspar, authigenic, 606, 619
 interstitial, 266
 volcanic, 605
 Kilauea Volcano, 399
 Königsberger ratios, 479, 502
 Kreyenhagen Formation, 747
 Large-ion lithophile (LIL) elements, 294, 303, 305
 depletion of in upper mantle, 306
 Laumontite, 395
 Lead isotopic composition, basalt, 343, 764
 Lithophile trace elements, 240
 Low-field hysteresis, 506
 Lop-P differentiation, 274
 Low-temperature alteration, *See* halmyrolysis
 Magmas, evolved, 242
 Magmatic fractionation, 239
 minerals, high-temperature crystallization, 429
 sulfides in basaltic glass, 363
 Magnetic anomalies, 511
 anomaly 16, 81
 mineralogy, 479, 489
 moment, 501
 patterns, Site 321, 321
 properties of basalt and sediments, 90, 151, 459
 469, 529, 769-778
 reversals, 535
 viscosity coefficient, 481
 Magnetization, induced, 767
 thermoremanent, 524
 viscous, 475, 767
 Major element chemistry, basalt, 239-243, 264, 293
 abundance of in Leg 34 basalts, 239-243,
 264, 293, 764
 Manganese, occurrence in submarine basalts, 423
 nodules, 413
 Marcasite, 118, 363, 379, 410
 deposition of, 29
 formation of, 411
 Mean demagnetizing field (MDF), 459, 465
 Median destructive field, 477
 Mendaña Fracture Zone, 81, 122, 160, 164
Mesocena elliptica Zone, 719
 Metal accumulation rates, 575
 Site 319, 580
 Site 320, 585
 Metal oxides, source of, 787
 Metalliferous sediments, 3, 559, 575
 analytical procedures, 575
 Bauer Deep, 3, 33, 614, 803
 formation of, 19
 Site 320, 585
 Site 321, 585
 Meteoritic sulfur, 383
 Mica, 389, 441, 616
 formed during nonoxidative diagenesis, 405,
 412, 429
 Micronodules, 615, 620, 621
 Microprobe procedures, 363
 Mid-Ocean Ridge Basalts (MORB), 264, 285, 301, 765
 Mineral chemistry, basalt, 218, 227-235, 764
 Mineral zoning, 280
 Models of sedimentation, Site 319, 581
 Mud-cross system, 3
 Multiple-regression analysis, 305, 306
 Muscovite, volcanic, 606
 MuskoX Intrusion, 386
 Nannofossils
 biostratigraphy, 705
 dissolution of, 715
 preservation of, 706
 Site 319, 709
 Site 320, 711
 Site 319, 707, 715
 Site 320, 711, 715
 Site 321, 711
 zonation, basis for, 715
 Catinaster coalithus Zone, 715
 Ceratolithus primus Subzone, 715
 C. tricorniculatus Zone, 708
 Cyclacargolithus abiseptus Subzone, 716
 Discoaster calcaris Zone, 29, 709

- D. deflandrei* Subzone, 716
D. druggi Zone, 89, 711
D. exilis Zone, 30, 709
D. hamatus Zone,
D. neohamatus Zone, 715
D. quinqueramus Zone, 709, 715
Gephyrocapsa oceanica Zone, 711
Helicopontosphaera ampliaperta Zone, 714
Sphenolithus ciperoensis Zone, 120, 711
S. distentus Zone, 120, 711
S. heteromorphus Zone, 30, 715, 783
S. predistentus Zone, 120
S. pseudoradians Zone, 711
Triquetrorhabdulus carinatus Zone, 89, 711, 716
 Natural remanent magnetization, 463, 479, 486, 501, 527
 direction, 481
 effect of alteration on, 433
 hard component, 524
 intensity, 459, 479, 502, 529, 764, 771
 inclinations, 768
 soft component, 524, 526
 stability, 479, 481
 Nazca plate
 basement age, 278
 crust on, 19
 sediments, 3, 779
 magnetic anomaly 16, 81
 metalliferous sediments, 787
 motion of, 7, 29, 488, 521, 537, 776
 pillow basalts, 359
 radiolarian distribution, 713-714
 refraction data, 83
 tectonics, 803-807
 turbidites, 747
 Nazca Ridge, 160
 Newark Group, 383
 Nonoxidative alteration of basalt, 463
 Nonoxidative diagenesis, 405, 412, 429
 veins formed during, 407
 Nonoxidative formation of phillipsite, 421
 Oceanic basement, 173
 crust, chemical leaching of, 433
 crust, radiometric ages of, 763
 Ocean formation, 737
 Off-ridge volcanism, 3, 301, 306, 346
 Olivine, 227, 254, 270, 364, 417, 766
Ommatartus antepenultimus Zone, 119, 713
 Opal, 799
 Opaque minerals, hematite, 270
 in ocean floor basalts, 254, 381
 petrography of, 349, 362
 titanomagnetite, 269
 ulvöspinel, 270
 Operations summary, Leg 34, 3
 Organic carbon, 797
 Orthopyroxene, 606, 616
 Ostracodes, 737
 Oxidation processes, high temperature, 774
 Oxidative alteration of basalt, 405, 415, 463
 Oxidative diagenesis, 417
 calcite formed during, 419
 of olivine, 417
 of titanomagnetite, 418
 Oxygen isotopes, 386, 766
 Oxygen supply below sediment-water interface, 402
 Palagonite, 395, 616
 Paleobathymetry, 747
 Paleolatitudes, 537
 Paleomagnetic measurements, Site 319, 31, 34, 551
 Site 321, 505
 Paleomagnetism, basalts, 513-532
 sediments, 533-539
 Palisades Sill, 383
 Palynomorphs, 741, 743
 Pantelleritic volcanoes, 618
 Partial melting, 294, 301, 306
 Peru Current, solution effects of, 83
 Peru-Chile Trench, 164
 as a barrier to sediments, 122
 Peruvian Neogene volcanic activity, 608
 Petrography, basalt, 189, 190, 764
 Phase chemistry of basalt, 198, 248, 278
 Phillipsite, 616
 authigenic, 606, 619
 formation of, 414, 421
 Physical properties, 767
 correlation with drilling results, 122
 methods used, 13
 Site 319, 30, 31
 Site 320, 90
 Site 321, 121
 Pigeonites, 765
 Pillow basalts, Nazca plate, 359
 prevalence in layer 2A, 3
 Plagioclase, 279, 765
 description of, 273, 274
 in basalt, 264, 270, 273, 364
 volcanic, 605
 phase chemistry of, 199
 Planktonic bloom, 631
 Planktonic diversity, 635
 Plate motion, 535
 Nazca plate, 521, 537
 Potassium concentrations in basalt, 284
 Primary cooling, alteration minerals formed during, 399
 Primary minerals, 406
 Principal results in basement drilling, 3
 Pseudobrookite, 617
 Pyrite, 358, 377, 410
 epigenetic, 381-384
 in basalt, 385
 Pyroxene, description of, 273, 274, 275
 fractionation of, 274, 275
 in basalt, 248, 267, 271
 minor element chemistry, 199
 phase chemistry of, 199
 poikilitic, 274
 Site 319, 248
 Site 320, 250
 Site 321, 250
 Pyrrhotite, 358
 Quartz, 617
 in submarine basalts, 414
 Site 321, 799
 volcanic, 606
 Radiolaria,

- Site 321, 119
 Zonation
 Amphiropalum ypsilon Zone, 713
 Anthocrytidium angulare Zone,
 Ommatartus antepenultimus Zone, 119, 713
 Distribution of, Nazca plate 713-716
 Rare-earth-element patterns, 283
 basalt, 763
 Rayleigh loops, 501, 503, 775
 Red semi-opaques (RSO), 612, 621
 Reducing conditions, 405
 Reflection profiles, correlation with drilling
 results, Site 319, 32
 Site 320, 90
 Site 321, 122
 Remagnetization of basalt, 523
 Remanent inclinations, 481
 Remanent magnetism, 481
 stability of, 495
 Resistivity measurements, methods of, 549
Rhizosolenia praebergonii Zone, 718
 Rutile, 617
 Sala-y-Gomez Fracture Zone, 160
 Sarmiento Ridge, 160
 Saturation magnetization, 466
 Scientific goals, 3
 Sclater age-depth curve, 741
 Sea-floor weathering, 338
 Seawater, alteration caused by, 286, 301, 305, 306, 399
 depth of, 433
 Seawater oxidation of titanomagnetite, 433
 Sediment accumulation rates, 7, 560, 627, 789
 Site 319, 30, 561
 Site 320, 89, 91
 Site 321, 116, 120, 122
 Sediment-basalt contact, 443
 Site 319, 341
 Site 321, 462
 Sediment classification system, 11
 Sediments, authigenic, 785
 ferromanganese, 560
 metalliferous, 3, 19, 33, 559, 575, 620, 785, 786, 787, 804
 paleomagnetism of, 533-539
 Peru-Chile Trench as a barrier to, 122
 Seismic survey, methods of, 163
 Sideromelane, 401
 Silica, hydrothermal addition of, 581
 Silicoflagellates, descriptive terms, 720
 Dictyocha/Distephanus ratio, 715, 719
 Paleoecology of, 719
 Site 320, 715
 Site 321, 716
 Stratigraphy of, 719
 Taxonomy, 723-736
 zonation, basis for, 715
 Dictyocha episodon Zone 715, 720
 D. perlaevis delicata Zone, 719
 Distephanus boliviensis boliviensis Zone, 719
 Mesocena elliptica Zone
 Site 319, Bauer Deep, 3, 19, 21, 57, 159, 190, 200, 571, 618
 absolute age of basement, 449
 Ar⁴⁰/Ar³⁹ ages, 449, 743
 basalt, 27, 34, 190, 248, 270, 271, 273, 274, 279
 benthonic faunas, 635
 biostratigraphy, 29
 bottom-hole temperature and heat flow, 553
 carbonate-compensation depth, 33
 drilling program, 22
 foraminifera, 29
 geochemical measurements, 30
 interstitial water analyses, 625
 K-Ar dates for basalt, 445
 lithology, 25
 metal accumulation rates, 580
 metalliferous sediments, 577
 models of sedimentation, 581
 nannofossils, 707, 715
 paleomagnetic measurements, 31
 paleomagnetism of basalt, 503
 petrography of basalt, 189, 764
 physical properties, 30, 31
 reflection profiles correlated with drilling, 32
 sediment accumulation rates, 80, 561
 sediment-basalt contact, 341
 sediments, 779
 site survey, 21
 sonobuoy survey, 21
 summary and conclusions, 33
 Site 320, Nazca plate, 81-92
 background and objectives, 81
 Basalt, 87, 190, 191, 248
 benthonic faunas, 636
 biostratigraphy, 88
 diatoms, 715
 drilling program, 84
 foraminifera, 636
 geochemical measurements, 89, 90
 interstitial water analyses, 625
 lithology, 85
 magnetic reversal as reflected in sediments, 535
 metalliferous sediments, 575, 585
 nannofossils, 711, 715
 palynomorphs, 741
 petrography of basalt, 190, 764
 physical properties, 90
 reflection profiles correlated with drilling, 90
 sediment accumulation rates, 89, 91
 sediments, 779
 silicoflagellates, 715
 site survey, 83
 summary and conclusions, 90
 Site 321, Nazca plate, 111-124
 background and objectives, 111
 basal sediment, 116, 117
 basalt, 117, 123, 248, 446, 449
 basalt-sediment contact, 117
 basement age, 763
 biostratigraphy, 119
 carbonate compensation depth, 116, 120
 clay mineralogy, 795
 diatoms, 718
 dinoflagellates, 742

- drilling program, 113
ebridians, 718
foraminifera, 636, 637
geochemical measurements, 120
interstitial water analyses, 625
lithology, 113
magnetic anomaly patterns, 446
metalliferous sediments, 585
nannofossils, 711
opal, 799
organic carbon, 797
paleomagnetism, 505
palynomorphs, 741
petrography of basalt, 190, 764
physical properties, 121, 122
Radiolaria, 119
reflection profiles correlated with drilling, 122
sediment-basalt contact, 446
sediment accumulation rates, 116, 120, 122
sediments,
silicoflagellates, 116
site survey, 113
summary and conclusions, 122
Slumping, 619
Smectite, 386, 407, 617, 766, 388
formation of, 418
Sonic velocity, decrease at sediment-basement contact, 434
Sphenolithus ciperoensis Zone, 120, 711
distentus Zone, 120, 711
heteromorphus Zone (NN5), 30, 715, 783
predistentus Zone (NP23), 120
pseudoradians Zone, 711
Spreading rate, 168, 764
East Pacific Rise, 561
and chemistry of sediments, 561
Spreading ridge, basalts produced at, 763
formation of basalt on, 767
Stillwater Complex, 383
Sr⁸⁷/Sr⁸⁶ isotopic ratios, basalt, 763
Strontium isotope ratios, 285
Submarine basalts, alteration products of, 385
occurrence of birnessite in, 423
occurrence of goethite in, 423
occurrence of hematite in, 423
occurrence of quartz on, 414
occurrence of todorokite in, 423
Submarine volcanism, 560
Sulfide globules, 364, 369, 368
Sulfides, in basaltic rocks, 382
petrography of, 358
primary, 359
secondary, 359
Sulfide veins, 359
Sulfur concentrations in basalt, 364, 375
isotope analyses of, 381, 385, 767
solubility of, 377
source of in basalts, 364, 378
Superparamagnetism, 503
Stability index, 473, 477
Susceptibility measurements, 479, 502
temperature dependence of, 507
Talc, 409
Terrigenous components, 783
Thermal demagnetization, 501
Thermomagnetic analysis, 479
curve, 480, 490
Tholeiites, low-olivine normative, 89
Thorium concentrations on basalt, 343
Titanomagnetites, 462, 491, 764, 767
alteration of, 353, 358
cation deficiency of, 358, 462, 523, 767, 773, 774
correlation with magnetic properties, 360
degree of oxidation, 518
opaque minerals, 269
oxidative diagenesis of, 418
petrography of, 349
seawater oxidation of, 433
Todorokite, formation of, 415
occurrence in submarine basalts, 423
Topography, effect on alteration, 767
Trace elements, abundance of in Leg 34 basalts, 192, 239-243, 289, 293
Triquetrorhabdulus carinatus Zone (NN1), 89, 711, 716
Tuamotu Rise, 163
Turbidites, 747
Typical Oceanic Profile Sample (TOPS), 294
Ulvospinel, 270
Unconformity, angular, 122
Uranium concentrations, basalt, 343, 352, 455
Vein minerals, 767
Verdun Formation, 747
Vermiculite, 617
Vertical component of magnetization, 483
Viscous remanent magnetization, 467, 473, 475, 479-483, 527, 773
Volcanic activity, Andean, 605, 611
Peruvian Neogene, 608
Volcanic basement, alteration by seawater, 433
Volcanic clinopyroxene, 606
K-feldspar, 605
glass, 605, 783
hornblende, 611
muscovite, 606
orthopyroxene, 606
plagioclase, 605
quartz, 606
zircon, 606
Volcanic material, 27
Volcanism, 618
interplate, 301
island arc, 618
off-ridge, 3, 301, 305, 306, 346
submarine, 560
Volcanoes, andesitic, 27
pantelleritic, 618
Volcanogenic minerals, 619
sediments, 783
Weathering, low temperature, 291, 433, 440
See also Halmyrolysis
Weathering sea floor, 338
Wharton Basin, 200
X-ray fluorescence analyses, 239, 263
X-ray diffraction analyses, 11, 386, 589
Zeolites, 617, 619
Zircon, 617
volcanic, 606