

## INDEX

- "A" Pond, survey area At-5, 34  
Absolute age determinations, potassium-argon, 330  
Abyssal tholeiite, classification by primary phases, 516  
    role of plagioclase flotation, 516  
Acoustic basement, location of, Hole 395A, 145  
    Wave velocity measurements, effect of water  
        saturation, 384  
        methods, 383  
        oceanic crustal samples, 383  
Aeolian origin of, Holes 395 and 396, clay minerals, 330  
Age of basement, Site 395, 143  
    oldest sediments, Site 395, 140  
    sediments, Site 396, 269  
    Sites 332 and 395, 660  
        the crust, magnetic evidence, Site 395, 128  
        Site 396, 128  
Alkali metals and alteration effects, basalt, 494  
Alkalic tendency, basalt, 480  
Alkaline basalts of, Iceland, 480  
Alteration, hematite, Basalt, 560  
    Hole 395A, Dolerite, 532  
    hydrothermal solutions, basalt, 560  
    iron hydroxides, basalt, 560  
    secondary ilmenite, basalt, 557  
    of, igneous rocks, 151  
    of, basalts, Hole 395A, 152  
Altered, strontium isotope ratios of, basalt, 535  
Aluminosilicates, 350  
*Amaurolithus primus* Subzone, 140,  
    307, 539, 308  
Analyses, chromium spinels, 581  
    of sediments, methods, clay minerals, 323  
Analytical procedures, basalt, chemical analyses, rare  
    earth elements, 479, 493, 533, 684  
    igneous rocks, chemical analyses, 12, 681  
Aphyric basalts, Chemistry, 156  
Authorship, responsibilities for, 15  
Azores, 5  
Basal chilled margin, dolerite, 529  
Basalt, alkali metals and alteration effects, 494  
    alkalic tendency, 480  
    alteration, Hematite, 560  
        hydrothermal solutions, 560  
        iron hydroxides, 560  
        secondary ilmenite, 557  
    altered, strontium isotope ratios of, 535  
    breccia, 132, 152  
    chalcopyrite, 561  
    chemical analyses, analytical procedures, 479, 533,  
        493  
        effects of alteration on, 451  
        interlaboratory standards, 685  
        methods, 447  
neutron activation  
    analysis, 682  
    rare earth elements, analytical procedures, 684  
    XRF and EMX analyses compared, 509  
    of, 32, 447  
    composition, 479, 513, 694  
    stratigraphy, 131, 265, 479,  
        petrogenesis, 10  
    chromium spinel, 561, 557  
    clinopyroxene, composition of, Hole 395A, 548  
        electron microprobe analyses of, Site 395, 466  
        phenocrysts, 615, 432  
    Site 395, 465  
        rare earth elements, Hole 395A, 548  
        partition coefficients, Hole 395A, 548  
    composition of, Hole 395A, 548  
    content controlled by secondary processes, gases, 651  
    conventions for description of, 145  
        designations of chemical units, 154  
    cooling history of, 423  
        rates, 444  
    cooling-rate experiments, Site 395, 469  
    crystal fractionation, 471, 667  
        experimental methods, 468  
        morphologies, 423  
    D/H fractionation, Hole 395A, 543  
    degree of fractionation, 513  
     $\delta$  D values, Hole 395A, 543  
    dynamic melting, 668  
    extent of fractionation, 160  
    f(O<sub>2</sub>)-T conditions of iron-titanium oxides, 557  
    glassy rinds, electron microprobe analyses, 507  
    ground mass, lantern and chain morphology, 653  
    Hole 395, potassium-argon date, 539  
        variation diagrams, 478  
    Hole 395A, chemical stratigraphy, 132  
        oxygen-18 composition, Low-temperature meta-  
            morphism, 545  
        rare earth elements, 545  
        trace elements analyses, 545  
        water circulation, 542  
    homogeneity of the mantle source material, 160  
    hydrothermal alteration, 12  
    ilmenite, 557  
        and sulfide, 557  
    instrumental neutron-activation analysis, 447  
    iron-titanium oxides, 557  
        volume-change cracks, 557  
    large-ion-lithophile elements, Mantle source, 458  
    leg 37, chemical stratigraphy, 662  
    leg 45, chemical stratigraphy, 660  
        primitive character of aphyric samples, 480  
    liquid inclusions in phenocrysts, Sites 395 and 396, 671  
    low-temperature alteration, 12, 151

- magma mixing, 458, 471, 513,  
     origin 668  
 magmaphile element abundances, 450, 459  
 ratios, 458  
 magnetite, Eu anomalies, Hole 395A, 549  
 rare earth elements, Hole 395A, 549  
 trace elements in, Hole 395A, 548  
 major petrographic types recovered on Leg 45, 11  
 marcasite, 561  
 $Mg/(Mg + Fe)$  values, East Pacific Rise, 671  
 Iceland, 671  
 microprobe analyses of iron-titanium oxides, 557  
 mid-ocean ridge tholeiites, Composition of, 449  
 Mid-Atlantic Ridge, Hydrocarbon-hydrogen content  
     615  
 mineralogy and petrology of, 149  
 normative composition, 455, 583  
 oceanic tholeiites, 464  
 olivine, chemical composition, Hole 395A, 547  
     composition of, Site 395, 462, 469  
     phenocrysts, 430, 432, 649  
     rare earth elements, Hole 395A, 548  
     partition coefficients, Hole 395A, 548  
     phenocrysts, Glomerophytic intergrowths of, ???  
 opaque minerals, 557  
 description of, 557  
 oxygen-18 values, Hole 395A, 542  
     increase with depth, 542  
     smectite minerals, Hole 395A, 545  
     correlated with water content, Hole 395A, 542  
 partial melting, Site 395, 671  
 petrography, and chemical composition, Regional  
     comparisons, 653  
 phenocrysts, Near-Liquious phase, 662  
 pillow lava, 507  
     chemical stratigraphy, 507  
 plagioclase, composition, Hole 395A, 545  
 Site 395, 462, 469  
     phenocrysts, glomerophytic intergrowths of, 428  
     rare earth elements, Hole 395A, 545  
     partition coefficients, Hole 395A, 547  
     phenocrysts, 463, 613  
 pyrite, 561  
 pyrrhotite, 561  
 rare earth elements in, FAMOUS area of the Mid-  
     Atlantic Ridge, 671  
     element abundances, 457  
     patterns, 449, 461  
 role of crystal fractionation, 11, 272  
 seawater contamination effect on strontium isotope  
     ratios, 536  
 sediments in, 269  
 Site 395, magmatic units, 456  
 spinel, Site 395, 464, 469  
 strontium content, 444  
     isotope investigations of, 535  
 sulfide globules, 561  
     spherules, 561  
 sulfides, 557, 561  
     survey area AT-5, 30  
     trace elements, 493  
         partitioning during melting and crystallization, 495  
         veinlets, 615  
         vesicles, Filling associations, 615  
         x-ray fluorescence analyses, 447  
 Basalt cobbles, 131  
     compared with, Leg 45 basa, FAMOUS area of the  
         Mid-Atlantic Ridge, 496  
     types, chemical discriminants, 662  
     xenoliths, 603  
 Basaltic glasses, sulfide spherules, chemical analyses of,  
     Hole 396, 553  
     chemistry, Hole 396, 554  
     Hole 396, 554  
     morphology, Hole 396, 551  
     scanning electron micrographs, Hole 396, 551  
     source of sulfur, Hole 396, 554  
     sulphur content, Hole 396, 556  
         in vesicles, Hole 396, 551  
         vesicles in, Hole 396, 551  
 Basement rocks, Site 396, physical properties, 272  
 Bathymetric map, survey area AT-5, 24  
     of, Kane fracture zone trough, 119  
 Bermuda Rise, drilling, 6  
 Biostratigraphy, 18  
     Site 395, 140  
     Site 396, 269  
 Bitumens, content in basalts, 647  
     gabbros, 647  
     morphology, 657  
 Breccia, basalt, 154  
     Hole 395A, 388, 394  
     zone, Hole 395A, 409, 412  
     zones, Hole 395A, 163  
 Brunhes magnetic epoch, 128  
 Carbon and carbonate analyses, 379  
 Carbonate content, Site 395, 140  
     Site 396, 269  
     data, 17  
     veins, Oxygen-18 values, 610  
*Ceratolithus acutus* Subzone, 307  
     *rugosus* Zone, 269, 308  
     *separatus*, new species, 310  
     *simplex*, new species, 310  
 Chalcopyrite, 561  
 Characterizion of, igneous and metamorphic rocks,  
     lithologic units, 145  
 Chemical analyses, analytical procedures, basalt,  
     479, 533  
     igneous rocks, 12, 681  
     dolerite, 525  
     effects of alteration on, Basalt, 451  
     interlaboratory standards, Basalt, 685  
     iron-titanium oxides, 561  
     methods, basalt, 447  
         sediments, 349  
     Neutron activation analysis, basalt, 682

- Rare earth elements, analytical procedures, basalt, 684  
 XRF and EMX analyses compared, basalt, 494  
     shipboard analyses, igneous rocks, 681  
 Chemical analyses of, basalt, 32, 447  
     Hole 396, basaltic glasses, sulfide spherules, 553  
 Chemical composition, basalt, 479, 513  
     dolerite, Hole 395A, 480  
     Hole 395A, basalt, olivine, 547  
     of, sediments, 323  
     discriminants, basalt types, 662  
     evidence, magma batches, 667  
     remanent magnetization, 388 401  
     stratigraphy, basalt, 131, 265, 479  
         Hole 395A, 132  
         Leg 37, 662  
         Leg 45, 660  
         Pillow Lava, 507, 509  
         Site 332, 671  
             and petrogenes is, basalt, 10  
     units, Site 396, 272  
 Chemistry, aphyric basalts, 156  
     Hole 395A, 156  
     Hole 396, basaltic glasses, sulfide spherules, 554  
     igneous rocks, Site 396, 271  
     of basaltic and igneous rocks, Hole 395, 154  
     phyric basalts, 156  
     ultramafic and mafic plutonic rocks, 154  
 Chilled margin, dolerite, 525  
 Chlorite, 323  
 Chromian spinels, Mineral chemistry, 589  
 Chromium spinel, basalt, 557, 561  
     spinels, analyses, 581  
         compositional zoning, 581  
         phenocryst phase, 581  
 Clay minerals, aeolian origin of, Holes 395 and 396, 330  
 analyses of sediments, Methods, 323  
 distribution of, Holes 395 and 396, 327  
 mixed layer types, 327  
 polymictic complex of, Holes 395 and 396, 327  
     Influence of ocean currents on formation of, 330  
 sediments, Holes 395 and 396, 323  
     volcanic origin of, Holes 395 and 396, 330  
 Clays, metalliferous, Mid-Atlantic Ridge, 269  
 Clinopyroxene, composition of, Hole 395A, Basalt, 548  
 electron microprobe analyses of, Site 395, basalt, 466  
 mineral chemistry, 588  
 oxygen-18 values, Hole 395A, igneous rocks, 543  
 phenocrysts, basalt, 432, 615  
     dolerite, 521  
     Site 395, basalt, 465  
 rare earth elements, Hole 395A, Basalt, 548  
 residual in mantle, effect on rare earth elements, 671  
 fractionation, effect on rare earth elements, 668  
 partition coefficients, Hole 395A, basalt, 548  
 Coarse-grained massive flow units recovered from,  
     Nazca plate, 407, 409  
 Cobalt, concentration in sediments, 353  
 Compositional distribution trends, Hole 395A, dolerite,  
     534  
     zoning, chromium spinels, 581  
 Concentration in sediments, cobalt, 353  
     copper, 353  
     iron, 352  
     manganese, 352  
     titanium, 353  
     vanadium, 352  
 Conglomerates dredged, survey area AT-5, 30  
 Converging plate boundaries, 593  
 Cooling history of, basalt, 423  
 Cooling-rate experiments, Site 395, basalt, 469  
 Copper, concentration in sediments, 353  
 Core handling, 15  
     igneous rocks, 19  
 Cruise operations summary, Site 395, 327  
     Site 396, 327  
 Crustal age correlated with reversals in, magnetic  
     polarity, 392  
     aging, 658  
     structure, North Pond, survey area AT-5, 28  
 Crystal fractionation, 668  
     basalt, 471, 462, 667  
     experimental methods, Basalt, 468  
     Hole 395A, dolerite, 530  
     morphologies, basalt, 423  
     settling in, dolerite, 441  
 Crystallization, role of undercooling, 434  
 stages of, 432  
 sequence, dolerite, 525  
 Curie temperature, 388, 403, 407, 412, 576, 579  
     magnetic properties, 397  
     titanomagnetite, 410  
*Cyclococcocolithina macintyreai* Subzone, nannos, zonation, 307  
 D/H fractionation, Hole 395A, Basalt, 543  
 Deep drill area near, FAMOUS area of the Mid-Atlantic  
     Ridge, 5  
 $\delta$  D values, Hole 395A, basalt, 543  
*Discoaster brouweri* Zone, 305, 310  
     *exilis* Zone, 265, 269, 307, 309  
     *neohamatus* Zone, 310  
     *quinqueramus* Zone, 131, 140, 539  
     *tamalis* Subzone, 307, 308  
 Dislocations in, olivine, 603  
 Distribution of, Holes 395 and 396, clay minerals, 327  
 Dolerite, 148, 615  
     alteration, Hole 395A, 532  
     basal chilled margin, 529  
     chemical analyses, 524  
     chilled margin, 525  
     clinopyroxene, Phenocrysts, 521  
     compositional distribution trends, Hole 395A, 534  
     crystal fractionation, Hole 395A, 530  
         settling in, 441  
     crystallization sequence, 525  
     effects of differentiation, Hole 395A, 534  
     glass inclusions in olivine and clinopyroxene mega-crysts, 523  
     grain-size and texture, Hole 395A, 529  
     Hole 395A, 529  
         chemical composition, 480  
         petrology of, 519  
         rare earth elements, 545

- trace elements, 545  
 mesostasis, Hole 395A, 529, 531  
 mineralogy, Hole 395A, 520  
 olivine, Phenocrysts, 520  
 phenocrysts, Hole 395A, 529  
 pigeonite, 521  
 plagioclase, Flow differentiation of, ???  
     phenocrysts, 521  
 trapped liquid composition, 524  
 crystallization sequence, Hole 395, 529  
 dike, Hole 395A, 394  
 dikes, Hole 395A, 388  
 Dredged rock samples, survey area AT-5, 30  
 Drilling, Bermuda Rise, 6  
     Kane fracture zone, 7  
     disturbance, 17  
         sediments, 307, 319  
         Site 395, 138  
     remanent magnetization, 387  
 Dynamic melting, Basalt, 668  
 Earthquake data, survey area AT-5, 29  
 East Pacific Rise, basalt, Mg/(Mg + Fe) values, 671  
 Electron microprobe analyses, basalt, glassy rinds, 507  
     experimental methods, 575  
     of, clinopyroxene, 466  
 Estimation of temperatures, 591  
 Eu anomalies, Hole 395A, basalt, magnetite, 549  
 Eutectic melt of plagioclase peridotite, Site 395, 671  
 Experimental methods, basalt, crystal fractionation, 468  
     electron microprobe analyses, 575  
     opaque mineralogy studies, 407  
     paleomagnetics, 13, 161, 387  
     rock magnetic studies, 397  
 Exsolution lamellae, pyroxene, 595  
 Extent of fractionation, basalt, 160  
 Extrusive pillows, 578  
 f(O<sub>2</sub>)-T conditions of iron-titanium oxides, basalt, 557  
 Filling associations, basalt, vesicles, 615  
 Finero complex, 593  
 Five Trough, 44  
 Flow differentiation of, dolerite, plagioclase, 26  
 Foraminiferal, Sites 395 and 396, lysocline, 268  
 Forams, Site 395, 319  
     Site 396, 321  
 Zonation, *Globigerina calida calida* Subzone, 321, 322  
     *Globorotalia crassaformis hessi* Subzone, 321, 322  
         *viola* Subzone, 320, 322  
         *fimbriata* Subzone, 321  
         *fohsii foehsi* Zone, 269, 321, 322  
         *margaritae evoluta* Zone, 319, 321, 350  
             *margaritae* Zone, 319, 321  
             *miocenica* Zone, 320, 321, 352  
             *tosaensis* Zone, 320, 321, 350, 352, 354  
             *truncatulinooides* Zone, 321  
     Glomerophytic intergrowths of olivine phenocrysts, 441  
         plagioclase, Phenocrysts, 441  
 Grain-size analyses, 379  
     and texture, Hole 395A, dolerite, 529  
     data, 17  
 Granulation texture, titanomagnetite, 407  
 Gravity studies, survey area AT-5, 26  
 Groundmass, lantern and chain morphology, basalt, 653  
 Harzburgite, 131, 583, 589, 595  
     Site 395, 143  
 Hawaii, Makaopuhi Lava Lake, Kilauea volcano, 444  
 Heat-flow, survey area AT-5, 29, 42  
 Heat-induced water circulation, 610  
 Heavy metal distribution of, sediments, 350  
     metals, geochemistry of, 349  
         hydrothermal origin of, 354  
 Hematite, basalt, alteration, 560  
 High-temperature oxidation, oxidation states of iron-titanium oxides, 557  
     titanomagnetite, 407  
 Higher concentration of ferric hydroxide, Pliocene/Pleistocene boundary, 332  
 Hole 395, Chemistry of basaltic and igneous rocks, 154  
     dolerite crystallization sequence, 529  
     igneous rocks, Vertical ciation of samples, 160  
     paleomagnetics, magnetic intensity, 161  
         polarity, 160  
         stable inclination values of, 161  
     paleomagnetism in igneous rocks, 160  
     peridotite, 587  
     plutonic complex, 143

- potassium-argon date, basalt, 539  
 sediment/base contact, Description of, 143  
 Turbidites, age of, 331, 350  
 variation diagrams, basalt, 479  
 Hole 395A, acoustic basement, location of, 145  
 alteration of basalts, 152  
 basalt, clinopyroxene, composition of, 548
  - rare earth elements, 548
  - partition coefficients, 548
  - composition of, 548
  - D/H fractionation, 543
  - $\delta D$  values, 543
  - Magnetite, Eu anomalies, 549
  - Rare earth elements, 549
  - Trace elements in, 548
  - Olivine, Chemical composition, 547
  - Rare earth elements, 548
  - partition coefficients, 548
  - Oxygen-18 values, 542
  - correlated with water, content, 542
  - smectite minerals, 542
  - Plagioclase, Composition, 545
  - Rare earth elements, 545
  - Partition coefficients, 547
 Breccia, 388, 394
  - zone, 163, 409, 412
 Chemical composition, dolerite, 480
  - stratigraphy, basalt, 132
 Chemistry, 156  
 Dolerite, 529  
 Dolerite, 529
  - alteration, 532
  - compositional distribution trends, 534
  - crystal fractionation, 530
  - effects of differentiation, 534
  - dike, 388, 394
  - grain-size and texture, 529
  - mesostasis, 529, 531
  - mineralogy, 520
  - phenocrysts, 529
 hydrothermal fluids, 132  
 igneous rocks, 161
  - clinopyroxene, oxygen-18 values, 543
  - magnetite, oxygen-18 values, 542
  - olivine, oxygen-18 values, 543
  - plagioclase, oxygen-18 values, 543
 ilmenite lamellae in ultramafics, 409  
 magnetic inclination of, 388  
 magnetite-ulvöspinel solid solution series, 575  
 oxygen-18 composition, Low-temperature metamorphism, Basalt, 545  
 paleomagnetic stratigraphy, 162  
 paleomagnetics, 132  
 petrology of, Dolerite, 519  
 phenocrysts, 659  
 potassium-argon date compared to paleontological dating of sediments, 539  
 rare earth elements, basalt, 545
  - dolerite, 545
 re-entry cone, 134
- schematic diagram, 134  
 serpentized peridotite, Rare earth elements, 545  
 Trace elements, 545  
 site data, 131  
 termination of hole, Cause, 134  
 trace elements, dolerite, 545
  - analyses, Basalt, 545
 water circulation, Basalt, 542  
 Hole 396, basaltic glasses, sulfide spherules, 554
  - chemical analyses of, 553
  - chemistry, 554
  - morphology, 551
  - scanning electron micrographs, 551
  - source of sulfur, 554
  - sulfur content, 556
    - in vesicles, 551
  - magnetic inclination, 388
  - turbidites, Age of, 350
  - Vesicles in, 551
 Holes 395 and 396, clay minerals, aeolian origin of, 330
  - distribution of, 327
  - polymictic complex of, 327
  - sediments, 323
  - volcanic origin of, 330
 gas analyses, 647
  - content, Peridotite, 649
 Homogeneity of the mantle source material, Basalt, 160  
 Homogenized core of pyroxenes, mineral chemistry, 589  
 Hydrocarbons, content in basalts, 647  
 Hydrodynamic regime, 331, 400  
 Hydrogen, content in basalt, 647  
 Hydromica, 323  
 Hydrothermal activity, survey area AT-6, 42
  - alteration, basalt, 12
  - circulation, survey area AT-6, 43
  - fluids, Hole 395A, 132
    - remagnetization of the breccia zones caused by, 394
 origin of, heavy metals, 354
  - iron, 352
  - manganese, 352
 solutions, basalt, alteration, 560  
 Iceland, 5
  - Alkaline basalts of, 480
  - Basalt, Mg/(Mg + Fe) values, 671
 Igneous and metamorphic rock classification, 19
  - rocks, Lithologic summary, 141, 271
  - units, characterizion of, 145
 oceanic crust, Time of formation, 392, 394  
 rocks, Alteration of, 151
  - chemical analyses, Analytical procedures, 681, 12
  - XRF shipboard analyses, 681
  - clinopyroxene, Oxygen-18 values, Hole 395A, 543
  - core handling, 18
  - Hole 395A, 161
  - magnetite, oxygen-18 values, Hole 395A, 543
  - olivine, oxygen-18 values, Hole 395A, 543
  - paleomagnetism, 272
  - plagioclase, oxygen-18 values, Hole 395A, 543
  - Site 396, chemistry, 271

- vertical orientation of samples, Hole 395, 160  
 data bank, DSDP, 687
- Ilmenite, Basalt**, 557  
 and sulfide, Basalt, 557  
 lamellae along planes of magnetite grains, 408, 412  
 in ultramafics, Hole 395A, 409
- Inclination**, Lower than predicted, Site 332, 674
- Instrumental neutron-activation analysis**, basalt, 447
- Integrated**, magnetic intensity, 392
- Interlaboratory standards**, basalt, chemical analyses, 685
- Intermediate temperature alteration** of, Zeolite facies metamorphism, 412
- Intermediate-temperature oxidation**, titanomagnetite, 407
- International Phase of Ocean Drilling (IPOD)**, objective of, 23
- Iron**, concentration in sediments, 352  
 correlative relationships with other metals, 350  
 hydrothermal origin of, 352  
 hydroxides, Basalt, Alteration 560  
 migration of, 408, 411
- Iron-titanium oxides**, Basalt, 557  
 Chemical analyses, 561  
 Volume-change cracks, basalt, 557
- IPOD Site 5**, multichannel digital seismic reflection profile survey of, 23
- Juan de Fuca Ridge**, source of basaltic glass used as standard, 507
- Kane fracture zone**, 128  
 drilling, 7  
 trough, 121  
 bathymetric map of, 119
- Kaolinite**, 323
- Kilauea rift system**, 444  
 volcano, Hawaii, Makaopuhi Lava Lake, 444
- Kurile Island arc**, gas content in basalts, 647
- Lantern and chain morphology**, Basalt, groundmass, 653
- Large-ion-lithophile elements**, mantle source, basalt, 458
- Late miocene**, Stratigraphic hiatus, 39
- Leg 37**, chemical stratigraphy, basalt, 662
- Leg 45**, chemical stratigraphy, basalt, 660  
 FAMOUS area of the Mid-Atlantic Ridge, basalt compared with, 496  
 objectives, 5  
 primitive character of aphyric samples, basalt, 480
- Lherzolite**, 131, 587, 590, 595  
 mantle source material, 671  
 Site 395, 143
- Liquid inclusions** in phenocrysts, Sites 395 and 396, Basalt, 671
- Liquidus phases**, olivine tholeiite, 513
- Lithologic summary**, igneous and metamorphic rocks, 134, 271  
 units, characterization of, igneous and metamorphic rocks, 145
- Low-partition coefficient elements**, mid-ocean ridge basalts, 496
- Low-temperature alteration**, basalt, 12, 151, 609  
 metamorphism, Basalt, Hole 395A, oxygen-18 composition 545  
 oxidation, 460, 575
- oxidation states of iron-titanium oxides, 557  
 rock magnetics, 403  
 titanomagnetite/titanomaghemite, 407  
 to titanomaghemite, titanomagnetite, 577
- Lysocline, foraminiferal**, Sites 395 and 396, 268  
 survey area AT-6, 42
- Magma batches**, chemical evidence, 667  
 rare earth elements, 667  
 chamber, 394  
 chambers role in, ocean crust formation, 389  
 genesis, rate relative to spreading rate, 671  
 mixing, basalt, 459, 471, 668  
 origin, basalt, 513  
 reservoirs, 444, 445
- Magmaphile element abundances**, basalt, 450, 459 ratios, Basalt, 458
- Magmatic processes**, 658  
 units, basalt, Site 395, 456
- Magnetic anomalies**, 387, 393  
 underway measurements, 55  
 anomaly, Survey area AT-6, 43  
 anomaly M-O, 6  
 anomaly 2, 121  
 anomaly 3, 121  
 anomaly 4, 8, 17, 43, 121, 140, 307, 319, 387, 393  
 anomaly 5, 5, 24, 43, 266, 309, 319, 387  
 chronology, 393  
 evidence, Site 395, age of the crust, 128  
 Site 396, age of the crust, 128  
 Spreading rates, 121
- inclination**, 11, 674  
 correlation between holes, 675  
 Hole 396, 389  
 paleomagnetics, 387  
 of, Hole 395A, 388
- inclinations**, Site 395, 674
- intensity**, 11, 394, 393  
 Hole 395, Paleomagnetics, 161  
 integrated, 392  
 paleomagnetics, 162
- Layer**, 400
- mineralogy**, 397  
 titanomaghemite, 400  
 titanomagnetite, 400
- minerals**, composition of, 397
- in submarine basalts**, 575
- polarity**, 387, 388  
 crustal age correlated with reversals in, 392
- profiles**, Mid-Atlantic Ridge, 119
- properties**, coercivity, 397
- Curie temperature**, 397
- median demagnetizing field**, 397
- saturation magnetization**, 397
- weak-field susceptibility**, 397
- remanence**, 397
- source layer**, 393
- stratigraphy**, 11, 674
- units**, coincident with chemical units, 674  
 not correlated with chemical units, 675
- Magnetics, polarity transition boundaries**, 121

- survey area AT-5, 24  
 Magnetite, Eu anomalies, Hole 395A, basalt, 549  
   oxygen-18 values, Hole 395A, igneous rocks, 542  
   rare earth elements, Hole 395A, basalt, 549  
   trace elements in, Hole 395A, basalt, 548  
 Magnetite-ulvöspinel solid solution series, Hole 395A, 575  
 Magnetization intensity, 391, 397  
 Major petrographic types recovered on Leg 45, basalt, 11  
 Makaopuhi Lava Lake, Kilauea volcano, Hawaii, 444  
 Manganese, Concentration in sediments, 352  
   hydrothermal origin of, 352  
 Mantle heterogeneity, 496  
 Mantle source, basalt, large-ion-lithophile elements, 458  
   compositions, temporal variations in, 658  
   material, lherzolite, 671  
 Marcasite, basalt, 561  
 Median demagnetizing field, magnetic properties, 397  
 Melt densities, olivine tholeiite, melting experiment, 514  
 Melting experiment, Melt densities, olivine tholeiite, 514  
   viscosity measurements, olivine tholeiite, 516  
   experiments, sequence of crystallization, olivine tholeiite, 513  
 Mesostasis, Hole 395A, dolerite, 529, 531  
 Metalliferous Clays, Mid-Atlantic Ridge, 269  
   sediments, 12  
 Mg/(Mg + Fe) values, East Pacific Rise, basalt, 671  
   Iceland, basalt, 671  
 Microbrecciatec structures, turbidites, 331  
 Micropoikiloblastic texture, 596  
 Microprobe analyses of iron-titanium oxides, basalt, 557  
 Mid-ocean ridge basalts, 131  
   low-partition coefficient elements, 496  
   tholeiites, composition of, basalt, 448  
 Mid-oceanic ridges, gas content in basalts, 647  
 Mid-Atlantic Ridge, 5, 23, 119, 140, 323, 332, 349, 350,  
   354, 383, 392, 407, 445, 658, 668  
 clays, Metalliferous, 269  
 geochemical anomalies of, 658  
 high plateau, 24  
   hydrocarbon-hydrogen content, basalt, 649  
 magnetic profiles, 119  
   median valley, 653  
   Site 395, 131  
   Site 396, 265  
 Mineral chemistry, chromian spinels, 589  
   clinopyroxene, 588  
   homogenized core of pyroxenes, 589  
   olivine, 588, 596  
   orthopyroxene, 588  
   peridotite, 596  
   pyroxene, 596  
   spinel, 598  
   ultramafic rocks, 587  
 Mineral crystallization sequence, Site 395, 426  
 Mineralogy, Hole 395A, dolerite, 520  
   and petrology of, Basalt, 148  
 Miocene, stratigraphic hiatus, 321  
 Miocene/Pliocene boundary, 308  
 Montmorillonite, 327  
 Multichannel digital seismic reflection profile survey of,  
   IPOD Site 5, 23  
 Myrmekitic intergrowths, titanomagnetite, 560  
 Nannofossils, *Ceratolithus separatus*, New species, 310  
   *simplex*, new species, 310  
 Miocene/Pliocene boundary, 308  
 Site 395, 307  
 Site 396, 309  
   systematic description, 310  
 zonation, *Amaurolithus primus* Subzone, 140, 307,  
   308, 539  
   *Ceratolithus acutus* Subzone, 307  
     *rugosus* Zone, 269, 308  
     *Cyclococcolithina macintyreui* Subzone, 307  
     *Discoaster brouweri* Zone, 308, 310  
       *exilis* Zone, 265, 269, 307, 309  
       *neohamatus* Zone, 310  
       *quinqueramus* Zone, 131, 140  
       *tamalis* Subzone, 307, 308  
     *Triquetrorhabdulus rugosus* Zone, 308  
 Nazca plate, 387  
   coarse-grained massive flow units recovered from,  
   407, 409  
   titanomagnetite analyzed from coarse-grained massive flow units, 575  
 Neutron activation analysis, Basalt, Chemical analyses, 682  
 New species, nannos, *Ceratolithus separatus*, 310  
   *simplex*, 310  
 Normative composition, Basalt, 455, 583  
 North Pond, survey area At-5, 32  
   crustal structure, 29  
   sediment isopach map, 24  
 Objectives, Leg 45, 5  
 Ocean crust formation, magma chambers role in, 389  
 Ocean-bottom seismometers, survey area AT-5, 26  
   AT-6, 49  
 Oceanic crustal Layer 2, 11, 131, 392, 658, 676  
   rate of formation, 11  
   seismic refraction studies, 386  
 Layer 3, 11  
   islands and island arcs, gas content in basalts, 647  
   lithospheric plates, 609  
   tholeiites, basalt, 464  
 Oceanites, defined, 660  
 Olivine, chemical composition, Hole 395A, Basalt, 547  
   composition of, Site 395, Basalt, 469, 494  
   dislocations in, 603  
   mineral chemistry, 588, 596  
   oxygen-18 values, Hole 395A, igneous rocks, 543  
   phenocrysts, 409  
     basalt, 430, 432, 615  
     composition of, 271  
     dolerite, 520  
     Site 395, 465  
   rare earth elements, Hole 395A, Basalt, 548  
   partition coefficients, Hole 395A, Basalt, 548  
   phenocrysts, Glomerophytic intergrowths of, Basalt,  
     441  
   tholeiite, Liquidus phases, 513

- melting experiment, melt densities, 514
- experiments, sequence of crystallization, 513
- viscosity measurements, 516
- origin by crystal fractionation, Site 395, 516
- partial melting, Site 395, 516
- Olivine-chromium-rich, spinels, 583
- Olivine-spinel geothermometer, 592
- Opaque mineralogy, Stages of Low-temperature oxidation, 408
  - of, submarine basalts, 407
  - studies, experimental methods, 407
- Opaque minerals, basalt, 557
  - description of, Basalt, 557
- Operations, Site 395, 132
- Operations, Site 396, 266
- Ophiolite complexes, 587
- Origin by crystal fractionation, Site 395, olivine tholeiite, 516
  - partial melting, Site 395, olivine tholeiite, 516
- Orthopyroxene, Mineral chemistry, 588
- Oxidation states of iron-titanium oxides, high-temperature oxidation, 557
  - low-temperature oxidation, 557
  - pillow basalt, 557
- Oxygen-18 composition, Low-temperature metamorphism, basalt, Hole 395A, 545
- Oxygen-18 values, carbonate veins, 610
  - Hole 395A, basalt, 542
    - Igneous rocks, clinopyroxene, 543
      - magnetite, 543
      - olivine, 543
      - plagioclase, 543
    - increase with depth, Basalt, 542
    - saporites, 610
    - smectite minerals, Hole 395A, Basalt, 521
    - correlated with water content, Hole 395A, Basalt, 542
  - Paleomagnetic stratigraphy, Hole 395A, 162
  - Paleomagnetics, experimental methods, 13, 161, 387
    - Hole 395A, 132
    - magnetic inclination, 387
      - intensity, 162
        - Hole 395, 161
    - polarity, Hole 395, 161
    - secular variation, 391
    - serpentinized peridotite, 387
    - Site 395, 131
    - Site 396, 265
      - stable inclination values of, Hole 395, 161
  - Paleomagnetism, igneous rocks, 272, 438
    - in igneous rocks, Hole 395, 160
  - Paleontological age of, Sediments, 393
  - Partial melt of mantle, Site 332, 668
    - melting, Site 395, Basalt, 671
  - Partition coefficients, Hole 395A, basalt, plagioclase, rare earth elements, 545
  - Partitioning during melting and crystallization, basalt, trace elements, 495
  - Pelagic clay, sedimentation rates, 330
    - sediments, survey area AT-6, 42
  - Peridotite, 131
  - Hole 395, 587
  - Holes 395 and 396, gas content, 649
  - mineral chemistry, 596
    - preferred orientation, 603
  - petrography, 595
  - structure of, 603
  - tectonized textures, Site 395, 600
  - Peridotites, Site 395, 595
  - Petrography, basalt, 653
    - peridotite, 595
      - and chemical composition, regional comparisons, basalt, 655
  - Petrology of, dolerite, Hole 395A, 519
    - ultramafic rocks, 587
  - Phenocryst phase, chromium spinels, 581
  - Phenocrysts, Basalt, clinopyroxene, 432, 615
    - Olivine, 430, 432, 615
      - composition of, Olivine, 271
    - dolerite, clinopyroxene, 521
      - olivine, 520
    - glomerophytic intergrowths of, basalt, plagioclase, 438
      - Hole 395A, 659
        - dolerite, 529
      - near-liquidus phase, basalt, 662
      - olivine, 409
    - Site 395, basalt, clinopyroxene, 465
      - olivine, 464
        - in, basalt, plagioclase, 428
  - Phryic basalts, chemistry, 156
  - Physical properties, basement rocks, Site 396, 272
    - Site 396, 269
      - of basement rocks, Site 395, 163
  - Pigeonite, dolerite, 521
  - Pillow basalt, oxidation states of iron-titanium oxides, 557
  - lava, basalt, 507, 653
  - chemical stratigraphy, basalt, 507, 509
  - Plagioclase, composition, Hole 395A, basalt, 545
    - Site 395, basalt, 462, 469
      - flow differentiation of, dolerite, 441
    - oxygen-18 values, Hole 395A, igneous rocks, 543
    - phenocrysts, glomerophytic intergrowths of, Basalt, 441
      - in, basalt, 428
    - rare earth elements, Hole 395A, basalt, 545
      - partition coefficients, Hole 395A, basalt, 547
    - phenocrysts, basalt, 463, 613
      - composition of, 271
      - dolerite, 521
  - Pliocene/Pleistocene boundary, higher concentration of ferric hydroxide, 332
  - Plutonic complex, Hole 395, 143
  - Polarity, Hole 395, paleomagnetics, 161
    - intervals, 388
      - transition boundaries, magnetics, 121
  - Polymictic complex of, Holes 395 and 396, clay minerals, 327
    - influence of ocean currents on formation of, clay minerals, 330
  - Potassium-argon, absolute age determinations, 330

date, Basalt, Hole 395, 539  
compared to paleontological dating of sediments,  
Hole 395A, 539

Primary magma, Site 395, 516

Primitive character of aphyric samples,, basalt, Leg 45,  
480

Pyrite, 409  
basalt, 561

Pyroxene, exsolution lamellae, 595  
mineral chemistry, 596  
phenocrysts, bent, 588

Pyrrhotite, 409, 554, 561

Rare earth elements in basalt, FAMOUS area of the  
Mid-Atlantic Ridge, 671  
element abundances, basalt, 457  
patterns, basalt, 449, 461

elements, analytical procedures, basalt, chemical  
analyses, 684

Basalt, Hole 395A, 545

Dolerite, Hole 395A, 545

Hole 395A, Basalt, clinopyroxene, 548  
magnetite, 549  
olivine, 548  
plagioclase, 545  
serpentized peridotite, 545  
magma batches, 667  
partition coefficients, Hole 395A, basalt, plagioclae,  
547

Reconnaissance data for, survey area AT-5, 23

Recovery rate, in basement, 149

Refraction models, survey area AT-5, 352

Regional comparisons, basalt, petrography, and chemical  
composition, 655

Reworking of sediments, survey area AT-6, 42

Rock magnetic studies, experimental methods, 397  
magnetism, low-temperature oxidation, 403

Role of crystal fractionation, basalt, 11, 272  
plagioclase flotation, abyssal tholeiite, 516  
undercooling, crystallization, 434

Saponites, oxygen-18 values, 610

Saturation magnetization, magnetic properties, 397

Scanning electron micrographs, Hole 396, basaltic glasses,  
sulfide spherules, 551

Schematic diagram, Hole 395A, re-entry cone, 132

Seawater contamination effect on strontium isotope  
ratios, Basalt, 536

Secondary ilmenite, basalt, alteration, 557

Secular variation, paleomagnetics, 391

Sediment classification, special uses, 18  
cores, survey area AT-5, 30  
AT-6, 39  
distribution, survey area AT-5, 24

isopach map, North Pond, survey area AT-5, 24

lithology, Site 395, 134  
Site 396, 266

physical properties, Site 395, 140

ponds, survey area AT-5, 24  
AT-6, 23

Sediment/basement contact, description of, Hole 395,  
143

Sedimentary structures, Site 396, 268

Sedimentation, influence of hydrothermal activity on,  
332  
rates, pelagic clay, 321

Sediments, chemical analyses, methods, 349  
composition of, 323  
drilling disturbance, 307, 319  
heavy metal distribution of, 350  
Holes 395 and 396, clay minerals 323  
paleontological age of, 393  
in, basalt, 269

Seismic reflection profile records, underway measurements, 55  
profiles, survey area AT-6, 39

Seismic refraction experiments, Survey area AT-6, 49  
results, sonobuoys, 266  
survey area AT-6, 44  
studies, 11  
oceanic crustal layer 2, 386  
survey area AT-5, 26, 386

Serpentinized peridotite, 152  
cobbles, 11  
paleomagnetics, 387  
rare earth elements, Hole 395A, 545  
trace elements, Hole 395A, 545

Site data, Hole 395A, 131  
survey area AT-6, 265  
332, chemical stratigraphy, 671  
inclination, Lower than predicted, 674  
partial melt of mantle, 668

Site 395, age of basement, 143  
oldest sediments, 140  
the crust, magnetic evidence, 128

basalt, clinopyroxene, Electron microprobe analyses  
of, phenocrysts, 465, 466  
cooling-rate experiments, 469  
olivine, Composition of, 462, 469  
partial melting, 671  
plagioclase, composition, 462, 469  
spinel, 464, 469

biostratigraphy, 140  
carbonate content, 140  
compared with FAMOUS area basalt, 516  
cruise operations summary, 7  
drilling disturbance, 138  
eutectic melt of plagioclase peridotite, 681  
forams, 319  
harzburgite, 143  
Iherzolite, 143  
magmatic units, basalt, 456  
magnetic inclinations, 674

Mid-Atlantic Ridge, 131

mineral crystallization sequence, 426

mixing of magmas, 430

nannos, 307

olivine, phenocrysts, 464

tholeiite, origin by crystal fractionation, 516  
partial melting, 516

operations, 132

paleomagnetics, 131

peridotite, tectonized textures, 600

peridotites, 595

- physical properties of basement rocks, 163  
 primary magma, 516  
 sediment lithology, 134  
     physical properties, 140  
 turbidites, 138  
 ultramafic rocks, 143  
 Site 396, age of sediments, 269  
     the crust, magnetic evidence, 128  
 biostratigraphy, 269  
 carbonate content, 269  
 chemical units, 272  
 chemistry, igneous rocks, 271  
 cruise operations summary, 8  
 forams, 321  
 Mid-Atlantic Ridge, 265  
 nannos, 309  
 operations, 266  
 paleomagnetics, 265  
 physical properties, 269  
     basement rocks, 272  
 sediment lithology, 266  
     sedimentary structures, 268  
 Sites 332 and 395, age of sediments, 660  
 Sites 395 and 396, basalt, Liquid inclusions in phenocrysts, 671  
     lysocline, foraminiferal, 268  
 Slump deposition, 307  
 Smectite minerals, Hole 395A, basalt, oxygen-18 values, 542  
 Solid intrusions, 592  
 Sonobuoys, seismic refraction results, 266  
     survey area AT-5, 27  
     survey area AT-6, 49  
 Source of basaltic glass used as standard, Juan de Fuca Ridge, 507  
     sulfur, Hole 396, basaltic glasses, sulfide spherules, 554  
 Special uses, sediment classification, 18  
 Spinels, 271  
     mineral chemistry, 598  
     Site 395, Basalt, 464, 469  
         lamellae in olivine, 587  
 Spinels, olivine-chromium-rich, 583  
 Spreading rates, 23, 392  
     magnetic evidence, 121  
     calculated from magnetic data, survey area AT-5, 25  
 Stable inclination values of, Hole 395, paleomagnetics, 161  
 Stages of, crystallization, 432  
     low-temperature oxidation, opaque mineralogy, 408  
 Stratigraphic hiatus, late Miocene, 310  
     Miocene, 321  
 Strontium content, basalt, 444  
     isotope investigations of, basalt, 535  
         ratios of, basalt, altered, 535  
 Structure of, peridotite, 603  
 Submarine basalts, opaque mineralogy of, 407  
 Sulfide globules, basalt, 561  
     spherules, basalt, 561  
     chemical analyses of, Hole 396, basaltic glasses, 553  
     chemistry, Hole 396, basaltic glasses, 554  
     Hole 396, basaltic glasses, 554  
     morphology, Hole 396, Basaltic glasses, 551  
     scanning electron micrographs, Hole 396, basaltic glasses, 551  
     Source of sulfur, Hole 396, basaltic glasses, 554  
     sulfur content, Hole 396, basaltic glasses, 556  
         in vesicles, Hole 396, Basaltic glasses, 551  
 Sulfides, basalt, 557, 561  
 Sulfur content, Hole 396, basaltic glasses, sulfide spherules, 556  
 Survey area AT-23, 5  
     AT-5, 5, 131  
         A Pond, 34  
         basalt, 30  
         bathymetric map, 24  
         conglomerates dredged, 30  
         crustal structure, North Pond, 28  
         dredged rock samples, 30  
         earthquake data, 29  
         fracture zones, 25  
         free-air gravity anomaly field, 26  
         gravity studies, 26  
         heat flow, 29  
         magnetism, 24  
         North Pond, 32  
         ocean-bottom seismometers, 26  
         R/V *Kara Keoki* survey, 24  
         reconnaissance data for, 23  
         refraction models, 28  
         sediment cores, 30  
             distribution, 24  
             isopach map, North Pond, 24  
             ponds, 24  
         seismic refraction studies, 386, 26  
         sonobuoys, 27  
         spreading rates calculated from magnetic data, 25  
 AT-6, 5  
     free-air gravity anomaly, 43  
     heat flow, 42  
     hydrothermal activity, 42  
         circulation, 43  
     lysocline, 42  
     magnetic anomaly, 43  
     methods of study, 39  
     ocean-bottom seismometers, 49  
     pelagic sediments, 42  
     reworking of sediments, 42  
     sediment cores, 39  
         ponds, 39  
     seismic reflection profiles, 39  
         refraction experiments, 49  
         results, 44  
     sonobuoys, 49  
     topography and bathymetry, 39  
 Systematic description, nannos, 310  
 Techniques, gas analyses, 647

- Tectonic activity, 393  
     rotation, effect on magnetic inclination, 388, 391
- Tectonized textures, Site 395, Peridotite, 600
- Temporal variations in, Mantle source compositions, 687
- Termination of hole, Cause, Hole 395A, 134
- Time of formation, igneous oceanic crust, 392  
     of, Igneous oceanic crust, 394
- Titanium, concentration in sediments, 353
- Titanomaghemite, 398  
     magnetic mineralogy, 400  
     grains, 403
- Titanomaghemites in submarine basalts, 412
- Titanomagnetite, 488, 398, 426, 464, 557  
     composition of, 399, 407, 410, 577, 579  
     Curie temperature, 410  
     granulation texture, 407  
     high-temperature oxidation, 407  
     intermediate-temperature oxidation, 407  
     low-temperature oxidation to titanomaghemite, 577  
     magnetic mineralogy, 400  
     myrekitic intergrowths, 560  
         analyzed from coarse-grained massive flow units, Nazca plate, 575
- Titanomagnetite/Titanomaghemite, low-temperature oxidation, 407
- Topography and bathymetry, survey area AT-6, 39
- Trace element behavior within chemical units, 156  
     elements, basalt, 493  
     analyses, basalt, Hole 395A, 543  
     in, Hole 395A, Basalt, Magnetite, 548  
     dolerite, Hole 395A, 545  
     Hole 395A, Serpentinized peridotite, 545  
     partitioning during melting and crystallization, basalt, 495
- Trapped liquid composition, dolerite, 524
- Triquetrorhaboulus rugosus* Aone, nannos, zonation, 308
- Turbidites, age of, Hole 395, 331, 350  
     Hole 396, 350  
         microbrecciated structures, 331  
     Site 395, 138
- Turbidity currents, 322
- Ultramafic and mafic plutonic rocks, chemistry, 154  
     rocks, mineral chemistry, 587  
         petrology of, 587  
     Site 395, 143
- Ulvöspinel, 407
- Underway data, collection and preservation, 55  
     measurements, magnetic anomalies, 55  
         seismic reflection profile records, 55
- Vanadium, concentration in sediments, 352
- Variation diagrams, basalt, Hole 395, 479
- Variolites, 423
- Veinlets, basalt, 615
- Vertical orientation of samples, Hole 395, igneous rocks, 160
- Vesicles, filling associations, basalt, 615  
     in Hole 396, basaltic glasses, 551
- Vine-Matthews hypothesis, 387
- Viscosity measurements, Olivine tholeiite, melting experiment, 516
- Volcanic activity, 393  
     origin of, Holes 395 and 396, clay minerals, 330
- Volume-change cracks, Basalat, iron-titanium oxides, 557
- Water circulation, basalt, Hole 395A, 542
- Weak-field susceptibility, magnetic properties, 397
- X-ray fluorescence analyses, basalt, 477
- XRF and EMX analyses compared, basalt, chemical analyses, 509  
     shipboard analyses, igneous rocks, chemical analyses, 681
- Zeolite, 533  
     facies metamorphism, intermediate temperature alteration of, 412