

INDEX

- Acaeniotyle umbilicata* Zone, 668
Acoustic
 anisotropy, 59, 585
 basement, 86, 639
 impedance, computation of, 625, Site 398, 63
 pseudologs, 623
 stratigraphy, 91, 639
 Site 398, 761
 unit 3, nature of, 86
 velocity, 585
Age of opening of North Atlantic, 28
Agglutinated foraminifers, 290, 294, 691
 residual, 292
Algerianus Zone (Mci 21), foraminifers, 291
Alkalinity, 578
Alteration indexes, 543
Ammonites, 56, 75, 290, 297
 Douvilleiceras mammillatum Zone, 362
 Euhoplites laetus Zone, 362
 loricatus Zone, 362
 Hoplites dentatus Zone, 362
Lower Cretaceous, 361
 systematic descriptions, 362
Amorphous kerogen, 550
Ampere Bank, 659
Angola Basin, 575, 735
Angular unconformity, 56, 93
Anistropy, degree of cementation, relationship to, 585
Anomaly *J*, 639
 M0, 639
 34, 95, 766
Anoxic conditions, 56
Antarctic bottom water, formation of, 511
Antarctica, ice formation on, 441
Anticlines, diapiric, 636
Aptychus, 297, 404
Argo Formation, 28
Assemblage-lithofacies relationship, lithologic sub-unit
 IIIb, 308
Sub-unit IIIa, 306
 IIa, 300
 IIc, 303
 IID, 304
 IVa, 309
 IVb, 310
 Unit V, 311
Atlantic, opening of, 667
 Siliceous reproductivity, 49
 subsidence and opening of, 674
Attapulgite, 52, 56
 formation of, 437
Authorship, responsibility for, 5
Autochronous facies, 48
Azores-Gibraltar line, 768
Background and objectives, Site 398, 26
Bacterial, sulfate reduction, 733
 activity, 44
Base-of-slope province, 374
Basement, 639
Basins and Site 398, correlation between regional, 647
Bedoulian group, 290
Bejaouaensis Zone (MCi 23), 292
Belemnites, 55, 297
Benthic, foraminifers, 729
 assemblages, 293
 residual, 290, 293, 295
Betic system, 658
Biogenic activity, indexes of organic matter, 419
 minerals, Lower Cretaceous sediments, 686
Biostratigraphy, 69
 Cenozoic foraminifers, 69, 255
 Lower Cretaceous, 688
 nannofoils, 327
Bioturbation: *See* Burrows
 evidence for, 258
Bitumen content, Hole 397 sediments, 543
Black shale deposition, 30, 55, 56, 405, 437, 665, 667
 719
 analysis of, 472
 organic matter in, 719
Block-faulting, 93
Bottom currents, 375, 380
 temperatures, 511
 water, formation of, Antarctic, 511
 waters, low-oxygen conditions, 728
Bottom-current activity, 48, 729
Bouma sequences, 53
Broinsonia parca Zone, defined, 331
Burial depth and carbonate content, sound velocity relationship to, 646
Burrows, 41, 42, 54, 258, 419, 729
 Chondrites, 36, 51, 381
 Helminthoides, 381
 Mycellia, 36, 381
 Zoophycos, 37, 51, 381
Chiatozygus litterarius Zone, 76
Cabri Zone (Mci 19), 291
Calcicalithina oblongata Zone, defined, 330, 76
Calcite, origin of, 435
 compensation depth, 385
Calcium carbonate content, relationship to reflectors, 590
Calpionellids, 289
Campanian-Cenomanian hiatus, 51, 534
Campanian/Maestrichtian boundary, 77
Cape Basin, 553, 575
Carbon, Hole 398D, geochemistry of, 554
 Holes 397 and 397A, Geochemistry of, 553

- isotope event, 489
 isotope data, 489
 13 data, isotopic unit, 509
 14, isotopes from bulk carbonate samples, 493
 Lithologic unit 1, geochemistry of, 554
 2, geochemistry of, 555
 3, geochemistry of, 555
 4, geochemistry of, 561
 Carbon-carbonate analyses, 16, 65
 Carbon-oxygen isotopes, effect of diagenesis on, 493
 Carbon-13 values, Cretaceous-Tertiary transition, change in, 494
 post-Eocene, 494
 Carbonate bomb data, 13
 compensation depth, 244, 297, 299
 content, 535
 sound velocity, relationship to burial depth and, 646
 cycles, 385
 preservation, 45
 samples, oxygen 18 and carbon 14, isotopes, 493
 sedimentation and diagenesis, 732
 Carbonification level, 695
 Catagenesis, primary, 719
Catinaster coailithus Zone, defined, 358
 Cementation, relationship to anisotropy, 585
 Cenomanian transgression, 636, 674
 section, Site 398D, 404
 Cenomanian/Campanian unconformity, 527
 Cenozoic compressional movements, 675
 foraminifers, biostratigraphy, 675
 nannofossils, 72
 objectives, 31
 paleotemperatures, Site 398, 507
 palynology, 74
 sedimentary evolution, 48
 structural evolution, 651
 sediments, diagenesis, 44
 sequence, 44
 worldwide cooling, 441
Ceratolithus tricorniculatus Zone, defined, 359
 Charlie-Gibbs fracture zone, 95, 768
Chiasmolithus danicus Zone, defined, 72, 331
 oamaruensis Zone, defined, 353
Chiastozygus litterarius Zone, defined, 74, 330
Chiphragmalithus alatus Zone, defined, 72, 352
 Chloroform extracts, 517
 Chlorophyll diagenesis, 571
 Chondrites, burrows, 36, 51, 381
 Chronostratigraphy, 289
 foraminifers, 237
 Circulation changes, North Atlantic, 31
 Clay content, compressional velocity, relationship to, 589
 Climatic and eustatic oscillations, 389
 indicator, smectite, 441
 oscillations, cyclic sedimentation as a result of, 48
 Clinoptilolite, origin of, 438
 Compressional movements, Cenozoic, 675
 stresses, 636
 velocity, relationship to clay content, 589
 wave velocities as a function of pressure, 587
 Computation of acoustic impedances, 625
 Condensed sedimentation, 294
 Continental blocks, subsidence of, 93
 Continental deposits, 636
 fragmentation, geometry of initial, 28
 margin, tectonic setting, West Iberia, 753
 of Iberia, dominant structural trends, 753
 margins, history of, 30
 mechanisms to explain, formation and, evolution of, 768
 rise province of passive margins, 374
 Contourite, 381
 Convolute bedding, 53
 Cooling, Cenozoic worldwide, 441
 Copper porphyrin, 573
 Core temperature, effect on velocity measurements, 585
 Correlation between regional basins and Site 398, 647
 of lithology with acoustics, Formation 1a, 647
 1b, 647
 3, 647
 4, 647
 reflection profiles with, drilling results, 80
 Correspondence analysis, aim of, 469
 Cretaceous, Black shales, 719
 foraminifers, 74, 289
 magnetic quiet zone, 766
 nannofossils, 76, 77, 329
 palynofacies, 453
 petroleum-generating capability of, 533
 Sedimentary environments, Site 398, 719
 quiet zone, 639
 sediments, lipid geochemistry of, 567
 nature and, origin of organic content, 529
 sapropelic, 529
 shales, geochemistry, 513
 mineral carbon, 513
 organic carbon, 514
 petrography, 523
 Cretaceous-Tertiary boundary, 44
 paleotemperature trends, 477
 transition, change in carbon-13 values, 494
 Cretaceous/Paleocene boundary, foraminifers, 69
 Cretaceous/Tertiary boundary, nannofossils, 77
Cretahabdulus crenulatus Zone, 74
 Cristobalite, origin of, 438
 Cross-laminations, 53
Cruciellipsis curvillieri Zone, 76
 defined, 330
Cruciplacolithus tenuis Zone, defined, 72, 331
 Current deposition, 646
 Cyclic association, 385
 bedding, rhythmic and, 48
 sedimentation, 387
 as a result of, climatic oscillations, 48
 Dark shales, 292, 297, 299, 302, 305

- Debris flow, 48, 51, 53, 55, 384, 548
 deposits, 35, 388
 sedimentary structures, 411
 Deep oceanic circulation, 674
 Deep-sea fan, 53, 405,
 environment, graded sequences, 405
 Degree of cementation, relationship to anisotropy, 585
 Delta systems, 56, 724
 Deltaic progradation, 53
 Demagnetization, 602
 Diagenesis, carbonate sedimentation and, 732
 Cenozoic sediments, 44
 carbon-oxygen isotopes, effect of, 493
 Diagenetic modification, bearing on isotope data, 488
 trends, oxygen-isotopic composition, 477
 Diapiric, anticlines, 636
 Diaprism, 665
 salt, 764
Dictyomitra somphedia Zone, 688
 Differential pelagic settling, 377
 Dilution, 380
Discoaster asymmetricus Zone, defined, 73, 74, 359
 binodosus Zone, defined, 349
 brouweri Zone, defined, 359
 calcaris Zone, defined, 73, 358
 druggi Zone, defined, 358
 exilis Zone, defined, 73, 358
 hamatus Zone, defined, 358
 kugleri Zone, defined, 73, 358
 lodoensis zone, defined, 72, 349
 mohleri Zone, defined, 349
 multiradiatus Zone, defined, 72, 349
 nodifer Zone, defined, 72, 352
 pentaradiatus Zone, defined, 359
 quinqueramus Zone, defined, 73, 359
 saipanensis Zone, defined, 352
 sublodoensis Zone, defined, 72, 349
 surculus Zone, defined, 73, 359
 Discontinuity, 421
 Dispersed organic matter (DOM), geochemistry of, 695
 Dissolution, 289, 380, 381
 effect on isotopic signal, 507
 foraminifers, 255, 297
 Distal-type, graded units, 384
 Doukala Formation, 28
Douvilleiceras mammillatum Zone, 362
 Downhole measurements, 80
 Drilling results, correlation of reflection profiles with,
 80
 characteristics, Site 398, 5, 63
 deviation, effect on paleomagnetic results, 604
 operations, 32
 DPEP/etio ratio, 573
 Early Cretaceous, nannofossils, 76
 Cretaceous rifting, 649
 tension tectonics, 666
 Cretaceous-early Miocene unconformity, 533
 Cretaceous-Miocene unconformity, 535
 evolution, North America, tensional episode, 93
 Ecostratigraphic units, 297
 Ecostratigraphy of Lower Cretaceous formations, 296
 Edgari Zone, 79
 Eiffelithus turriseiffeli Zone, 76
 defined, 330
 Ellipsolithus macellus Zone, defined, 349
 Emiliania huxleyi Zone, defined, 359
 Environmental conditions, reducing, 667
 Environments, changes in, 658
 Eocene, foraminifers, 71
 nannofossils, 72
 paleotemperatures, 74
 reverse faults, 651
 sedimentary hiatus, 242
 Eocene/Oligocene boundary, nannofossils, 73
 transition, 511
 Ericsonia subdisticha Zone, defined, 353
 Erosion, Formation 1, 646
 Erosional surfaces, depth of, 653
 Etio series, 573
 Eugubina Zone, 296
 Euhoplites laetus Zone, 362
 loricatus Zone, 362
 Eustatic oscillations, 389
 Evaporites, 93, 735
 Evaporitic sediments, 636
 series, 93
 Evolution of Continental margins, mechanisms to ex-
 plain, 768
 facies, 387
 paleotemperatures, 508
 Exinitic palynofacies, 454
 Expansion, oceanic, 658
 Facies association, 385
 units, 388
 Faeroe-Shetland shelf, 57
 Fan-shaped sedimentary features, 94
 Fasciculithus tympaniformis Zone, 72
 defined, 349
 Faulted blocks, 93
 Faults, 658
 reverse, 671
 strike-slip, 757
 Ferreolensis Zone (Mci 20), 291
 Fibrous clays, origin of, 435
 Flame structures, 42, 46
 Flaser lamination, 46
 structure, 41
 Fluorescence analyses, 69
 Foraminiferal lysocline, 45
 Foraminifers, agglutinated, 290, 294, 691
 Algerianus Zone (Mci 21), 291
 Assemblages, classification of, 287
 Bedoulian group, 290
 Bejaouaennis Zone (Mci 23), 292
 benthic, 729
 assemblages, 293
 residual, 295
 biostratigraphy, 237, 255
 Cenozoic, 69
 chronostratigraphy, 237
 Cretaceous, 74, 289
 Cretaceous/Paleocene boundary, 69

- dissolution, 255, 297, 374
Edgari Zone, 79
 Eocene, 71
Ferreolensis Zone (Mci 20), 291
Globigerinatheka subconglobata Zone, 242
Globigerina angulisuturalis Zone, 71, 242
 eugubina Zone, 237
Globigerinatheka zonal marker, 71
globorotalia angulata Zone, 69
 aragonensis Zone, 241
 cerroazulensis Zone, 242
 edgari Zone, 71, 241
 formosa formosa Zone, 71, 241
 opima opima Zone, 71
 pseudobulloides Zone, 69, 237
 pseudomenardii Zone, 69, 240
 pusilla pusilla Zone, 69, 240
 subbotinae Zone, 71, 241
 trinidadensis Zone, 69, 237
 unicata Zone, 69
 velascoensis Zone, 240
 Late Cretaceous, 75
Mamillatum Zone, 75
 Mesozoic, 74
 Mci 13/Mci 14 boundary, 290
 15/Mci 16 boundary, 290
 24 Mci 25 boundary, 75, 293
 25/Mci 26 boundary, 293
 26/Mci 27 boundary, 293
 M Pl 6 Zone, 72
 Miocene, 71
 Oligocene, 71
Orbulinoides beckmanni Zone, 242
 Paleocene, 69
 Pleistocene, 72
 Pliocene, 72
 residual assemblages, 290, 294
 reworked, 289, 292
 taxonomical notes, 263
Trochoidea Zone, (Mci 22) 75, 292
Truncatulinoides rohri Zone, 242
 Zone Mci 22, 292
 23, 292
 M Pl 1-Sphaeroidinellopsis Acme Zone, 258
 M Pl 2, 258, 261, 262
 M Pl 3, 261, 262
 M Pl 4, 261, 263
 M Pl 5, 261, 263
 M Pl 6, 261, 262, 263
 N.10, 262
 N.10/N.11, 259
 N.11/N.12, 259
 N.12, 260, 262
 N.13, 259, 260, 262
 N.15, 260
 N.16, 260, 262
 N.17, 260, 262
 N.22, 72, 262, 263
 N.4, 262
 N.6, 71, 259, 262
 N.7, 259
 N.8, 259, 262
 N.9, 262
 N.9/N.11, 259
 Formation 1, 641
 erosion, 646
 sedimentary ridge, 646
 1a, correlation of with acoustics, 647
 1b, correlation of with acoustics, 647
 2, 641
 3, 640
 correlation of with acoustics, 647
 4, 639, 647
 Fractures, 649
 Fusainization, 695
 Galicia Bank, 26, 633, 665, 757, 770
 shallow-water deposition, 647
 structural evolution of, 654
Gartnerago obliquum Zone, defined, 331
 Gault formations, 293
 Gelinite, 527
 Geochemical measurements, 16
 Geochemistry carbon 553, Cretaceous shales, 513
 and mineralogy, Zone
 1, 434
 2, 434
 3, 434
 4, 434
 5, 434
 7, 432
 8, 432
 9, 432
 dispersed organic matter (DOM), 695
 of carbon, Hole 398D, 554
 Holes 397 and 397A, 553
 lithologic Unit 1, 554
 2, 555
 3, 555
 4, 561
 sediments, Site 398, 63
 Geophysical data, underway, 613
 Geothermal gradient, 527
Gephyrocapsa oceanica Zone, defined, 359
Globigerinatheka subconglobata Zone, 242
Globigerina ampliapertura Zone, 242
 angulisuturalis Zone, 71, 242
 eugubina Zone, 69, 237
Globigerinatheka zonal marker, 71
globorotalia angulata Zone, 69
 aragonensis Zone, 241
 cerroazulensis Zone, 242
 edgari Zone, 71, 241
 formosa formosa Zone, 71
 opima opima Zone, 71
 pseudobulloides Zone, 237
 pseudomenardii Zone, 69, 240
 pusilla pusilla Zone, 69, 240
 subbotinae Zone, 71, 241
 trinidadensis Zone, 69, 237
 unicata Zone, 69
 velascoensis Zone, 240
 Gorringe Bank, 659

- Graben-type Subsidence, 768
 Grabens, 93, 649, 665, 666
 evidence for formation of, 666
 filling of, 667
 Triassic, 658
 Grading, normal, 47
 reverse, 47
 sequences, 666
 Grain-size analyses, 16
 GRAPE, gravimetric density and porosity, Site 398,
 comparison between, 59
 data, methods, 16
 scane technique, 588
 Gravimetric chunk technique, 588
 data, methods, 16
 density and porosity, Site 398, comparison be-
 tween, 59
 syringe technique, 588
 Greigite, 562
 Gypsum, 51, 667
 crystals, 56, 432
 Half graben, 754
 Hauterivian to Cenomanian section, Site 398D, major
 sediment intervals, 404
 Heat flow, 80
Helicopontosphaera ampliaperta Zone, defined, 358
 reticulata Zone, defined, 353
Heliolithus kleinelli Zone, defined, 349
 Helminthoides, 381
 Hematite, magnetization, 604
 Hercynian Range, 633
 Heulandite, 685
 Hole 397 sediments, bitumen content, 543
 397A, organic carbon, 543
 398C, sediments, iron concentration, 501
 manganese concentrations, 497
 oxygen isotopes, 497
 strontium concentrations, 497
 398D, foraminifers biostratigraphy, 237
 geochemistry of, carbon, 554
 hydrocarbons, 561
 paleoenvironment, reconstruction of, 405
 sediment accumulation rate, 244
 Holes 397 and 397A, geochemistry of, carbon, 553
Hoplites dentatus Zone, 362
 Horst, structures, 91, 665, 754
 Humic coal facies, 529
 components, 517
 organic matter, 534
 recycled, 535
 Humocollinite, 529
 Hydrobiot lipids, 719
 Hydrocarbon analyses, 69
 generation, 527
 source rock potential, 527
 Hydrocarbons, 695
 Hole 398D, 561
 Hydrogen index, 514
 Iberia-Newfoundland seaway, 57
 Iberian continental margin, 547
 margin, tectonics and, sedimentation, 665
 Abyssal Plain, 633, 671
 Ice formation on Antarctica, 441
 Illite/montmorillonite ratio, 687
 Inclined bedding and progradation, Unit I, 646
 Inertinite, source of, 550
 Inoceramus, 297, 404
 Inorganic components, lithologic Unit I, 298
 IIa, 300
 Sub-unit IIc, 303
 IID, 304
 IIIA, 306
 IIIB, 308
 IVa, 309
 IVb, 310
 Insoluble organic matter, 543
 Interstitial water, chemistry, Site 398, 63
 manganese in, 578
 potassium in, 578
 strontium in, 578
 studies, 577
 Interval 1, organic geochemistry, 514
 2, organic geochemistry, 514
 3, organic geochemistry, 514
 4, organic geochemistry, 514
 Iron concentration, Hole 398C sediments, 501
Ismolithus recurvus Zone, 72
 Isotope data, diagenetic modification bearing on, 488
 Isotopes from bulk carbonate samples, oxygen 18 and
 carbon 14, 493
 Isotopic analyses, methods, 477
 results of, 479
 signal, dissolution effect on, 507
 recrystallization, effect on, 507
 unit, Carbon 13 data, 509
 I Paleocene-Eocene, 508
 II, Oligocene-Miocene sediments, 509
 III, Pliocene-Pleistocene sediments, 511
 units, 508
Isthmolithus recurvus Zone, defined, 353
 J-anomaly, 94
 Jurassic facies, 647
 Jurassic-Early Cretaceous tensional episode, 766
 Jurassic/Cretaceous boundary, 665
 Kaolinite, 435
 Kelvin Seamount, 658
 Kerogen, 543
 fraction, 517
 maturity, 533, 536
 Site 398 sediments, 535
 Site 397, 535
 to petroleum thermal conversion, 547
 type, Site 398, 535
 types, 514
 Ketones, 567
 Key reflectors, identification of, 82
 King's Trough, 96, 768
 Labrador Biscay Faults, 93

- Laminae, truncated, 46
 Laminations, sedimentary structures, 404
 Leg 47 sediments, petroleum-generating potential, 547
 Lepisphere structure, 438
 Limestone, shallow-water, 52
 Lipid geochemistry of Cretaceous sediments, 567
 Liptinite, 550
 Lithologic units, 35
 - geochemistry of, carbon, 554
 - inorganic components, 298
 - 2, geochemistry of, carbon, 555
 - 3, geochemistry of, carbon, 55
 - 4, geochemistry of, carbon, 561
 - 5, 665
 Subunit 1a, 35
 - IIa, assemblage-lithofacies relationships, 300
 - organogenic components, 299
 - IIb, organogenic components, 301
 - IIc, assemblage-lithofacies relationships, 303
 - inorganic components, 303
 - organogenic components, 302
 - IId, organogenic components, 304
 - IIIa, inorganic components, 306
 - organogenic components, 305
 - IIIb, assemblage-lithofacies relationship, 308
 - IVa, assemblage-lithofacies relationships, 309
 - inorganic components, 309
 - organogenic components, 309
 - IVb, assemblage-lithofacies relationships, 310
 - inorganic components, 310
 - organic components, 310- Unit I, lithofacies relationships, 298
 - II, sediment accumulation rate, 299
 - V, assemblage-lithofacies relationships, 311
 - inorganic components, 311
 - organogenic components, 311
- Unit 1, 666,683
 - 2, 666,683
 - 3, 666, 685
 - 4, 665
- Lithosphere, thermal contraction of, 768
 Lithostratigraphy, 34
 Lithotermes, 287
Lithraphidites alatus Zone, defined, 330
 - quadratus* Zone, defined, 77, 331
 Low-angle repetitive microfaults, 46
 Low-oxygen conditions, bottom waters, 728
 Lower Cretaceous, Ammonoidea, 361
 - biostratigraphy, 688
 - sediments, biogenic minerals, 686
 - terrigenous minerals, 685
 Lysocline, 244
M-0 anomalies, 95
 Mackinawite, 562
 Macrofauna, 300
 Macrofossils, 666
 - Ammonites, 75, 290, 297
 - Aptychus, 297, 404
 - Belemnites, 55, 247
 - Inoceramus, 297, 404
 - Rhyncholites, 297
 Maestrichtian time, North Atlantic widening of, 439
 Magnetic data, North Atlantic, 764
 - inclinations, 607
 - stratigraphy, Site 398, 606
 Magnetization, hematite, 604
 Main acoustic units, identification of, 85
 Major sediment intervals, Hauterivian to Cenomanian section, Site 398D, 404
Mamillatum Zone, 75
 Manganese, 686
 - concentration, Hole 398C, 497
 - interstitial water, 578
 Margin, subsidence of the, 667
Markalius inversus Zone, defined, 72, 331
Marthasterites furcatus Zone, 74
 - defined, 331
 - contortus* Zone, 72
 - defined, 349
 - tribrachiatus* Zone, defined, 349
 Mass-gravity sediments, 384
 Maturity, organic matter, 527, 548
 Mci 13/Mci 14 boundary, 290
 - 15/Mci 16 boundary, 290
 - 24/Mci 25 boundary, 75
 Meguma Formation, 28
 Mesogeal realm, 93
 Mesozoic
 - climatic events, 31
 - deposits, 50
 - foraminifers, 74
 - nannofossils, 76
 - objectives, Site 398, 29
 - palynology, 78
 - palynostratigraphy, 77
 - sedimentation rates, 54, 55
 - structural and sedimentary evolution during the, 649
 - tectonic and sedimentary evolution, 54
 Metamorphic rocks, 646
 Methodology, optical study of organic matter, 529
 Micritic, palynofacies, 454
 Microcross-lamination, 46
 Microfaults, 41, 381
 - low-angle repetitive, 46*Micula mura* Zone, defined, 77, 331
 - stauropora* Zone, defined, 331
 Mineral carbon, Cretaceous shales, 513
 - composition, Sub-unit 1C, 41
 Mineralogy
 - Zone, 434
 - 1, 434
 - 2, 434
 - 3, 434
 - 4, 434
 - 5, 434
 - 7, 432
 - 8, 432
 - 9, 432
 - Miocene foraminifers, 71
 - Mud flow, 35, 48, 384
 - turbidites, 385
 - units, 51

- Mycellia, 36, 381
 Nannofossils, Calcareous
 biostratigraphy, 327
Brionia parca Zone, defined, 331
Chiatozygus litterarius Zone, 76
Calcicalithina oblongata Zone, 76
 defined, 330
 Campanian/Maestrichtian boundary, 77
Catinaster coalithus Zone, defined, 358
 Cenozoic, 72
Ceratolithus tricorniculatus Zone, defined, 359
Chiasmolithus danicus Zone, 72
 defined, 331
 oamaruensis Zone, defined, 353
Chiastozygus litterarius Zone, 74
Chiphragmalithus alatus Zone, 72
 defined, 352
 Cretaceous, 329
 Late, 77
 Cretaceous/Tertiary boundary, 77
Cretahabdulus crenulatus Zone, 74
Crucielipsis curvillieri Zone, 76
 defined, 330
Cruciplacolithus tenuis Zone, 72
 defined, 331
Discoaster asymmetricus Zone, 73, 359
 binodosus Zone, 74
 defined, 349
 brouweri Zone, defined, 359
 calcaris Zone, defined, 73, 358
 druggi Zone, defined, 358
 exilis Zone, 73, 358
 hamatus Zone, defined, 358
 kugleri Zone, 73, 358
 lodoensis Zone, 72
 defined, 349
 mohleri Zone, defined, 349
 multiradiatus Zone, 72
 defined, 349
 nodifer Zone, 71
 defined, 352
 pentaradiatus Zone, defined, 359
 quinqueramus Zone, 73
 defined, 359
 saipanensis Zone, defined, 352
 sublodoensis Zone, 72
 defined, 349
 surculus Zone, 73
 defined, 359
 dissolution of, 375
 Early Cretaceous, 76
Eiffelithus turrisieffeli Zone, 76
 defined, 330
Ellipsolithus macellus Zone, defined, 349
Emiliania huxleyi Zone, defined, 359
 Eocene, 72
 Eocene/Oligocene boundary, 73
Ericsonia subdisticha Zone, defined, 353
Fasciculithus tympaniformis Zone, defined, 349
Gartnerago obliquum Zone, defined, 331
Gephyrocapsa oceanica Zone, 73
 defined, 73, 359
Globigerina ampliapertura Zone, 242
Helicopontosphaera ampliaperta Zone, defined, 358
 reticulata Zone, defined, 353
Heliolithus kleinpelli Zone, defined, 349
Ismolithus recurvus Zone, 72
 defined, 353
Lithastrinus floralis Zone, defined, 330
Lithraphidites quadratus Zone, 77
 defined, 331
 alatus Zone, defined, 330
Markalius inversus Zone, 72
 defined, 331
Marthasterites contortus Zone, 72
 defined, 349
 tribrachiatus Zone, defined, 349
 turcatus Zone, 74
 defined, 331
 Mesozoic, 76
Micula mura Zone, 77
 defined, 331
 staurophora Zone, defined, 331
 Natural remanent magnetization (NRM), 599
 Nazare Fault, 635
 Neogene tectonic movement, 651, 671
 Neritic limestones, 646
 Newfoundland fracture zone, 29, 766
 Newfoundland-Azores-Gibralter fracture zone, 80
 Nickel porphyrins, 572
 Normal grading, 47
 North America, tensional episode, early evolution, 93
 Atlantic, age of opening of, 28, 95
 circulation changes, 31
 magnetic data, 764
 sea-floor spreading, beginning of, 766
 widening of, Maestrichtian time, 439
 NRM intensities, Site 398, 600
 Oceanic, expansion, 658
 spreading, 649
 Odd molecular weight series, 573
 Oil-generation zone, top, 533
 zone, 517
 Oligocene, 73
 Oligocene, foraminifers, 71
 nannos, 73
 Oligocene/Miocene boundary, 73
 Oligocene/Miocene sediments, isotopic unit II, 509
 Opening of North Atlantic, 95, 667
 subsidence and, 674
 Operations, Site 398, 31
 Oporto Seamount, 757
 Optical study, Organic matter, 529
Orbulinoides beckmanni Zone, 242
 Organic and black shales, 523, 719
 carbonate content, 535
 carbon, 66, 695
 Cretaceous shales, 514
 Hole 397A, 543
 content, sediments, Site 397, 534

- Sub-unit 3A, 44
- necessary for generation of Petroleum, 547
- content, Cretaceous sediments, nature and origin of, 529
- extract, Site 397, 534
 - Site 398, 535
- geochemistry, Interval 1, 514
 - 2, 514
 - 3, 514
 - 4, 514
- matter, determination of Thermal maturity of, 547
 - types of, 550
 - biogenic activity, indexes of, 419
 - insoluble, 543
 - maturity, 527, 548
 - optical study, 529
 - origin and thermal maturity, 66
 - redeposited, 524
- Organic components, lithologic Sub-unit IIa, 299
 - IIb, 301
 - IIc, 302
 - IId, 304
 - IIIa, 305
 - IIIb, 308
 - IVa, 309
 - IVb, 310
 - Unit V, 311
- Origin and thermal maturity, organic matter, 66
 - of calcite, 435
 - fibrous clays, 435
 - organic content, Cretaceous sediments, 529
 - smectite, 435
 - Vigo Seamount, 651
- Orphan Knoll, 658
- Ostracodes, 297
- Oxygen index, 514
 - isotope data, interpretation of, 488
 - isotopes, Hole 398C, sediments, 497
 - isotopic composition, diagenetic trends, 477
 - 18 and carbon 14, isotopes from bulk carbonate samples, 493
- Oxygen-minimum model, 735
 - zone, 548
- Oxygen-18 values, post-Eocene, 494
- Paleocene, 72
- Paleocene, foraminifers, 69
 - nannofossils, 72
- Paleocene-Eocene, isotopic unit I, 508
- Paleoenvironmental models, 735
- Paleoenvironment, reconstruction of, Hole 398D, 405
- Paleoenvironment and preservation, nannofossils, 73, 77
- Paleogene turbidite sequence, depth of deposition, 244
- Paleomagnetic results, drilling deviation, effect on, 604
 - results, 599
- Paleomagnetism, 80
- Paleotemperature trends, Cretaceous/Tertiary boundary, 477
- Paleotemperatures, Cenozoic, 507
 - Eocene, 74
 - evolution of, 508
- Palynofacies, Cretaceous, 453
- exinitic, 454
- micrinitic, 454
- xenomorphic, 454
- Palyontology, Cenozoic, 74
 - Mesozoic, 77, 78
- Palynomorphs, 451
 - palynostratigraphic unit I, 454
 - II, 456
 - III, 456
- Parhabdolithus angustus* Zone, 76
 - defined, 330
- Parhabdolithus angustus* Zone, defined, 330
 - Pleistocene, 73
 - Pliocene, 73
 - Prediscosphaera cretacea* Zone, defined, 330
 - Preservation and, paleoenvironment, 73, 77, 327
 - Pseudoemiliania lacunosa* Zone, 73
 - defined, 359
 - Reticulofenestra pseudoumbilica* Zone, defined, 359
 - Sphenolithus belemnos* Zone, 73
 - defined, 358
 - ciperoensis* Zone, defined, 358
 - distentus* Zone, defined, 358
 - heteromorphus* Zone, defined, 358
 - predistentus* Zone, defined, 358
 - pseudoradians* Zone, 72
 - defined, 353
 - Tetralithus aculeus* Zone, 77
 - defined, 331
 - obscurus* Zone, defined, 331
 - trifidus* Zone, 77
 - Triquetrorhabdulus carinatus* Zone, 73
 - defined, 358
 - Paris Basin, 58
 - Passive continental margin, 373
 - margins, tectonics of, 374
 - Continental rise province of, 374
 - Petroleum, minimum amount of, organic carbon necessary for generation of, 547
 - source rocks, Site 398, 547
 - thermal conversion, kerogen to, 547
 - potential, Source rock, 545
 - Petroleum-generating potential, Leg 47 sediments, 547
 - Cretaceous Black shale, 533
 - Physical properties, 16
 - measurements, 585
 - shear strength, 589
 - Site 398 sediments, 58
 - static GRAPE technique, 589
 - Physiographic changes, effects on sedimentation, 441
 - Pleistocene, climatic cycles, 35
 - foraminifers, 72
 - nannofossils, 73
 - Pliocene, foraminifers, 72
 - nannofossils, 73
 - Pliocene-Pleistocene sediments, isotopic unit III, 511
 - Pore-water sampler, *in situ*, 19
 - Porosity, Site 398, comparison between, GRAPE, gravimetric density and, 59
 - sediments, water content and, 62
 - Porto Seamount, 93, 633, 651

- Portuguese shelf, 93
 Post-Eocene, carbon-13 values, 494
 oxygen-18 values, 494
 Potassium in interstitial water, 578
 Potential generation product, Site 397, 535
Prediscosphaera cretacea Zone, 76
 defined, 330
 Preservation, nannofossils, paleoenvironment and, 73,
 77, 327
 Pressure, compressional wave velocities as a function
 of, 587
 Primary catagenesis, 719
 Progradation, Unit I, inclined bedding and, 646
Pseudoemiliania lacunosa Zone, defined, 73, 359
 Pyrenean Flysch series, 405
 Orogen, 658
 Mountains, uplift of, 439
 Pyritic spherules, 419
 Pyrolysis analysis, 517
 measurements, 547
 Radiolarians
 Acaeniotyle umbilicata Zone, 688
 Distyomitra somphedia Zone, 688
 Sethocapsa trachyostraca Zone, 688, 689
 Reconstruction of Hole 398D, paleoenvironment, 405
 Recrystallization, effect on isotopic signal, 507
 Recycled humic organic matter, 535
 Red clays, deposition of, 733
 Redeposited organic matter, 524
 Reducing environmental conditions, 667
 Reflectance values, 524
 Reflectors, calcium carbonate content, relationship
 to, 590
 Reprocessing seismic sections, 625
 Residual assemblages, foraminifers, 294
 agglutinated, 292
 benthic, 290, 293, 295
Reticulofenestra pseudoumbilica Zone, defined, 359
 Reverse, faults, 671
 Eocene compression, 651
 grading, 47
 Reworked foraminifers, 289, 292
 Rhyncholites, 297
 Rhythmic and cyclic bedding, 48
 association, 385
 bedding, 35, 41, 44
 sedimentation, 41, 666, 728, 736
 Rif system, 658
 Rifting, Early Cretaceous, 649
 Ripple lamination, 46
 Salinity stratification, 735
 Salt diapirism, 93, 764
 Sapropelic Cretaceous sediments, 529
 Scaglia Rossa pelagic limestone, 604, 608
 Scientific objectives for Site 398, 29
 Sea-floor spreading, 94, 658
 beginning of in North Atlantic, 766
 Sea-surface productivity, 724
 Second rifting phase, separation of Europe from Amer-
 ica, 673
 Sedimentation rates, Mesozoic, 55
 Sediment accumulation rate, 35, 41, 78, 385, 607, 724
 Hole 398D, 244
 lithologic Unit II, 299
 Mesozoic, 54
 Site 397, 578
 classification, 13
 texture, 375
 Sedimentary environments, Cretaceous, 719
 evolution, Cenozoic, 48
 Mesozoic, 649
 hiatus, Eocene, 242
 ridge, Formation 1, 646
 structures, 46
 laminations, 404
 slumps, 292, 297, 419
 units, Site 398, 287
 Sedimentation, Iberian margin, 665
 physiographic changes, effects on, 441
 Sediments, biogenic minerals, Lower Cretaceous, 686
 oxygen isotopes, Hole 398C, 497
 Site 397, organic carbon content, 534
 strontium concentrations, Hole 398C, 497
 terrigenous minerals, Lower Cretaceous, 685
 Seismic reflectors, 80
 sections, reprocessing, 625
 Semi-grabens, 649
 Separation of Europe from America, second rifting
 phase, 673
Sethocapsa trachyostraca Zone, 688, 689
 Shallow-water deposition, 665
 Galicia Bank, 647
 Shallow-water limestone, 52
 Shear strength, physical properties, 589
 measurements, methods, 18
 Shipboard scientific procedures, 10
 Siderite, 733
 crystals, 686
 Siliceous reproductivity, Atlantic, 49
 Site survey data, 5
 Site 397, kerogen type, 534
 kerogen maturity in sediments, 535
 organic carbon content, sediments, 534
 extract, 534
 potential generation product, 535
 sedimentation rates, 578
 Site 398
 acoustic anisotropy, 59
 impedance, 63
 stratigraphy, 761
 background and objectives, 26
 Cenozoic objectives, 31
 Paleotemperatures, 507
 correlation between regional basins and, 647
 Cretaceous sedimentary environments, 719
 drilling characteristics, 5
 rate, 63
 Geochemistry of sediments, 63
 Interstitial water chemistry, 63
 kerogen maturity, 535
 kerogen type, 535
 magnetic stratigraphy, 606

- Mesozoic objectives, 29
 NRM intensities, 600
 operations, 31
 organic extracts, 535
 petroleum, source rocks, 533
 physical properties, 58
 principal results, 25
 scientific objectives for, 29
 sedimentary units, 287
 sonic velocity of sediments, 58
 stratigraphy, 761
 vertical evolution, 770
 movements, 770
 Vigo Seamount, 25
 water content and porosity, 62
- Slides, 384
- Slumps, 42, 48, 53, 292, 297, 384, 405, 419
 deposits, 35, 384, 548
 mass, 55
 units, 53
- Slumped intervals, 75
- Smear-slide analysis, 13
- Smectite, climatic indicator, 441
 origin of, 435
- Sonic velocity data, methods, 16
 of Site 398 sediments, 58
 relationship to burial depth and carbonate content, 646
- Source of, inertinite, 550
 vitrinite, 550
 rock, petroleum potential, 533, 545
- Sphenolithus belemnos* Zone, defined, 73, 358
 ciperoensis Zone, defined, 358
 distenus Zone, defined, 358
 heteromorphus Zone, defined, 358
 predistentus Zone, 73
 defined, 358
 pseudoradians Zone, defined, 72, 353
- Stable inclinations, 606
- Static GRAPE technique, physical properties, 589
- Stratigraphic hiatus, 31, 76, 78, 294, 419
- Strike-slip, faulting, 757
- Strontrium concentrations, Hole 398C, sediments, 497
 in interstitial water, 578
- Structural and sedimentary evolution during the, Mesozoic, 649
 evolution, Cenozoic, 651
 Galicia Bank, 654
 trends, Continental margin of Iberia, 753
- Submarine fan, 405
- Subsidence, Graben-type, 768
 and opening of the Atlantic, 674
 curve, 49, 244
 Continental blocks, 93
- Sub-unit IIc, 291
- IId, assemblage-lithofacies relationships, 304
 inorganic components, 304
- IIA, inorganic components, 300
- IIIa, assemblage-lithofacies relationship, 306
- IIlb, inorganic components, 308
 organogenic components, 308
- 1A, lithologic units, 35
 1C, lithology, 37
 mineral composition, 41
 sedimentation rate, 41
- Sulfate reduction, 578, 728
 bacterial, 733
- Surface temperatures, 511
 temperature variations, 488
 to bottom temperature gradient, 511
- Swiss Pre-Alpine flysch, 405
- Syndepositional faults, 42
- Synthetic seismogram, 623
- Systematic descriptions, Ammonites, 362
 foraminifers, 263
- Tectonic and sedimentary evolution, Mesozoic, 54
 movement, late Eocene, Neogene, 651
 movement, Neogene, 671
 setting, West Iberian, Continental margin, 753
 significance, turbidite facies, 388
- Tectonics and sedimentation, Iberian margin, 665
- Tectonism, 669
- Telenite, 529
- Temperature gradient, surface to bottom, 511
 water masses, 258
- Tension tectonics, Early Cretaceous, 666
- Tensional episode, Early evolution, North America, 93
 Late Jurassic-Early Cretaceous, 93
- Terpenes, 561
- Terrigenous minerals, Lower Cretaceous, sediments, 685
 organic matter, 724
- Tertiary/Cretaceous boundary, 296
- Tethyan Ocean, closure of, 49
- Tetralithus aculeus* Zone, defined, 77, 331
 obscurus Zone, defined, 331
 trifidus Zone, defined, 77, 331
- Tetrapyrrole pigments, 571
- Thermal alteration index, 543
 contraction of lithosphere, 768
 conversion, kerogen to petroleum, 547
 maturation, 529
 maturity, organic matter, 66
 of organic matter, determination of, 547
 stress, 573
 Alteration Index (TAI), 529
- Tore-Madeira rise, 639, 766
- Transgression, Cenomanian, 636, 674
- Transported sediments, 288
- Triassic-Liassic episode of rifting, 93
 salt domes, 667
- Triquetrorhabdulus carinatus* Zone, defined, 73, 358
- Trochoidea* Zone, (Mci 22), 75, 292
- Truncatulinoides rohri* Zone, 242
- Turbidite sequence, 405
- Turbidite-bottom current sedimentation, 46
- Turbidite, 53, 383, 548, 666
 facies, tectonic significance, 388
- Turbidity currents, 48, 375, 383, 404
- Unconformity, 646
 Angular, 56, 93
 Early Cretaceous-early Miocene, 533
 Cretaceous-Miocene, 535

- Underway geophysical data, 613
Unit 1, inclined bedding and progradation, 646
 2, lithology, 41
 3, lithology, 51
 4, lithology, 51
 5, lithology, 53
Uplift of Pyrenean Mountains, 439
Vanadyl porphyrins, 573
Vasco da Gama Seamounts, 633, 757, 770
Vegetal debris, 419
Velocity groups, 87
 measurements, core temperature, effect on, 585
 repeatability of, 586
Vertical evolution, Site 398, 770
 movements, Site 398, 770
Vertisols, 437
Vigo Seamount, 25, 665, 757, 770
 origin of, 651
Vitrinite, Source of, 550
 reflectance, 525, 535, 547, 548
Water content and porosity, Site 398 sediments, 62
 masses, temperature of, 258
Wealden deltas, 55
West Iberian Continental margin, tectonic setting, 753
Wet-gas generation zone, top, 534
Windsor Formation, 28
Winnowed sediments, 381
Wood fragments, 55, 56
Wykeman-Farrance van shear device, 589
X-ray mineralogy, methods of, 430
Xenomorphic palynofacies, 454
Zeolite analysis, 58