

INDEX

- Acidic tephra, 458, 504
Acoustic basement, 761, 780, 781, 798
Acoustic characteristics, geologic units, 761
Acoustically transparent layer, 761, 785, 798, 799
Age progression, 660
Age-versus-distance relationships, 659
Aleutian trench, 5, 798, 799
Algae, 330
 coralline, 763
 nodules, 763, 770, 780, 785
Alternating-field (AF) demagnetization, 723
Alteration, hydrothermal, 639
Aluminum, 460, 461
Ankaramites, 585
Annealing effect, 734
Aragonite as an alteration by-product, 653
 $^{40}\text{Ar}/^{39}\text{Ar}$ ages, 678
Atolls, 771, 780, 783, 788
 drowned, 771
Atomic absorption method, 457
Authigenesis of secondary minerals, 463
Authigenic pyrite, 460
Baja California Seamount Province, 789
Baked units, 739
Bank interior flats, 771
Barite, 497
Barrier reef, 783
Basalts, alkali, 509, 585, 605, 607
 alteration by-products of, 653
 alteration of, 107, 511, 582
 bulk density of, 716
 chemical variations throughout flow, 573, 574, 575, 576, 577, 578, 579, 580
 classification of, 581
 electrical resistivity, 718
 fractionation of, 533
 Hole 430A, mineralogy of, 614, Table 6, Fig. 1
 Hole 432A, mineralogy of, 616, Table 7, Fig. 2
 major elements, 599
 mineral chemistry of, 607
 origin of, 533
 oxidation of, 582
 physical properties, 715; 716; 717–718, Table 1
 rare-earth elements, 561, 599
 Sr-isotopic measurements, 697, Table 1; 700–701, Table 2
 subaerial, 651
 thermal conductivity, 716
 variation of, Hawaiian–Emperor chain, 22; 23, Table 5; 534
Basaltic tuffaceous ash, 710
Basement, acoustic
 See : Acoustic basement
Basement dome, 799
Basin, interseamount, 798
Bathymetric history, Suiko Seamount, 302
Benthic foraminifers
 See : Foraminifers, benthic
Biogenic silica, 459
Biogenous growth, 26
Biostratigraphic framework, Leg 55, 40
Biostratigraphy, Emperor Seamounts, 330
Block faulting, 783
Brachiopods, 329
Bryozoan-algal facies, 17, 301, 331, 760
 as a latitude indicator, 430, 802
Bryozoans, 329
Bulk silicate analyses, 457
Calcarenite, 763
Calcite as an alteration by-product, 653
Calcite cements, 426
Calcium carbonate, bathymetry of, 300
 stable-isotopic study of, 653
Caldera, collapse of, 7, 559
 filling of, 559
Carbon-13 composition of alteration carbonates, 655
Carbon/carbonate data, Leg 55 sediments, 861
Carbonate banks, 764, 766, 771, 780, 781, 783, 785
 deposits from, 762, 771, 780, 787
Carbonate buildup, 766, 780, 785, 787
Carbonate cap, 771, 783
Carbonate data, 34
Carbonate, diagenesis of, 425
Carbonate environment, warm-water, 771
Carbonate facies, environment of deposition, 420
 Kōkō Seamount, 420
 Suiko Seamount, 416; 417, Fig. 2
Carbonate knolls, 771
Carbonate mineralogy, 421
Carbonate reefs, 770
Carbonate sand, 763
Carbonate sedimentation, rate of, 759
Cation-deficient titanomagnetites, 639
Cenozoic reversal epoch, 789, 799
Chalcopyrite, 608
Chrome spinel, 608, 633
Chromium, 460, 461
Chromian titanomagnetite, 633
Clay minerals, basalt alteration product, 582
Climatic record, Suiko Seamount, 298
Clinopyroxene, 608, 611
Cobalt, 461
Coercive force, 723
Cooling rates, 734
Copper, 461
Coral-algal facies, 17, 301, 760, 802
 as a latitude indicator, 430
Corals, 329
 hermatypic, 766
Core disturbance, 34

- Core material, labeling conventions for, 33
 Coring summary, Leg 55, 9, Table 1
 Coralline algae, 763
 Cretaceous quiet zone, 789, 798, 799
 Crustaceans, 329
 Crystal fractionation, 561
 Crystallization of groundmass, 582, 583
 Crystallization of plagioclase microlites, 583
 Crystallization sequence, 607
 Curie temperature, 639, 640, 723, 729, 735
 Depositional terraces, 771, 780, 781, 783, 785
 Diagenesis, 655
 - carbonate, 425
 Diapiric upwelling, 6
 Diatoms, Leg 55, 387; 395, Table 5
 - new species, 394
 - Site 430, 388, Table 1; 389
 - Site 431, 388, 389
 - Site 432, 388, Table 3; 389
 - Site 433, 389; 390–393, Table 4
 - species list, 397
 Downslope transport of sediment, 770
 Drilling results, Leg 55, 9
 Emperor-Obrutchev bend, 852
 Emperor Seamounts, 659
 - acoustic characteristics, 761
 - bathymetry of, 845
 - biostratigraphy, 330
 - sedimentation and environmental history, 463
 - seismic stratigraphy of, 760
 Emperor trough, seismic reflection profile across, 798
 Emperor volcanoes, post-volcanic and subsidence
 - history of, 8
 Equilibration temperatures, 617
 Eruptive stage, 617
 Exsolution, 635
 FMQ buffer, 615
 Fault blocks, 783
 Faulted ridges, 799
 Faulted sea floor, 798
 Faults, 787, 788
 - normal, 785, 787
 Feldspar, mineral chemistry, 632
 Ferromagnetic minerals, cooling history, 732
 - grain size of, 732
 - lattice constants of, 729
 - oxidation state of, 723, 729
 Ferromanganese, crusts of, 460, 472
 - oxides of, 463
 - oxyhydroxides, 468
 Fish debris, 330
 Flow mean inclinations, 739; 743–744, Table 3
 Folding, 787
 Foraminifers, benthic, 328
 - Suiko Seamount, 302
 - planktonic, 327
 - Hole 431, 86
 - Hole 432, 102
 - Hole 432A, 103
 - Hole 433, 149
 - Hole 433A, 149
 - Hole 433B, 150
 Hole 433C, 150
 Miocene, 149, 294, 300
 Paleocene, 296, 299
 Paleogene, 150
 Pleistocene–Pliocene, 149, 294, 300
 Site 430, 54, 290
 Site 431, 291
 Site 432, 292
 Site 433, 293
 Fractional crystallization, 586
 Fractionation of basalts, 533
 Fracture, propagating, 6
 Fracture zones, 799
 Framboidal pyrite, 494
 Fringing reefs, 763, 771, 780, 781, 783, 785, 787
 Garnet, 604
 Geochemical evolution of hot-spot magma, 605
 Geochemistry of Leg 55 sediments, 457
 Geochemistry, pelagic sediments, 491; 492, Table 1; 493, Table 2; 494, Table 3
 Geomagnetic field, paleointensity of, 753
 Geophysical data, presite survey, 801
 Geophysical profiles, Leg 55, 789
 Geosynclines on Kamchatka, correlation with Hawaiian–Emperor chain, 852
 Geothermometer, 615
 Glass inclusions, 617
 Graben, 787, 799
 Graben basin, 770
 Grain size data, Leg 55 sediments, 861
 Groundmass minerals, variations throughout flow, 572, 573, 574, 576, 577, 578, 579, 581
 Growth faulting, 787
 Guyots, 770, 771, 787
 Gypsum, 495
 Haleakala, 5
 Halloysite, 707
 Halmyrolysis, 582
 Hawaiian–Emperor bend, 659
 Hawaiian–Emperor chain, 5, 659
 - Rb-Sr systematics of basalts, 695
 - summary of K-Ar geochronology, 672, Table 6
 Hawaiian hot spot, fixity of, 7, 15
 - movement of, 18
 Hawaiian Islands, 659
 - age of, 6
 Hawaiian lavas, average composition of, 61, Table 7
 Hawaiian Ridge, 789, 798
 Hawaiian volcanoes, four eruptive stages of development, 559
 Hawaiites, 7, 20, 509, 585, 607, 608, 609, 611
 Hemoilmenite, 649
 Hercynite, 644
 Hermatypic corals, 766
 Hess Rise, 798
 Hiatus, stratigraphic, m. Miocene, 301, 495
 - Oligocene–m. Miocene, 301
 Hole 430A, basalt, mineralogy of, 614, Table 6, Fig. 1
 Hole 431, foraminifers, 86
 - nannofossils, 86
 - radiolarians, 87
 - silicoflagellates, 87

- Hole 431A, biostratigraphy, 87
 nannofossils, 87
 radiolarians, 87
 silicoflagellates, 87
- Hole 432, foraminifers, 102
 nannofossils, 104
 radiolarians, 104
 silicoflagellates, 104
- Hole 432A, basalt mineralogy, 616, Table 7, Fig.2
 foraminifers, 103
 lithostratigraphy of volcanic rocks, 104
 paleomagnetism, 108; 110, Table 6
- Hole 432A, petrography, 105
- Hole 433, biostratigraphy, 149
 foraminifers, 149
 nannofossils, 151
 radiolarians, 152, Table 7
- Hole 433A, foraminifers, 149
 nannofossils, 151
 radiolarians, 152
- Hole 433B, foraminifers, 150
 nannofossils, 151
 radiolarians, 152
- Hole 433C, foraminifers, 150
 radiolarians, 152
- Horst, 799
- Hot-spot hypothesis, 5, 11, 327, 599, 659, 670, 695
- Hot-spot magma, geochemical evolution of, 605
- Hualalai, 5
- Hydrothermal alteration, 639
- Hysteresis properties, 723
- Ice-rafted material, 7, 14, 770, 788
- Iddingsite, 611, 632
- Igneous rock, conventions for description of, 38
- Ilmenite, 608, 611, 635, 639
- Ilmenite/hematite peaks, 729
- Ilmenite intergrowths, 729
- Ilmenite lamellae, 641, 651, 728, 735
- Initial susceptibility, 723, 727
- Interseamount basin, 798
- Iron, 460
- Iron–manganese pavement, 770
- Iron–titanium oxides, mineral chemistry of, 635
- Japan trench, 798
- Jingū Seamount, chemical composition of volcanic rocks, 686, Table 1
 geology and tectonic history, 780
 K-Ar dating, 685, 687
 volcanic rocks from, 685
- Kamchatka, geological features of, 851
- Kammu Seamount, 760
- Kilauea, 5, 696
- Kinematic hot-spot hypothesis, 670
- Kink-banded xenocrysts, 621, 632
- Kōkō guyot, geology and tectonic history of, 771
- Kōkō Seamount, carbonate facies from, 420
 geophysical data from, 830
- Königsberger ratio, 728
- Kronotsk-Tumrock transverse zone, 853
- Kula ridge, 18, 703
- Kurile trench, 5
- Lagoon environments, 770, 771, 780, 785, 787
- Lagoonal deposits, 766, 770, 771
 gypsum in, 495
- Lagoonal facies on submerged atolls, 327
- Large-ion lithophile (LIL) elements, 601
- Late Cenozoic lineations, 798
- Late Mesozoic sequence, 798
- Lateritic soil, 461, 781
- Lateritic weathering, 582
- Lava, chemical composition of, 7; 21, Table 3
- Lava flows, 607
- Liquidus phase, 631
- Linear volcanic island chains, 659
- Lithologic classification, 34
- Low-pressure fractionation, 604
- Low-thermal transformation of soil, 710
- Maghemitization, 724
- Magma, Hawaiian–Emperor, origin of, 536
- Magnesioferrite, 626
- Magnetic anomalies, 789
- Magnetic data, 789
- Magnetic grain size, 731
- Magnetic properties of basalt, 723; 725–726, Table 1
- Magnetite, 608
- Manganese, 460
- Mantle, chondritic primordial, 585
- Mantle sources, 586
- Marginal basins, folding and slumping in, 799
- Marine terrace deposit, 770
- Maui, 633
- Mauna Loa, 5
- Median demagnetizing field (MDF), 723, 727, 753
- Meiji Guyot $^{40}\text{Ar}/^{39}\text{Ar}$ ages, 682, Table 3
 K-Ar minimum age for, 677; 680, Table 2
- Mendocino fracture zone, 789
- Microfossil stratigraphic distribution, Leg 55, 286
 Site 433, 295, Fig. 5A
- Microprobe mineral compositions, 608
- Midway Atoll, 737
- Mollusks, 329
- Molokai, 633
- Molokai fracture zone, 789
- Mugearite, 7, 20, 687
- Multidomain grains, 728
- Murray fracture zone, 789
- Nannofoils, chronostratigraphy and zonal assignment, 351, Table 1; 352, Table 2
 Hole 431, 86
 Hole 431A, 87
 Hole 432, 104
 Hole 433, 151
 Hole 433A, 151
 Hole 433B, 151
 Site 430, 350; 353, Tables 3 and 4; 354, Table 5
 Site 431, 354; 355, Tables 6 and 7
 Site 433, 357, Table 9; 361, Table 11; 362, Table 12
 species list, 361
 stratigraphy of, 349
 zonation, 349
- Natural remanent magnetization (NRM), 723, 724, 753

- Nickel, 461
 Niihau, 633
 Nintoku Seamount basalt, 615
 major-element chemistry, 600, Table 1; 601
 rare-earth data, 600, Table 2
 trace-element chemistry, 601, Table 3; 603
 Nintoku Seamount, bathymetry of, 97, Fig. 1
 emergence of, 707
 geology and tectonic history, 781
 geophysical data, 807
 igneous rock from, 585; 587, Tables 2 and 3;
 588, Table 4
 paleoenvironment of, 104
 Nodules, 471
 algal, 763, 770, 780, 785
 "Nondepositional" environment, 457
 sediments formed in, 460
 Nontronite, 465
 Normal faults, 785, 787
 "Northern Suiko" Seamount, geology and tectonic history of, 787
 Oceanites, 585
 Ōjin Seamount, geology and tectonic history of, 771
 geophysical data, 807
 igneous rocks from, 585; 586, Table 1
 paleoenvironment, 55
 major-element chemistry, 599; 600, Table 1
 Ōjin Seamount basalt, rare-earth data, 600
 trace-element chemistry, 601, Table 3
 Olivine, 608; 611, Table 3
 Olivine, fractionation of, 600
 mineral chemistry of, 632
 Olivine-plagioclase tholeiite, 631
 Olivine tholeiites, 617
 Opaque minerals, average composition of, 652
 Operational summary, Leg 55, 8
 Oscillatory zoning, 617, 618
 Ostracodes, 329
 Oxidation, 635
 Oxidation, high-temperature, 640, 641, 649, 651, 729, 732, 734, 738
 low-temperature, 651, 735, 753
 Oxidation stage, 640
 Oxidation state, 639
 Oxidation type, 732
 Oxygen-18 composition of alteration carbonates, 655
 Oxygen fugacity, 649
 eruptive stages, 607
 Pacific plate, 5
 motion of relative to hot spot, 15, 737
 reconstructions of, 19, Fig. 10
 Palagonite, 503
 Palagonitization, 582
 Paleocene stratigraphic hiatus, 491
 Paleoceanography, 331
 Paleoecology, 330
 Paleoenvironment, Ōjin Seamount, 55
 Suiko Seamount, 153
 Paleolatitudes, estimation of, Site 430, 60
 Paleomagnetism, Hole 432A, 108; 110, Table 6
 Leg 55 basalts, 737
 Site 430, 60; 63, Table 8
 Paleontological age determinations, basis for, 38
 Paleosecular variation (PSV), 15
 Palynology, Leg 55, 409
 Partial melting, 586, 604
 Pelagic sediments, geochemistry of, 491; 492, Table 1; 493, Table 2; 494, Table 3
 mineralogy of, 491
 Petrography of basalt, variations throughout flow
 572, 573, 574, 576, 577, 578, 579, 580
 Phosphates, 463, 468
 Phosphatization, 460
 Physical properties, Site 430, 64
 Picrites, 617
 Picritic basalt, petrography, 578
 Pigeonite, 607
 Plagioclase, 608, 611
 Plagioclase accumulation, 604
 Plate motion vs. paleoceanography, 297
 Poisson process, 744
 Polar wandering, relativity to hot spot, 18
 Ponded sediment, 770, 798
 Post-volcanic history, 8, 24
 Potassium-argon ages, 660, 678
 Principal results, Leg 55, 11
 Prograded terrace, 780
 Pseudobrookite, 639, 640, 730
 Pseudo-single-domain grains, 728, 733
 Pyrite, 494, 608
 authigenic, 460
 framboidal, 494
 Pyroxene, 504
 mineral chemistry of, 633
 Radiolarians, Hole 431, 87
 Hole 431A, 87
 Hole 432, 104
 Hole 433, 152, Table 7
 Hole 433A, 152
 Hole 433B, 152
 Hole 433C, 152
 Leg 55, 365
 Site 430, 55, 365
 Site 431, 365
 Site 432, 365
 Site 433, 366; 367, Table 2; 368, Table 3
 species list, 367
 Red claystone, chemical analyses of, 707
 mineralogical analysis, 707
 Reef calcareous sand, 459
 Reef environment, 491, 764, 766, 771
 Reef, fringing, 763, 771, 780, 781, 783, 785, 787
 Reef-flat environment, 763
 Reversal epoch, Cenozoic, 789, 799
 Reverse zoning, 617
 Ridges, faulted, 799
 Rutile, 635
 Saponite, 465, 632
 Satellite navigation, 789
 Saturation magnetization, 723, 728, 732, 735
 Saturation remanence, 723
 Saturation remanent magnetization, 728
 Seamount "A", morphology of, 802
 Seamount "B", geologic and tectonic history,

- 783, 805
- Seamounts, bathyal stage, 27
basalt from, 720
shallow-water stage, 26
subaerial stage, 25
- Sector-zoned pyroxenes, 626
- Sector zoning, 617, 618
- Sediment description conventions, 34
- Seismic reflection profiles, 798
- Shallow hydrothermal coastal environment, 497
- Shallow-water calcareous sediments, 459
- Shallow-water carbonate environments, 764, 770, 771, 781, 785
- Shallow-water carbonate sediments, 415
- Shallow-water facies, Paleocene, 327
- Shaw's Method, 753, 754
- Shield volcanoes, 5
- Shrimp, thalassinoid, 331
- Silicates, 463
- Silicoflagellates, biostratigraphic framework for, 376
Hole 431, 87
Hole 431A, 87
Hole 432, 104
Leg 55, 375
Site 430, 55, 377
Site 432, 378
Site 433, 153; 378; 380; 381, Table 5
species list, 379
- Single-domain grains, 728, 733
- Site 430, Ōjin Seamount, 45–75
biostratigraphy, 53; 285; 286, Fig. 2; 290
correlation of seismic profile with drilled sequence, 65; 68, Fig. 18
depositional environments, 291
diatoms, 388, Table 1; 389
drilling operations, 48
foraminifers, 54, 290
major-element chemistry of sediments, 467
mineralogy of sediments, 464; 465, Table 1
nannofossils, 54; 350; 353, Tables 3 and 4; 354, Table 5
operations, 46
paleolatitude estimates, 60
paleomagnetism, 60; 63, Table 8
petrography of volcanic rocks, 511; 515, Table 4
physical properties, 64
radiolarians, 55, 365
sediment chemistry, 55
sediment lithostratigraphy, 52
sediment section, 503
silicoflagellates, 55, 377
site survey, 46
trace-element chemistry, 467, Table 3
summary, 9, 20, 67
volcanic rock geochemistry, 509; 510, Table 2
volcanic rock stratigraphy, 511
- Site 431, Yōmei Seamount, 77–94
background and objectives, 78
biostratigraphy, 86; 285; 287, Fig. 3
coring summary, 83, Table 1
correlation of seismic profiles with drilled sequence, 88
- depositional environment, 292
diatoms, 388, 389
drilling operations, 80
foraminifers, 291
major-element chemistry of sediments, 467, Table 2
mineralogy of sediments, 464; 465, Table 1
nannofossils, 354; 355, Tables 6 and 7
operations, 78
physical properties, 88
radiolarians, 365
sediment chemistry, 87
sediment lithostratigraphy, 84
trace-element chemistry, 467, Table 3
summary, 10, 89
- Site 432, Nintoku Seamount, 95–126
alteration of volcanic rocks, 516
background and objectives, 96
basalt chemistry, 511; 516, Table 5
basalt stratigraphy, 516
biostratigraphy, 101; 285; 287, Fig. 4
chemical analyses of volcanic rocks, 108
coring summary, 101, Table 1
correlation of seismic profiles with drilled sequence, 112; 115, Fig. 16
depositional environment, 293
diatoms, 388, Table 3; 389
foraminifers, 292
major-element chemistry of sediments, 467, Table 2
mineralogy of sediments, 464; 465, Table 1
operations, 96
paleolatitude, 109
petrography of volcanic rocks, 516; 520–521, Table 7
physical properties, 110
radiolarians, 365
sediment lithostratigraphy, 99
sediment section, 503
silicoflagellates, 378
summary, 10, 20, 114
trace-element chemistry, 467, Table 3
- Site 433, Suiko Seamount, 127–284
alteration of volcanic rocks, 155
background and objectives, 129
basalt chemistry, 162, 559
biostratigraphy, 285; 288, Figs. 5 and 6
chemical analyses of basalt, 163, Table 15; 164–170, Table 16
chronostratigraphy, 394
coring summary, 137, Tables 1–3; 138, Table 4
correlation of seismic profiles with drilled sequence, 183
depositional environments, 297
diatoms, 389; 390–393, Table 4
drilling operations, 134
foraminifers, 293
- Site 433, igneous petrography, 154
lithostratigraphy of volcanic rocks, 153
nannofossils, 357, Table 9; 361, Table 11; 362, Table 12
operations, 129
paleomagnetism, 163; 173–179, Table 17
petrographic summary, 159–161, Table 14

- physical properties, 181
 radiolarians, 366; 367, Table 2; 368, Table 3
 sediment chemistry, 153
 sediment lithostratigraphy, 141
 sedimentation rate, 297
 silicoflagellates, 153; 378; 380; 381, Table 5
 summary, 11, 21, 197
 volcanic rocks, 521
 alteration of, 522
 chemistry of, 521; 534–536, Table 8
 petrography of, 522
 stratigraphy of, 522
 Slope detritus, 770
 Slumps, 770
 Smear slides, method of preparation, 34
 Smectites, 465
 Soil, lateritic, 461, 781
 Soil zones, oxidized, 780
 Source-region heterogeneities, 604
 Spinel lamellae, 644, 651
 Stable-isotope analyses, 422; 423, Table 1; 653
 Step blocks, 800
 Stratigraphic hiatus, middle Miocene, 301, 495
 Oligocene–middle Miocene, 301
 Stratigraphic summary, Leg 55 sites, 12–13, Fig. 3
 Strontium variations in sediment deposits, 492
 Subduction zones, ancient, 852
 Subsidence, rate of, 759, 771, 780, 781, 783, 785, 787
 Suiko Seamount, 7
 basalt from, 617
 major-element chemistry, 600, 601
 rare-earth elements, 600, Table 2
 trace-element chemistry, 601, Table 3; 604
 carbonate facies, 416; 417, Fig. 2
 climatic record, 298
 depositional history of, 494
 foraminifers, 302
 hypothetical environment of, 299, Fig. 8
 geology and tectonic history, 785
 igneous rock from, 585; 588, Tables 5 and 6;
 589–590, Table 7; 591, Table 8
 paleoenvironment, 153
 subsidence curve, 28
 sulfur, 459
 supermagnetic state (SPM), 733
 Tectonic belts, 851
 Tephra, acidic, 458, 504
 Terrace, depositional, 771, 780, 781, 783, 785
 Thalassinoid shrimp, 331
 Thellier Method, 754
 Thermal demagnetization, 739; 741–742, Table 2
 Thermomagnetic analyses, 723, 729, 733
 curves, 639, 640
 Thermoremanent magnetization (TRM), 753
 Tholeiites, comparison of Suiko and Hawaiian, 567
 physical properties of, 716
 Tholeiitic basalt, 509, 604, 607, 617
 alteration of, 678
 Hole 433C, petrographic summary, 560, Table 1
 trace-element geochemistry, 559
 Tholeiitic picrites, 509
 Tholeiitic shield-building stage, 7
 Titanium, 460, 461
 Titanomagnetite, 608, 611, 635, 646, 649, 729
 cation-deficient, 639
 chromian, 633
 high-temperature oxidation of, 639, 723
 low-temperature oxidation of, 639, 723
 oxidation stage of, 639, 724
 oxidation state of, 639
 solid solution, 644
 Trace elements in Leg 55 sediments, 459, Table 3
 Transitional tholeiites, 585
 Tumrock Ridge, 852
 Turbidites, 761
 Upwelling, diapiric, 6
 Vanadium, 802
 Vermes, 329
 Volcanic cones, 771, 781, 785
 Volcanic deposits, soils from, 707
 Volcanic dome, 787
 Volcanic environment, 494
 Volcanic glass, 504
 Volcanic influence on the marine environment, 463
 Volcanic island, drowned, 770
 Volcanic material, weathering of, 709
 Volcanic peaks, 783
 Volcanic propagation rate, 674
 Volcanic rocks, 771
 chemistry of, 107, 509
 Hole 430A, 55
 chemistry of, 59
 petrography of, 57
 Volcanic sand, 503
 Volcaniclastic material, 458, 461, 503
 Volcanoes, 771, 781, 785, 787
 age of, 6, 14, 674
 eruptive cycle of, 7
 Hawaiian, 7
 post-eruptive history of, 24, 25
 subsidence of, 6
 Wave-eroded platforms, 781, 785
 Weathering of volcanic material, subtropical, 709
 X-ray fluorescence method, 457
 results, 458, Tables 1 and 2
 X-ray mineralogy, Leg 55 sediments, 857
 Yōmei Seamount, geology and tectonic history, 781
 paleoenvironment, 87
 geophysical data, 807
 Zeolite cement, 428
 Zinc, 460