

INDEX

- Abyssal basalts, major-element geochemistry of, 843
petrology of, 843
water content of, 854
- Abyssal tholeiites, 863, 898, 899
- Acoustic basement, Site 443, 132
- Active margins, 874
- Actively spreading ridge, 6
- Aerobic conditions, 739
- Alkali basalt, 644, 645
volcanism, 625
- Alkalic lava series, chemical composition of, 885
- Alkaline-basalt group, 645
- Alteration, basalt, 34, 126
low-temperature, 905, 914
zones, 125
- Alternating field demagnetization (AFD), 37, 777
- Altered chlorins, 739
- Amami Plateau, 283
- Amphibole, formation of, 802
- Anaerobic bacteria, 758
- Analcite, 848
chemical composition of, 853
- Anderson, Thomas, F., 905
- Andesite, 644, 645
- Andesitic volcanism, 3
- Anoxic depositional environment, 759
- $^{40}\text{Ar} - ^{39}\text{Ar}$ geochronological studies, 917
- Arai, Fusao, 617
- Argillaceous sediments, chemical composition of, 719; 720, Table 1; 721, Table 2; 722, 723, Table 3
- Arid climates, 675
- Asama volcano, 875
- Ash, 111, 220, 242
- Asymmetrical spreading, 283
- Atomic-absorption spectroscopy, 695
- Atomic C/N ratios, 113
- Attapulgite, 670, 673
- Augite, 33
- Authigenic components, 609, 610
- Azores, 811
- Back-arc basins, 3, 805, 806, 835, 839, 874, 899
basalts in, 863, 873, 898
depth of, 895
ophiolites in, 865
origin of, 4, 843
sills in, 864
spreading in, 787, 899
- Bacteria, effect of pyrolysis on, 742
- Bacterial activity, depth of, 752
- Bacterial degradation, 742, 748, 750
- Bacterial diagenesis, 745
- Bacterial ecosystem, 742
- Baked contact, 231, 414
- Baked sediments, 5, 407, 426, 428
- Baker, Earl W., 737
- Bannikova, L. A., 913
- Basal sediments, hydrothermal aspect of, 721
- Basalt, 34, 36, 674
alkali, 644, 645
alkali-silica diagram, 798, Fig. 3
alteration of, 34, 126, 792
calcium and carbon dioxide concentration in, 794, Fig. 1
- Cayman Trough, 854, 861
- chemical analyses, 806, 807, 853, 875
- chemical composition, 820, Table 4
Hole 442B, 812-815, Table 3
- Shikoku, East Scotia, and Bransfield, 821, Table 5
back-arc basins
vertical variations, 794, Fig. 2; 800, Fig. 6
and norms, 795-797, Table 2
- crystallization sequence, 895
- differentiation indexes, 798, 800
- electron-microprobe mineral analyses, 855, Fig. 2
- geochemistry of, 231, 791, 805
analytical methods, 792
- heterogeneous mantle sources of, 891
- hydrothermal alteration, 875
- intrusives, 6
age dating of, 741-743
- low-temperature alteration, 910
- Site 442, 810
- magma, Shikoku and Daito Basins, 791
volatile content, 834
- mineralogy, 849
- NRM, 127
- normative analysis, 793
- normative composition, 810, Table 2; 816, Figs. 3, 4
- northern Philippine Sea, 798
- paleomagnetism of, 37, 127
- petrogenesis of, 889
- petrology of, 918, Table 1
- regional average analyses, 860, Table 24
- Site 442, 669, 791
- Site 443, 126; 791; 813; 821, Fig. 17; 822, Table 6
- Site 444, 231, 672, 792, 829
- sills, 5, 6
SEE ALSO: Sills
- stratigraphy, 876
- variation diagrams, 798; 801, Fig. 7
- vesicularity in, 800, 809
- X-ray fluorescence analysis, 807
- Basaltic glass, chemical composition of, 793, Table 1; 858, Tables 18, 19; 859, Table 20
- Basalts, minor elements in, 802
- Basins, back-arc
SEE ALSO: back-arc basins
- evidence for sea-floor spreading in, 3

- Bay of Islands complex, 868
 Benioff zone, 883, 892
 Bight ophiolite, 865
 Biostratigraphy, basis for age determination, 10
 Biotite, chemical composition of, 854, Table 16
 Bioturbation, 25, 27, 112, 286, 601
 SEE ALSO: *Zoophycos*, *Chondrites*
 Birmingham XPF system, 17
 Biwa event, 778
 Blake event, 778
 Black Jack Sill, 856
 Bonin Islands, 835
 ages of oldest rocks, 843
 Bonin Ridge, 806
 Bonin Trough, 806
 Bouma sequences, 602, 609
 Bransfield Strait, 806, 811, 839, 874
 back-arc basins, 839
 Brunhes magnetic-polarity epoch, 777, 778
 Bullen, Thomas D., 843
 C/N ratios, 291, 746
 Calcite-compensation depth (CCD), 5, 48, 118, 227,
 409, 425, 719
 Pacific Ocean, 136; 241, Fig. 18
 Shikoku Basin, 5
 Capillary-column gas chromatography, 755
 Carbon-carbonate analyses, 711; 714–716, Table 2
 Carbon diagenesis, kinetics of, 746, 751
 Carbonate-bomb data, 16
 Carbonate minerals, stable isotope composition of, 905
 Carbonate veins, formation of in ocean basalts, 914
 isotopic composition, 906; 907, Table 2; 908, Table
 3; 913; 914, Table 1
 petrographic characteristics of, 906
 stratigraphy of, 906, Table 1
 temperature of formation, 913
 Caribbean basin, sills in, 864
 Catagenic processes, 749
 Cayman Trough, basalt from, 854, 861
 Chamley, Hervé, 21, 109, 219, 283, 401, 669, 683
 Chemical alteration of sediments, 724
 Chemical composition, igneous rocks from conglomerates, 659; 660, Table 1
 Chert, formation of, 588, 589, 610
 Chichibu terrain (Paleozoic geosynclinal area), 724
 Chill zones, 32, 34, 122, 124, 414, 426, 428
 Chlorinity, 114
 Chlorins, altered, 739
 Chlorite, 125, 673
 chemical composition of, 854, Table 16
 Chlorophyll diagenesis, 737
Chondrites, 112, 602
 Chromium, 802
 Chromian-spinel octahedra, 33, 36, 122, 639
 Clastic dikes, 406
 Clastic sediments, textural classification of, 13, Fig. 7
 Clastic wedge, 707, 723
 Clay mineralogy, Site 442, 671, Fig. 2
 Site 443, 671
 Site 444, 671; 673, Fig. 4
 Site 445, 685, Fig. 2
 Site 446, 686; 687, Fig. 3
 Clay minerals, origins of, 673
 Pliocene distribution of, 676
 Clay sedimentation, relationship to paleoenvironment,
 669
 Site 445, 684
 volcanic origin of, 707
 Climate, Eocene, 598
 Miocene, 5, 116
 Climatic cooling, 294
 fluctuations, 570, 675
 Clinopyroxene phenocrysts, 798
 Coals, 759
 Coarse-tail graded bedding, 285
 Compressional-wave velocities of basalts, 936, Table
 1; 937, Table 2
 Conglomerate, igneous rock in, 659
 petrography of, 629; 631; 635, Table 3
 Site 445, 643
 Contact metamorphism, 637
 Cooling unit, 33
 Copper, native, 792, 815, 913
 Core descriptions, 9
 Correlation of geophysical data with drilling results,
 43, 132
 Cretaceous reef limestones, 646
 Cross-beds, 406
 Crough Island, 856
 Crustal contamination, 885
 Crystal fractionation, 877
 Curie temperature, 923, 926
 Curtis, Doris, 21, 109, 219, 283, 401, 701
 Daito Basin, basement age in, 6
 sill complex, 861, 864, 921
 Daito region, drift of, 767
 Daito Ridge, 4, 807
 basalt, 875
 history of, 686
 geology of, 631
 main volcanic event, 634
 subsidence of, 6, 689
 Daito Ridge and Basin province, 6, 643
 age of basement in, 4
 organic carbon in sediments, 757, Table 2; 759
 Debris flow, 6, 306, 611, 647
 Depositional environment, abyssal, 601
 anoxic, 759
 Depositional history of sediments, Shikoku Basin, 720
 Site 443, 114
 Depositional processes, Site 445, 647
 Depth of burial, 611, 738
 Detrital minerals, 633
 Devitrified volcanic glass, 609
 Diagenesis, 746
 bacterial, 745
 Diagenetic processes, 589
 Dick, Henry, 21, 109, 219, 283, 401, 805, 843, 895
 Dipole wobbling, 767
 Drilling data, 7

- Drilling disturbances, 7, 9
 symbols used for, 11, Fig. 4
 E-type ocean-ridge basalts, 806, 811, 823, 873, 887, 890
 Early Miocene sediments, 702
 East African Rift, 831
 East Scotia Sea, 806, 811, 873, 874
 back arc basins in, 835, 839
 Echols, Dorothy J., 21, 109, 219, 283, 401, 567, 695
 Ecosystems, 745
 Ekdale, A. A., 601
 Entrapment of oceanic crust, 21
 Erosion, organic matter, 759
 Escape Structures, 602
 Extrusive pillow basalts, 5
 FAMOUS area, 811
 Fecal pellets, 752
 effect of on silica preservation, 589
 Feldspar, mineralogy of, 853
 Ferrobasalts, 800, 882
 Ferrogabbro, Skaergaard intrusion, 800
 Ferromagnetic minerals, 769
 Field reversal, 771
 Flame structures, 602
 Flekken, Pierre, 755
 Foraminifers, biostratigraphy of, 567
 Daito Ridge, 578–585
 SEE ALSO: Foraminifers, Sites 445, 446
 larger, 570, 609
 ranges of selected taxa, 572
 Shikoku Basin, 573–578
 SEE ALSO: Foraminifers, Sites 442–444
 solution index of, 695
 time scale used for, 29
 zonation, 569, Table 1; 571, Table 2
 Fountain, David M., 21, 109, 219, 283, 401, 935
 Fractional crystallization, 860, 862, 885
 Fractures, 414
 Furuta, Toshio, 617, 923
 Gabbro, 644, 645
 Galapagos Rift Zone, 721
 Gas chromatography, 755
 Geochemical measurements, 18
 Geochemical units, 882
 Geochronological studies, 917
 Geodynamic changes, Shikoku Basin, 675
 Geomagnetic non-dipole field, drift of, 767
 Geosynclinal area, 721
 Glassy chill margins, 36, 124
 Glaucomphane, 647
 Graded bedding, 285, 286, 288, 289, 406, 602, 609
 Grain-size analysis, 17; 711; 712, 713, Table 1
 Handling of cores, 9
 Harris, Janet M., 609
 Heat flow, 721
 Heavy mineral assemblages, 665
 Heavy mineral zones, 662
 Heavy minerals, 112, 661
 alkali suite, 663
 grain shape, 662
 grain size, 662
 Site 445, 662
 sources of, 662
 Hemipelagic clay, Site 444, 672
 Hemipelagic sediments, 674, 701
 Heulandite, 646
 Historical layer, 601
 Huminites, 756
 Huzi chemical composition, 886
 Hyaloclastic sandstone, 646
 Hydration, 617
 Hydrocarbon-generation potential, 755, 760
 Hydrocarbons, maturity of, 755
 non-aromatic, 759
 Hydrolysates, 724
 Hydromechanical turbation, 235
 Hydrothermal activity, 230
 alteration, 120
 minerals, 646
 veins, 5
 Hygromagmatophile elements, 811, 873, 891
 Iceland, 811
 Ichnofacies, deep-sea, 601
 Iddingsite, 124
 Igneous intrusions, age dating of, 741
 effect of on kerogen content of sediments, 741
 Igneous-metamorphic rock classification, 15
 Igneous petrology, 120
 Igneous rocks from conglomerates, 659
 Illite, 673
 Inertinites, 756, 759
 Inner-arc basins, 5
 Inorganic geochemistry, 113
 Insoluble organic matter, 755
 Intrusive basalt, 5
 Irregular mixed-layer clays, 673
 Island arcs, 6, 611, 874
 generation of basalt beneath, 899
 magmas from, 892
 tholeiites, 863, 898
 volcanic activity, 688
 Isocyclic ring, 739
 Iwo Jima Ridge, 707, 806, 900
 as a sediment source, 708
 basalt from, 875
 Izu-Bonin Trench, 807
 Izu-Mariana volcanics, 900
 Jabal Al Wask complex, 868
 Japan Sea, 721
 Japanese Islands, 707
 as a sediment source, 708
 lava series, 883
 Jaramillo event, 777, 778
 Joron, J.-L., 873
 Josephine peridotite, 865
 Juan de Fuca submarine ridge, 800
 K-Ar dating, comparison with organic geochemical data, 742
 Kaersutite, 820, 823, 826, 848, 853
 chemical composition of, 854, Table 16
 Kaneoka, I., 917
 Kaolinite, 673

- Kerogen, changes in with depth, 745
 concentrates, 755, 756
 pyrolysis of, 741
 reflectance and compositional data, 757, Table 3
 Kinoshita, Hajima, 21, 109, 219, 283, 401, 765, 769
 Klein, George de Vries, 3, 21, 109, 219, 283, 401, 609
 Klock, Paul R., 921
 Kobayashi, Kazuo, 3, 21, 109, 219, 283, 401, 777, 923, 943
 Koenigsberger ratio, 769
 Kuroshio Current, 116, 227, 590
 Kyushu-Palau Ridge, 4, 109, 706-709, 807, 843
 Late Miocene sediments, 707
 Lau Basin, 806, 873, 898
 Laumontite, 646
 Lava flows, 45
 length of time required to form, 125
 Liptinites, 756
 Liquid chromatography, 755
 Lithification, sandstones, 665
 Lithology, 9
 symbols for, 12, Fig. 6
 Louda, J. William, 737
 Location of DSDP Leg 58 sites, 4
 Low-temperature alteration, 905, 914
 Lowered sea level, 33
 Lysocline, 31, 134, 136, 227, 242
 Maceral composition, 758
 Macroyclic tetrapyrrole structure, 739
 Mafic minerals, 666
 Magma chamber, 878
 differentiation, role of water content in, 802
 evolution, 800
 water content in, 800
 within-flow differentiation, 836
 Magnetic anomaly, paleomagnetism, and paleontological ages compared, 45, 132, 239
 profile, Leg 58, 946-948, Fig. 4
 6, 5, 114, 843, 875
 6A, 5, 843, 875
 Magnetic anomalies, correlation of in Shikoku Basin, 784
 Magnetic polarity, boundaries of, 777
 correlation with oxidation, 923
 Shikoku Basin, 5
 transitions, 769
 Magnetic properties, igneous rock, 923
 Magnetic reversals, Miocene, 126
 Magnetite, 33, 124, 231, 665
 acicular, 230
 Magnetostratigraphic method, 777
 Major discontinuity, 126
 Major-element chemistry, abyssal basalts, 843
 analytical procedure, 719
 argillaceous sediments, 719
 Manganese micronodules, 27
 Mantle diapirism, 895, 899
 plume model, 892
 source compositions, 888
 Marginal basins, 3, 900, 905
 basalt from, 863
 nature of underlying crust, 22
 origin of in Western Pacific, 21
 Mariana Trough, 835, 873
 Marine organic matter, 759
 Marsh, Nicholas G., 21, 109, 219, 283, 401, 805, 843, 873
 Massive basalts, 34, 36
 Massive slumping, 647
 Matuyama magnetic-polarity epoch, 777
 McConville, Richard L., 609
 McKee, Edwin H., 921
 Medvedeva, L. S., 913
 Metamorphism, regional, 637
 Methane, biogenic, 752
 Methanogenic conditions, 737
 Microconvolutions, 289
 Microdolerite, 632
 Microfaults, 286, 289, 406
 Micronodules, 27
 Mid-Atlantic Ridge, 811, 887
 Mid-Atlantic Ridge basalt, 806, 861
 Middle Miocene sediments, 706
 Mid-plate volcanism, 864
 Mills, William, 643
 Miocene climate, 116
 Miocene climatic cooling, 5
 Miocene/Pliocene boundary, 118
 Mizuno, Atsuyuki, 21, 109, 219, 283, 401, 629
 Momose, K., 923
 MORB (mid-ocean-ridge basalt), 793; 799, Table 3;
 868, 873, 881
 mantle source for, 889
 radiogenic isotopes in, 874, 890
 vesicularity of, 896
 water-content, 897
 Mordenite, 609
 N-type ocean-ridge basalts, 806, 811, 839, 873, 884, 887, 889, 890, 891
 Nankai Trough, 721, 806
 formation of, 676
 Nannofossils, 118
 degree of dissolution, 118, 227
 Eocene, 298, 412
 Miocene, 31, 118, 228, 295
 Oligocene, 298, 412
 Philippine Sea, 549-565
 Pleistocene, 31, 118, 227, 295
 Pliocene, 118, 228, 295, 412
 Site 442, 31; 551; 552; 553, Table 2
 Site 443, 552; 554-555, Table 3
 Site 444, 227; 554; 556, Table 4
 Site 445, 295; 557; 558, 559, Table 5; 560; 561, Table 6
 Site 446, 412; 562; 564, 565, Table 7
 species considered, 549
 zonation of, 551, Table 1
 Nappes, crystalline, 865

- NRM (natural remanent magnetization), 37, 127, 239, 777, 778
- Nature of crust underlying marginal basins, 22
- Nankai Trough, 22
- Naumov, V. B., 913
- Nauru Basin, 865
 sills in, 864
- Nazca Plate, ocean-ridge basalt from, 811
- Nepheline, 854
- Newfoundland ophiolites, 865
- Nightengale Island, 856
- Nishitsugaru Basin, 721
- Nisterenko, Gennady V., 21, 109, 219, 283, 401, 659, 791, 913
- Non-aromatic hydrocarbons, 759
- Northeast Philippine Basin, 807
 basalt in, 825, 873
- Norwegian Sea, 909
- Ocean-floor tholeiites, 898
- Oceanic Layer 2, 805, 807, 833, 935, 937
- Off-ridge volcanism, 5, 6, 132, 883, 921
- Okada, Hisatake, 21, 109, 219, 283, 401, 549
- Oki-Daito Ridge, 4, 6, 807
- Oki-Dogo alkalic series, 884, 887, 890
- Oligocene/Miocene boundary, 294
- Olivine, 230, 231
 chemical composition of, 850, Table 6; 851, Table 9; 853, Table 13
 mineralogy of, 849
 phenocrysts of, 124
- Omuro-yama volcano, 875
- Oolites, 609
- Opal-CT, 672
- Opaque minerals, chemical composition, 925, Table 1
 electron-microprobe analysis of, 924
 magnetic properties, 925, Table 1
 microscopy of, 923
- Operations summary, Leg 58, 7, Table 1
- Ophiolites, 806, 865
- Ore minerals, 126
 in basalt, 792
- Organic-carbon determination, 755
 Site 444, 741, Fig. 1
- Organic chemical components, 48
- Organic geochemistry of sediments, Site 443, 113
- Organic matter, erosion of, 759
 oxidation of, 908
 pyrolyzed, 5
 reworked, 755, 758, 759
 quantity of, 755
- Oxic sedimentary conditions, 759
- Oxidative alteration, 125
- Ozima, M., 917
- Pahoehoe texture, 231; 872, Pl. 2
- Paleoecology, 590
- Paleoenvironment, Cenozoic, 690
- Paleolatitude, Site 445, 6
 Leg 58 drill sites, 767
- Paleomagnetic properties, 777
- Paleomagnetic measurements, methods of, 765, 777
- Paleomagnetic record, 771
- Paleomagnetic reversal data, 137
- Paleomagnetism, Leg 58 sediments, 126, 765–768
 Site 442 basalt, 41, Table 8
 sediments, 37; 38, Table 6; 48
- Site 443 basalt, 130, Table 8
 sediments, 126, Table 7
- Site 444, basalt, 232; 234, Table 9
 sediments, 231; 232, Table 8; 241
- Site 445, 6
- Site 446, 6
- Paleostratigraphic cross-section, Shikoku and Parece Vela Basins, 704; 705, Fig. 4
- Palynology, analytical methods, 597
- Parece Vela Basin, 895
 lithofacies, 701, 806
 sedimentation rate in, 709
- Parental magma, 877
- Partial-melting processes, 877, 885, 889, 892
- Pedogenesis, 675
- Pelagic clay and mud, 674, 701
- Pelagic clay, Site 444, 672
- Pelagic mud, Site 442, 669
- Pelecypod shells, 609
- Peridotite, 899
 nODULES, 890
- Petrography, basalt, Site 442, 33
- Petrology, abyssal basalt, 843
- pH averages, 113, 292
- Philippine Basin, sea-floor spreading, 875
 subduction of, 4
- Phthalate, 759
- Physical properties, 39
 Site 442, 44–45, Tables 10–12
 Site 443, 129; 133, 134, Table 10; 135, 136, Tables 11–12
 Site 444, 236; 237, Table 12; 238, Table 14
 Site 445, 298; 301–303, Table 5
 Site 446, 420; 423, 424, Table 9
- Pillow lavas, 5, 6, 36, 120, 126, 625, 721, 791, 856, 860, 861, 895, 923
 chemical composition of, 793, Table 1
 NRM intensities, 47
- Pillow rinds, 34, 122
- Pipe vesicles, 34
- Plagioclase, 33, 122, 124, 229
 chemical composition of, 849, Table 4; 850, Table 7; 851, Table 10
 laths, 124
 phenocrysts, 124, 798
- Planolites*, 602
- Pleistocene sediments, 707
- Pliocene/Miocene boundary, 570
- Pliocene/Pleistocene boundary, 294, 570
- Pliocene sediments, 707
- Plume-type basalts, 831
- Point-source volcanism, 865
- Pore-fluid diagenesis, 909
- Potassium feldspar, chemical analyses, 852, Table 11
- Preservation of fossils, 116
- Pressure welding, 611
- Pristane/phytane ratios, 759; 761, Table 4

- Productivity and silica preservation, 589
 Pyrite, 124
 crystals, 36
 Pyroclastic sediments, 701, 707
 Pyrolysis, kerogen, 741
 Pyroxene, 33, 124, 125, 229, 231
 chemical composition of, 850, Table 5; 851, Table 8; 852, Table 12
 mineralogy of, 852
 Quaternary fluctuations in sea level, 33
 Quench textures, 124
 Radiolarians, biostratigraphy of, 32, 119, 228
 preservation of, 32; 119; 228; 588; 593, Fig. 2
 Site 442, 587; 589, Table 1
 Site 443, 587; 590, Table 2
 Site 444, 228; 588; 591, Table 3
 Site 445, 298; 592, Table 4
 Site 446, 413; 592, Table 5
 species list, 591
 tropical Cenozoic zonation, 588, Fig. 1
 Recrystallization of carbonate, 610
 Redeposited sediments, 6, 701
 Reflectance values, 758
 Regional metamorphism, 637
 Remnant-arc system, 6, 401, 609
 Resistates, 724
 Responsibilities for authorship, 6
 Reykjanes basalts, 800
 vesicularity of, 896
 Reykjanes Ridge, 132, 839, 874
 Rhodochrosite, replacement of internal molds of foraminifers by, 695
 Rifting model, 109
 Rifting, origin of, Shikoku Basin, 220
 Rim cement, 610, 611
 Rim zoning, 231
 Rip-up clasts, 406
 Rogue Formation, 865
 Rullkötter, Jürgen, 755
 Ryukyu Trough, 875
 Salinity, 114
 Sandstone, diagenesis of, 610
 lithification of, 665
 modal analyses of, 612, Table 2
 petrography, 629
 petrology and diagenesis, 609
 Sato, Yoshiaki, 661
 Saunders, Andrew D., 805
 Sea-floor alteration, environment of, 905
 Sea-floor spreading, 3
 Sea-level fluctuations, Pleistocene, 229
 Sea-level, lowering of, 33
 Sebacate, 759
 Secondary minerals, 126
 Sediment classification, 11; 711; 713, Fig. 1
 Sediment induration, 10
 Sediment slides, 10
 Sedimentary structures, 9, 286, 288, 291, 406, 687, 721
 SEE ALSO: specific types of structures
 symbols for, 11, Fig. 5
 Sedimentation rates, 48, 134, 748, 770, 778
 effect on silica preservation, 589
 Seismic-reflection profiles, Leg 58, Fig. 3, back pocket fold-out
 Seismic structure, 131
 Seismic velocities of crystalline rocks, effects of water saturation and open pore space on, 935
 Serpentine, 124
 Shallow-water bioclasts, 646
 Shear-strength measurements, 24, 40, 236
 Shih, Tai-chang, 783
 Shikoku Basin, 132
 abyssal basalts from, 843, 852
 age of formation, 675
 age of oldest sediment in, 5
 basalt, chemical composition of, 857, Table 17; 866; 867, Table 11
 emplacement in, 913
 normative composition of, 853, Table 17
 stratigraphic variation of, 856
 trace-element analyses of, 860
 changes in detrital clay sedimentation, 677
 chemical characteristics of sediments, 719; 720, Table 1
 depositional history of, 720
 geodynamic changes, 675
 geographical changes with time, 676
 heat-flow in, 843
 igneous stratigraphy of, 809, 843
 lithofacies of, 701
 magnetic lineations, 783
 magnetic stratigraphy, 861, Fig. 5
 marine geology of, 22
 organic carbon in sediments, 757, Table 1; 758
 origin of, 787
 paleomagnetism in, 235
 principal results of drilling in, 5
 regional and tectonic setting, 806, 874
 rifting in, 220
 sedimentation rate in, 708
 sill complexes of, 861, 864
 sources of sedimentary components, 675, Fig. 6; 707, 723; 755
 spreading center, 900
 spreading rate, 723, 786
 stratigraphic section, 5
 tectonic setting, 806, 874
 tholeiites, 854
 volcanic activity, 861
 volcanic stratigraphy, 843
 Shimanto belt (Cretaceous geosynclinal area), 724
 Shimanto shales, 721
 Shipboard scientific procedures, 7
 Silica, mobilization of, 588
 Sills, 5, 6, 231, 414, 418, 426, 792, 800, 848, 861, 864, 921
 K-Ar ages of basalt from, 921
 Single-limb spreading, 283
 Site 442, background and objectives, 21
 basalt, alteration of, 34, 846
 chemistry, 36; 859, Table 21; 876, Table 1
 petrography, 669, 791, 844

- vesicles in, 846
 biostratigraphy, 29; 30, Table 4
 calcite-compensation depth (CCD), 29
 clay mineralogy, 671, Fig. 2
 diabase petrography, 845
 foraminifers, 29, 567
 geochemistry, 27; 28, Table 3, Fig. 5
 igneous petrology, 33; 809, Fig. 2
 igneous stratigraphy, 843
 inorganic geochemistry of interstitial water, 27
 lithology, 24; 25, Table 2
 magnetic inclination, down-hole, 809, Fig. 2
 nannofossils, 551; 552; 553, Table 2
 operations, 22
 organic geochemistry, 27
 physical properties, 44-45, Tables 10-12
 pillow basalts, 845
 primary drilling objectives, 22
 radiolarians, 587; 589, Table 1
 sedimentation rate, 32, Fig. 6, Table 5
 spreading rate at, 721
 summary and conclusions, 47
 Site 443, acoustic basement at, 132
 age of sediment above basalt, 136
 alteration of basalt at, 125, 847
 background and objectives, 109
 basalt, chemical composition of, 859, Table 22; 876, Table 1
 and diabase, petrography of, 126, 791, 813; 821, Fig. 17; 822, Table 6; 847, Table 2,
 phenocrysts in, 862, Fig. 6
 biostratigraphy, 114; 117, Table 5
 calcite-compensation depth (CCD), 134, 136
 clay mineralogy, 671
 conclusions, 136
 foraminifers, 568
 geochemistry, basalt, 125
 sediments, 113; 114; 116, Table 4, Fig. 5
 geochronological studies, 917
 igneous stratigraphy, 846
 nannofossils, 552; 554, 555, Table 3
 operations, 110
 paleoecology, 116
 physical properties, 133, 134, Table 10; 135, 136, Tables 11, 12
 radiolarians, 587; 590, Table 2
 reflection profiles, 132
 sedimentation rates, 119, Fig. 6, Table 6
 sediment lithology, 111; 113, Table 2
 summary, 127, 134
 Site 444, basalt, chemical composition of, 859, Table 23
 and diabase, petrography of, 848, 672, 792, 829
 biostratigraphy, 224; 226, Table 6
 clay mineralogy, 671; 673, Fig. 4
 conclusions, 241
 correlation of geophysical data with drilling results, 238
 foraminifers, 569
 geochemical data, 225, Tables 4, 5
 igneous petrology, 229
 igneous stratigraphy, 848
 inorganic geochemistry, 224
 nannofossils, 227; 554; 556, Table 4
 objectives, 220
 organic geochemistry, 224
 radiolarians, 228; 588; 591, Table 3
 sedimentation rate, 229
 source of sediments, 5
 summary, 240
 Site 445, background & objectives, 284
 bathymetry, 631
 biostratigraphic zones, 294; 296, 297, Table 3
 clay mineralogy, 684; 685, Fig. 2
 conclusions, 312
 conglomerate, 643
 correlation of geophysical data with drilling results, 305
 foraminifers, 294, 570
 geochemical data, 293, Table 2
 geochronological studies, 917
 inorganic chemistry, 292; 293, Fig. 9
 nannofossils, 295; 557; 558, 559, Table 5; 560, 561, Table 6
 operations, 284
 organic carbon, 292, Figs. 7, 8
 organic geochemistry, 291
 paleolatitude, 306, Fig. 14
 paleomagnetism, 298; 301-303, Table 5
 palyontology, 597
 physical properties, 303; 307-309, Table 7
 radiolarians, 298; 592, Table 4
 sediment lithology, 284
 sedimentation rate, 298; 299, Fig. 10; 300, Table 4; 309
 stratigraphic section, 287, Fig. 4; 311, Fig. 19; 405, Fig. 4.
 summary, 306
 Site 446, background & objectives, 401
 basalt, 832; 833, Table 8; 834, Table 9
 biostratigraphy, 408; 410, 411, Table 5
 clay mineralogy, 686; 687, Fig. 3
 conclusions, 428
 correlation of geophysical data with, 422
 drilling results depositional history, 425
 foraminifers, 409, 571
 geochronological studies, 917
 igneous petrology, 414
 inorganic geochemistry, 408, Table 3, Table 4, Fig. 6
 lithology, 404
 magnetic anomalies, 422
 nannofossils, 412; 562; 564, 565, Table 7
 oldest sediment, 409, 426
 operations, 402
 organic geochemistry, 406
 paleomagnetism, 419, Table 7; 421, Fig. 10
 petrography, 414
 physical properties, 420; 423, 424, Table 9
 radiolarians, 413; 592, Table 5
 sedimentation rate, 413, Fig. 7, Table 6
 stratigraphic section, 6; 404, Table 2; 405, Fig. 4; 416, 417, Fig. 9
 summary, 425

- Skaergaard augites, 800, 852
Skolithos, 602
 Sloan, Jon R., 21, 109, 219, 283, 401, 587, 745
 Slump folds, 287
 Slump structures, 286, 287, 289
 Slumping, 6, 306, 611, 647
 Smectite deposits, 610, 671, 674, 686
 origin of, 674
 Sonic velocity, 40, 236
 Sonobuoy measurements, 132, 402
 South Fiji Basin, sills in, 864
 Sphene, 662
 Spreading processes, single-limb, 3
 symmetrical, 3
 Steffenson, C. K., 609
 Stilbite, 646
 Stratigraphic hiatus, 126
 Oligocene, 306, 683
 Subaqueous gravity processes, 755
 Subduction zone, 862, 892, 899
 Subophitic texture, 120
 Subsidence, 402
 Shikoku Basin, 675
 Sugisaki, Ryuichi, 719
 Sulfide droplets, 36
 Sulfide oxidation, 914
 Sulfides, 792
 Survey data, 7
 Symmetrical sea-floor spreading, 6, 220, 283
 Symmetrical-spreading history, Shikoku Basin, 22
 Subduction, Pacific Plate and Indo-Australian Plate, 3
 T-type ocean-ridge basalts, 806, 811, 873, 887, 890
 Takigami, Y., 917
 Talc, 124
 Tarney, John, 805, 873
 Tephra layers, 617; 618, Table 1
 deep-sea, origin of, 624
 petrographic features, 618, 619, 620, Table 2; 626
 refractive indexes, 618
 Terrigenous plant debris, 758
 Terrigenous sediments, 702
 Teschenite sill, 856, 861
 Tetrapyrrole pigments, geochemistry of, 737
 geochemistry, method of analysis, 737
 Thermal agitation, 235
 Thermal conductivity, 40, 236, 303
 Thermal effects of intrusion, 231
 Thermal effects on organic material, 749
 Thermal metamorphism, effect of on kerogen, 741
 Thermochemical reaction, 235
 Thermomagnetic measurements, 923
 Thermomagnetic properties, correlation with lithology, magnetic polarity, and magnetic intensity of basalt, 926, 927, 928, 929
 Tholeiites, abyssal, 863, 898, 899
 island-arc, 839
 Tholeiitic lava series, chemical composition, 886
 Titanomagnetite, 122, 792
 Tokunaga, Shigemoto, 597
 Tokuyama, Hidekazu, 629
 Tonouchi, Shoji, 777
 TOPS (typical oceanic profile samples), 793
 Trace-fossil facies, 601, 602
 Transform fault, 21
 Trenches, 3
 Treuil, M., 873
 Trimacerite, 759
 Tristan Da Cunha, 856
 Troodos Massif, 721
 Turbidites, 22, 220, 425, 570, 601
 Turbidity channel levee deposits, 647
 Turbidity currents, 6, 137, 288, 306, 428, 609, 611, 647
 Tyokai volcanic zones, 886
 Underway geophysical data, Leg 58, 943
 Vanadium, 802
 Variolitic zone, 34
 Veins, 414
 formation of, 905
 Vermiculite, 673
 Vesicles, 230, 834
 Vesicularity, Shikoku Basin basalt, 800, 809, 895, 897
 Viscous magnetization, 777
 Vitrinites, 756
 Volatile content, basalt, 895, 897
 Volcanic activity, 631
 Paleocene, 637
 types of, 618
 Volcanic ash, 25, 289
 debris, 33
 episodes, 241, 864
 fumaroles, 898
 glass, 24, 112, 609, 617
 chemical composition of, 618; 622, Table 3
 classification of, 618
 hydration of, 623
 refractive index of, 621, Fig. 2
 relationship between refractive index and chemical composition, 622
 origin of clays, 707
 process, Site 443, 125
 rocks, 644
 Volcanism, alkali, 625
 andesitic, 3
 Iwo Jima Ridge, 707
 Miocene, 120, 229, 707
 Waples, Douglas, 21, 109, 219, 283, 401, 748, 745
 Welte, Dietrich H., 755
 West Mariana Basin, 873
 West Mariana Ridge as a sediment source, 709
 West Philippine Sea, sea-floor spreading, 807
 Wet-bulk density of basalts, 42
 White, Stan M., 3, 21, 109, 219, 283, 401, 711
 Wood, D. A., 873
 X-ray data, basalts, 17, 807
 sediments, 17, 683
 Yamato Bank, 721
 Yuasa, Makoto, 629
 Zeolites, 27, 848
 composition of, 853, Table 15
 Zeolitization, post-depositional, 647
 Zoophycos, 27, 112, 602